

RECEIVED
AUG 24 2016 JUN 07 2016Amended
WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) City of Boise, Department of Parks & Recreation Phone 208.384-3870
Name connector (check one): ☐ and ☐ or ☐ and/orMailing address 1104 Royal Blvd City BoiseState ID Zip 83706 Email rstrong@cityofboise.org2. Source of water supply Groundwater which is a tributary of _____

3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
3N	2E	2	2		NW	NE	Ada	Groundwater	

4. Water will be used for the following purposes:

Amount .22 for Municipal purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)5. Total quantity to be appropriated is (a) 21.22 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).
P.S.

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. Well to pressurized irrigation system.b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ Noc. Proposed well diameter is 8 inches; proposed depth of well is 342 feet.d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ Noe. If well is already drilled, when? 4/28/2016; drilling firm Stevens & Sons Well Drilling, Inc.; well was drilled for (well owner) City of Boise, Dept of Parks & Recreation; Drilling Permit No. D0071809

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. N/Ab. Stockwatering; list number and kind of livestock. N/Ac. Municipal; complete and attach the Municipal Water Right Application Checklist.d. Domestic; show number of households N/A

e. Other; describe fully. _____

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.
See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	2E	2		M															

Total number of acres to be irrigated: 7

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?
63-33845, from the same point of diversion.

10. a. Who owns the property at the point of diversion? City of Boise
- b. Who owns the land to be irrigated or place of use? City of Boise
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

This application seeks to increase the rate of flow above water right permit no. 63-33845. The well is more productive than anticipated and the Department's intent is to divert the same volume of water at a higher rate of flow. A higher rate of flow will allow the Department to irrigate the park in a shorter window, increasing the amount of time that the public can use the park. The rate of flow for this application is the difference between the rate allowed under 63-33845 and the well capacity (160 gpm.) The water bearing zone is between 200 and 342 feet.

12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Doug Holloway, Director

Print Name (and title, if applicable)

Signature of Applicant


Print Name (and title, if applicable)

Received by cd Date 6/7/16 Time 2:35 Preliminary check by DM
 Fee \$ 250.00 Received by cd Receipt No. W044276 Date 6/7/16

63-34240



City of Boise Dept of Parks & Recreation 3N 2E S2 NWNE .22 cfs Municipal



Legend

- Parcels
- Sections

Notes

0.3 0 0.14 0.3 Miles

NAD_1983_Transverse_Mercator
Date Generated: 5/25/2016 2:26:24 PM

This map is a user generated static output from an Internet mapping site and is for reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.

THIS MAP IS NOT TO BE USED FOR NAVIGATION

1: 9,027



**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

**MUNICIPAL WATER RIGHT APPLICATION CHECKLIST
FOR AN APPLICATION TO APPROPRIATE WATER FOR MUNICIPAL PURPOSES**

An application to appropriate water for municipal purposes must be prepared in accordance with the requirements listed below to be acceptable for processing by the Department. There are two types of permits for municipal water use. The first type of municipal permit provides water for reasonably anticipated future needs (RAFN) over a defined planning horizon.¹ The second type of municipal permit, called non-RAFN, provides water solely for use to meet needs that will arise in the near-term (five years).² A **non-RAFN** permit may have an annual volume limitation associated with it. Each type of municipal water use has a distinct set of review requirements.

Applicant Name: City of Boise, Department of Parks & Recreation

1. Type of Municipal Provider. Applicant must qualify as a Municipal Provider to obtain a municipal water right. See Idaho Code § 42-202B (5). Check one:

- ☒ Type 1 – Municipality
☐ Type 2 – Franchise or political subdivision supplying water to a municipality
☐ Type 3 – Corporation or association regulated as a “public water supply” system by IDEQ
☐ Attach documentation of qualification as a Municipal Provider. See Idaho Code § 42-202(2).

2. List existing Water Rights (permits, licenses, decrees, and beneficial use claims) available to the applicant for municipal needs. These rights may or may not have a purpose of use expressly defined as “municipal”. Include a separate attachment as needed.

Right Number	Nature of Use	Diversion Rate (cfs)	Annual Vol. (acre-feet)	Service Area
_____	<u>Submitted previously</u>	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

3. List the total diversion rate from Item 2. Be sure to account for any combined diversion rate limits in the approval conditions of each right listed. _____ CFS (total from 2)
4. List the total volume from Item 2. Be sure to account for any combined volume limits in the approval conditions of each right listed. _____ AF (total from 2)

¹ For a thorough discussion of RAFN water rights, see IDWR’s *Recommendations for the Processing of Reasonably Anticipated Future Needs (RAFN) Municipal Water Rights at the Time of Application, Licensing, and Transfer*.

² For a thorough discussion of non-RAFN water rights, see IDWR’s Application Processing Memorandum No. 18.

5. Planning Horizon. See Idaho Code § 42-202B (7). Check one:

- ☐ RAFN. Specify planning horizon: ____ years. Go to Item 6.
☒ Non-RAFN (≤ 5 years). Go to Item 7.

6. If application is for RAFN:

- ☐ Attach justification for planning horizon. See Idaho Code § 42-202(2) and § 42-202B(7).
☐ Attach description of service area. See Idaho Code § 42-202(2) and § 42-202B(9).
☐ Attach population projection within the service area over the planning horizon. See Idaho Code § 42-202(2) and § 42-202B(8).
☐ Attach evaluation for demand within the service area over the planning horizon. See Idaho Code § 42-202(2) and § 42-202B(8).

Does demand exceed the totals listed in Items 3 and 4?

- | | | |
|--------------------------|--------------------------|---------|
| Y | N | |
| ☐ | ☐ | Rate? |
| ☐ | ☐ | Volume? |

If the answer is "No" to both rate and volume and a new point of diversion is needed, file a transfer application pursuant to Idaho Code § 42-222(1).

7. If application is for non-RAFN:

When submitting proof of beneficial use, non-RAFN permit holders will be required to show that water was diverted for an additional increment of beneficial use over existing water rights during the authorized development period, which may be up to five years from the date of approval. Do existing demand and short term needs exceed the combined authorizations from the existing water rights listed in Items 3 and 4?

- | | | |
|-------------------------------------|-------------------------------------|---------|
| Y | N | |
| ☒ | ☐ | Rate? |
| ☐ | ☒ | Volume? |

If the answer is "No" to both rate and volume and a new point of diversion is needed, file a transfer application pursuant to Idaho Code § 42-222(1).

RECEIVED

JUN 07 2016

WATER RESOURCES
WESTERN REGIONIdent. No. 63-34240STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

1. Name of applicant(s) City of Boise, Department of Parks & Recreation Phone 208.384-3870
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 1104 Royal Blvd City Boise
 State ID Zip 83706 Email rstrong@cityofboise.org

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
3N	2E	2	2		NW	NE	Ada	Groundwater	

4. Water will be used for the following purposes:

Amount .22 for Municipal purposes from 3/15 to 11/15 (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) .21 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. Well to pressurized irrigation system.

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is 8 inches; proposed depth of well is 342 feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? 4/28/2016; drilling firm Stevens & Sons Well Drilling, Inc.; well was drilled for (well owner) City of Boise, Dept of Parks & Recreation; Drilling Permit No. D0071809

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. N/A

b. Stockwatering; list number and kind of livestock. N/A

c. Municipal; complete and attach the Municipal Water Right Application Checklist.

d. Domestic; show number of households N/A

e. Other; describe fully. _____

63-34240

1

* superseded by amended app. received 8-24-16 - DM

8. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	2E	2		M															

Total number of acres to be irrigated: 7

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?
 63-33845, from the same point of diversion.

10. a. Who owns the property at the point of diversion? City of Boise
 b. Who owns the land to be irrigated or place of use? City of Boise
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

This application seeks to increase the rate of flow above water right permit no. 63-33845. The well is more productive than anticipated and the Department's intent is to divert the same volume of water at a higher rate of flow. A higher rate of flow will allow the Department to irrigate the park in a shorter window, increasing the amount of time that the public can use the park. The rate of flow for this application is the difference between the rate allowed under 63-33845 and the well capacity (160 gpm.) The water bearing zone is between 200 and 342 feet.

12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Signature of Applicant

Doug Holloway, Director

Print Name (and title, if applicable)

Print Name (and title, if applicable)


For Department Use:

Received by CS Date 6/7/16 Time 2:35 Preliminary check by DM
 Fee \$ 250.00 Received by CS Receipt No. W044276 Date 6/7/16

63-34240
 superseded by amended app. received 8-24-16 DM



City of Boise Dept of Parks & Recreation 3N 2E S2 NWNE .22 cfs Municipal



Legend

- Parcels
- Sections

Notes



NAD_1983_Transverse_Mercator
Date Generated: 5/25/2016 2:26:24 PM

This map is a user generated static output from an Internet mapping site and is for reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.
THIS MAP IS NOT TO BE USED FOR NAVIGATION

1: 9,027



Generated by amended app. received 8-24-16 -DM

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

**MUNICIPAL WATER RIGHT APPLICATION CHECKLIST
FOR AN APPLICATION TO APPROPRIATE WATER FOR MUNICIPAL PURPOSES**

An application to appropriate water for municipal purposes must be prepared in accordance with the requirements listed below to be acceptable for processing by the Department. There are two types of permits for municipal water use. The first type of municipal permit provides water for reasonably anticipated future needs (RAFN) over a defined planning horizon.¹ The second type of municipal permit, called non-RAFN, provides water solely for use to meet needs that will arise in the near-term (five years).² A non-RAFN permit may have an annual volume limitation associated with it. Each type of municipal water use has a distinct set of review requirements.

Applicant Name: City of Boise, Department of Parks & Recreation

1. Type of Municipal Provider. Applicant must qualify as a Municipal Provider to obtain a municipal water right. See Idaho Code § 42-202B (5). Check one:

- ☒ Type 1 – Municipality
☐ Type 2 – Franchise or political subdivision supplying water to a municipality
☐ Type 3 – Corporation or association regulated as a “public water supply” system by IDEQ
☐ Attach documentation of qualification as a Municipal Provider. See Idaho Code § 42-202(2).

2. List existing Water Rights (permits, licenses, decrees, and beneficial use claims) available to the applicant for municipal needs. These rights may or may not have a purpose of use expressly defined as “municipal”. Include a separate attachment as needed.

Right Number	Nature of Use	Diversion Rate (cfs)	Annual Vol. (acre-feet)	Service Area
	<u>Submitted previously</u>			

3. List the total diversion rate from Item 2. Be sure to account for any combined diversion rate limits in the approval conditions of each right listed. _____ CFS (total from 2)
4. List the total volume from Item 2. Be sure to account for any combined volume limits in the approval conditions of each right listed _____ AF (total from 2)

¹ For a thorough discussion of RAFN water rights, see IDWR’s *Recommendations for the Processing of Reasonably Anticipated Future Needs (RAFN) Municipal Water Rights at the Time of Application, Licensing, and Transfer*.

² For a thorough discussion of non-RAFN water rights, see IDWR’s Application Processing Memorandum No. 18.

5. Planning Horizon. See Idaho Code § 42-202B (7). Check one:

- ☐ RAFN. Specify planning horizon: ____ years. Go to Item 6.
☒ Non-RAFN (≤5 years). Go to Item 7.

6. If application is for RAFN:

- ☐ Attach justification for planning horizon. See Idaho Code § 42-202(2) and § 42-202B(7).
☐ Attach description of service area. See Idaho Code § 42-202(2) and § 42-202B(9).
☐ Attach population projection within the service area over the planning horizon. See Idaho Code § 42-202(2) and § 42-202B(8).
☐ Attach evaluation for demand within the service area over the planning horizon. See Idaho Code § 42-202(2) and § 42-202B(8).

Does demand exceed the totals listed in Items 3 and 4?

- Y N
☐ ☐ Rate?
☐ ☐ Volume?

If the answer is "No" to both rate and volume and a new point of diversion is needed, file a transfer application pursuant to Idaho Code § 42-222(1).

7. If application is for non-RAFN:

When submitting proof of beneficial use, non-RAFN permit holders will be required to show that water was diverted for an additional increment of beneficial use over existing water rights during the authorized development period, which may be up to five years from the date of approval. Do existing demand and short term needs exceed the combined authorizations from the existing water rights listed in Items 3 and 4?

- Y N
☒ ☐ Rate?
☐ ☒ Volume?

If the answer is "No" to both rate and volume and a new point of diversion is needed, file a transfer application pursuant to Idaho Code § 42-222(1).



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

August 25, 2016

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

CITY OF BOISE PARKS & RECREATION DEPT
1104 ROYAL BLVD
BOISE ID 83706

Application for Permit No. 63-34240

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN on 9/1/2016 and 9/8/2016. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Rachel Neely
Administrative Assistant

Neely, Rachel

From: Neely, Rachel
Sent: Thursday, August 25, 2016 11:38 AM
To: 'BOI Legals'
Subject: Ad Legal Ad
Attachments: Ada Cover Letter.docx; Ada Legal Ad.docx

Good Morning Legal Clerk,

Please see the attached ad for publication on 9/1/2016 & 9/8/2016.

Please confirm these are okay to publish as shown.

Thank you,

Rachel Neely

Administrative Assistant I
IDWR-Western Region
2735 Airport Way Boise, ID 83705
Rachel.Neely@idwr.idaho.gov

August 25, 2016

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application for Permit No. 63-34240

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 9/19/2016. Your cooperation is appreciated.

Sincerely,

Rachel Neely
Administrative Assistant

Enclosure(s)

The following application has been filed to appropriate the public waters of the State of Idaho:

63-34240

CITY OF BOISE PARKS & RECREATION DEPT

1104 ROYAL BLVD

BOISE, ID 83706

Point of Diversion L2(NWNE) S2 T03N R02E ADA County Source GROUND WATER

Use: MUNICIPAL 03/01 to 11/15 0.22 CFS

Total Diversion: 0.22 CFS

Date Filed: 6/7/2016

Place of Use: MUNICIPAL

T03N R02E S2 L2(NWNE)

Water bearing zone to be appropriated is from 200 to 342 feet

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), please see www.idwr.idaho.gov/WaterManagement/WaterRights. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 9/19/2016. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 9/1/2016 and 9/8/2016

MEMORANDUM

Date: August 24, 2016
To: Water Right File 63-34240
From: D. Merriman
Re: Comment/Analysis

This application for permit proposes an additional diversion rate to be used for the municipal irrigation of 7 acres of the Boise Hills Park in North Boise. There are several parts of the application that should be addressed in more detail.

Quantity Amendment: The original application for permit form submitted listed a sole individual municipal use quantity of 0.22 cfs and a total quantity of 0.21 cfs. Discussion with Ryan Strong of the City of Boise's Attorney's Office determined that this was a clerical error and that the total quantity should also list 0.22 cfs. The priority date will not be advanced for the application because the larger quantity had been included on the application on the original submission and the amendment was a clarifying measure.

The original application was signed by Dough Holloway, the Director of Boise Parks and Recreation, an officer of the municipality. The amended application was initialed by Ryan Strong of the City Attorney's Office and was submitted with a cover letter on official city letterhead with his full signature and title. It was determined that Mr. Strong is an authorized individual for the city and the amendment made by him is acceptable as required in Water Appropriate Rule 37.03.08.35.b.xiii.

Quantity Explanation: The application proposes an additional 0.22 cfs to be diverted for municipal irrigation of the same POU and from the same POD as water permit 63-33845. The application form and the drillers log from the well describe the productivity of the well as being able to produce 160 gpm. $160 \text{ gpm} = 0.36 \text{ cfs}$. Water permit 63-33845 approves 0.14 cfs for municipal irrigation. $0.14 \text{ cfs} + 0.22 \text{ cfs} = 0.36 \text{ cfs}$. This is the normal 24-hour diversion rate for 18 acres of land. The applicant is only proposing to irrigate seven (7) acres of land, so would be limited to irrigating for 9.3 hours per day, $[0.02/(x/24) \times 7 = 0.36, x=9.33]$, per Application Processing Memo 60. This timing is consistent with the narrative of their application that states they would be allowed to irrigate the park in a shorter window. No additional volume is being proposed in the application.

Nature of Use: Although this application proposes irrigation, it is described as municipal use. The City of Boise, Department of Parks & Recreation is a municipal entity in the Western Region of the state. Although the well described in the application is not a part of an integrated municipal system, it constitutes part of a municipal use pursuant to Idaho Code 42-202B(6) that states,

"Municipal purposes" refers to water for residential, commercial, industrial, irrigation of parks and open space, and related purposes, excluding use of water from geothermal sources for heating, which a municipal provider is entitled or obligated to supply to all those users within a service area, including those located outside the boundaries of a municipality served by a municipal provider."

Per this code and request from the applicant, the application will be processed with a nature of use of "municipal" rather than "irrigation."

Municipal Checklist: The municipal water right application checklist that was attached to the application for permit states that this application proposes a non-RAFN project. It does not list the existing water rights held by the municipality, but states “submitted previously.” This water rights list was provided to the Department for the most recent City of Boise municipal project prior to Boise Hills Park. Application for Permit 63-34025 approved on May 26, 2016 for municipal storage and municipal from storage (an irrigation project for Magnolia Park) included a complete water rights list (attached). Although this list does not include the approved quantity of 0.30 cfs from water permit 63-34025 or 0.14 cfs from water permit 63-33845, it will be used as the necessary attachment for the municipal checklist.

There is no concern that the rights described in the checklist attachment will be used for the project described in 63-33845 and 63-34240. The completed well is separate from any other wells in the system and no other sources are being used to irrigate the Boise Hills Park.

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

**MUNICIPAL WATER RIGHT APPLICATION CHECKLIST
FOR AN APPLICATION TO APPROPRIATE WATER FOR MUNICIPAL PURPOSES**

An application to appropriate water for municipal purposes must be prepared in accordance with the requirements listed below to be acceptable for processing by the Department. There are two types of permits for municipal water use. The first type of municipal permit provides water for reasonably anticipated future needs (RAFN) over a defined planning horizon.¹ The second type of municipal permit, called non-RAFN, provides water solely for use to meet needs that will arise in the near-term (five years).² A non-RAFN permit may have an annual volume limitation associated with it. Each type of municipal water use has a distinct set of review requirements.

Applicant Name: CITY OF BOISE, DEPT OF PARKS & RECREATION

1. Type of Municipal Provider. Applicant must qualify as a Municipal Provider to obtain a municipal water right. See Idaho Code § 42-202B (5). Check one:

- ☒ Type 1 – Municipality
☐ Type 2 – Franchise or political subdivision supplying water to a municipality
☐ Type 3 – Corporation or association regulated as a “public water supply” system by IDEQ
☐ Attach documentation of qualification as a Municipal Provider. See Idaho Code § 42-202(2).

2. List existing Water Rights (permits, licenses, decrees, and beneficial use claims) available to the applicant for municipal needs. These rights may or may not have a purpose of use expressly defined as “municipal”. Include a separate attachment as needed.

Right Number	Nature of Use	Diversion Rate (cfs)	Annual Vol. (acre-feet)	Service Area
<u>Please see attached</u>	<u>list</u>			

3. List the total diversion rate from Item 2. Be sure to account for any combined diversion rate limits in the approval conditions of each right listed. 238.8 CFS (total from 2)
4. List the total volume from Item 2. Be sure to account for any combined volume limits in the approval conditions of each right listed. _____ AF (total from 2)

¹ For a thorough discussion of RAFN water rights, see IDWR's *Recommendations for the Processing of Reasonably Anticipated Future Needs (RAFN) Municipal Water Rights at the Time of Application, Licensing, and Transfer*.

² For a thorough discussion of non-RAFN water rights, see IDWR's Application Processing Memorandum No. 18.

5. Planning Horizon. See Idaho Code § 42-202B (7). Check one:

- ☐ RAFN. Specify planning horizon: ____ years. Go to Item 6.
☒ Non-RAFN (≤5 years). Go to Item 7.

6. If application is for RAFN:

- ☐ Attach justification for planning horizon. See Idaho Code § 42-202(2) and § 42-202B(7).
☐ Attach description of service area. See Idaho Code § 42-202(2) and § 42-202B(9).
☐ Attach population projection within the service area over the planning horizon. See Idaho Code § 42-202(2) and § 42-202B(8).
☐ Attach evaluation for demand within the service area over the planning horizon. See Idaho Code § 42-202(2) and § 42-202B(8).

Does demand exceed the totals listed in Items 3 and 4?

- Y N
☐ ☐ Rate?
☐ ☐ Volume?

If the answer is "No" to both rate and volume and a new point of diversion is needed, file a transfer application pursuant to Idaho Code § 42-222(1).

7. If application is for non-RAFN:

When submitting proof of beneficial use, non-RAFN permit holders will be required to show that water was diverted for an additional increment of beneficial use over existing water rights during the authorized development period, which may be up to five years from the date of approval. Do existing demand and short term needs exceed the combined authorizations from the existing water rights listed in Items 3 and 4?

- Y N
☒ ☐ Rate?
☒ ☐ Volume?

If the answer is "No" to both rate and volume and a new point of diversion is needed, file a transfer application pursuant to Idaho Code § 42-222(1).

Amended Application for Permit

Type	Basin	Sequence	Sub Basin	Status	Priority Date	Div. Rate	Source	Water Use	Owner
WR	63	164	C	Decreed	Active	6/1/1866	0.9 BOISE RIVER	MUNICIPAL	CITY OF BOISE
WR	63	2841		Decreed	Active	01/16/51	0.8 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	2843		Decreed	Active	01/23/51	2 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	2845		Decreed	Active	02/15/51	2.7 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	2925		Decreed	Active	12/12/52	0.36 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	2933		Decreed	Active	02/25/53	0.6 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	2971		Decreed	Active	12/10/53	0.12 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	2972		Decreed	Active	12/10/53	0.84 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	3116		Decreed	Active	11/29/57	0.5 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	3132		Decreed	Active	06/20/58	0.2 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	3147		Decreed	Active	01/26/59	2.45 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	3413		Decreed	Active	10/30/64	2.89 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	3565		Decreed	Active	11/28/66	1 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	7034		Decreed	Active	12/13/67	1.59 GROUND WATER	IRRIGATION, MUNICIPAL	CITY OF BOISE
WR	63	7179		Decreed	Active	12/19/68	0.91 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	7523		Decreed	Active	11/16/71	0.55 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	7524		Decreed	Active	11/16/71	0.53 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	7549		Decreed	Active	01/27/72	0.1 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	7592		Decreed	Active	04/20/72	0.1 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	7666		Decreed	Active	09/27/72	1 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	7668		Decreed	Active	09/27/72	1 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	7728		Decreed	Active	02/20/73	0.15 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	8025		Decreed	Active	08/20/74	0.59 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	8125		Decreed	Active	05/02/75	0.67 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	8145		Decreed	Active	07/04/75	0.5 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	8263		Decreed	Active	02/11/76	0.5 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	8599	B	Decreed	Active	04/21/81	0.4 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	8600		Decreed	Active	03/21/77	0.19 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	9112		Decreed	Active	03/04/78	0.48 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	9192		Decreed	Active	12/05/78	0.58 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	9276		Decreed	Active	08/16/79	0.76 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	9326		Decreed	Active	01/05/80	0.18 GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	9362		Decreed	Active	05/01/80	0.25 GROUND WATER	MUNICIPAL	CITY OF BOISE

63-34246

attachment to memo

8-24-16

3/5

Amended Application for Permit

WR	63	9670	Decreed	Active	02/19/81	0.25	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	10188	Decreed	Active	09/17/83	0.24	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	10246	Decreed	Active	06/18/84	0.48	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	10296	Decreed	Active	05/22/85	1	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	10305	Decreed	Active	07/18/85	0.18	GROUND WATER	MUNICIPAL, MUNICIPAL STORAGE	CITY OF BOISE
WR	63	10395 A	Decreed	Active	01/16/87	0.04	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	10395 B	Decreed	Active	01/16/87	0.28	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	12575	Decreed	Active	03/29/00	0.09	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	31126	Decreed	Active	12/31/72	0.04	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	31701	Decreed	Active	12/03/81	0.04	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	31809	Decreed	Active	01/01/58	0.06	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR	63	32350	Decreed	Active	08/30/56		BOISE RIVER	MUNICIPAL STORAGE	CITY OF BOISE
WR	63	32351	Decreed	Active	08/30/56		BOISE RIVER	MUNICIPAL STORAGE	CITY OF BOISE
WR	63	32352	Decreed	Active	08/30/56		BOISE RIVER	MUNICIPAL STORAGE	CITY OF BOISE
WR	63	33052	License	Active	09/02/09		GROUND WATER	MUNICIPAL STORAGE	CITY OF BOISE
WR	63	33718	Decreed	Active	08/16/79	0.04	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR Permit	63	32146		Active	03/22/05		GROUND WATER	AESTHETIC STORAGE, MUNICIPAL STORAGE, RECREATION STORAGE, WILDLIFE STORAGE	CITY OF BOISE
WR Permit	63	32210		Active	05/27/05	0.45	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR Permit	63	32971		Active	01/17/08	1.2	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR Permit	63	33454		Active	11/22/10	0.15	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR Permit	63	33467		Active	01/05/11	200	DIXIE SLOUGH	WATER QUALITY IMPROVEMENT DIVERSION TO STORAGE, MUNICIPAL FROM STORAGE, MUNICIPAL STORAGE	CITY OF BOISE
WR Permit	63	33579		Active	09/23/11	0.04	GROUND WATER	DIVERSION TO STORAGE, MUNICIPAL FROM STORAGE, MUNICIPAL STORAGE	CITY OF BOISE
WR Permit	63	33655		Active	08/08/12	1	GROUND WATER	DIVERSION TO STORAGE, MUNICIPAL FROM STORAGE, MUNICIPAL STORAGE	CITY OF BOISE
WR Permit	63	33676		Active	07/26/12	0.16	GROUND WATER	DIVERSION TO STORAGE, MUNICIPAL FROM STORAGE, MUNICIPAL STORAGE	CITY OF BOISE
WR Permit	63	33692		Active	08/21/12	0.12	GROUND WATER	MUNICIPAL	CITY OF BOISE
WR Permit	63	33785		Active	05/21/13	0.05	GROUND WATER	MUNICIPAL	CITY OF BOISE

63-34025

Amended Application for Permit

WR Permit	63	33845		Active	08/28/13	0.14	GROUND WATER	MUNICIPAL	CITY OF BOISE
Claim	63	30137 B	Beneficial	Active	03/13/68	6.44	GROUND WATER	MUNICIPAL	CITY OF BOISE
Total of:						288.88			

In 2-21-13 in attachment to memo 8-24-16 5/5



Boise City Attorney's Office

Robert B. Luce
Boise City Attorney

Boise City Hall
150 N. Capitol Boulevard

Mailing Address
P. O. Box 500
Boise, Idaho 83701-0500

Phone
208/384-3870

Fax
208/384-4454

TDD/TTY
800/377-3529

Web
www.cityofboise.org

Mayor
David H. Bieter

City Council
President
Elaine Clegg

Council Pro Tem
Lauren McLean

Maryanne Jordan
Scott Ludwig
Ben Quintana
TJ Thomson

August 22, 2016

Danie Merriman
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082

RE: Application for permit 63-34240

Dear Ms. Merriman,

Enclosed is a corrected application for permit No. 63-34240 which amends Section 5 of the application by requesting .22 cfs, rather than .21, as originally requested in the application. Section 4 and 5 are now consistent. Please let me know if you need any additional information.

Thank you,


Ryan Strong
Boise City Paralegal

Enc.

RECEIVED
AUG 24 2016
WATER RESOURCES
WESTERN REGION



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082


Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

July 25, 2016

CITY OF BOISE
DEPARTMENT OF PARKS AND RECREATION
1104 ROYAL BLVD
BOISE, ID 83706



Re: Application for permit 63-34240 clarification

Dear Applicant,

The purpose of this letter is to request clarification regarding the application for permit 63-34240 received on June 7, 2016.

Your application requests additional groundwater to be diverted from the same well as water permit 63-33845 for seven acres of municipal irrigation. There is a discrepancy in the application form regarding the quantity of water requested. Section four (4) of the application for permit requests 0.22 cfs of water for municipal use. This request is consistent with the narrative that describes a combined use with water permit 63-33845 to achieve a flow rate of 160 gpm. However, section five (5) of the application requests a total of 0.21 cfs to be appropriated. Please amend either section four (4) or section five (5) to reflect the true quantity of water to be appropriated.

I am returning a copy of your original application with notes showing the areas that need to be addressed. Please submit the amended application (with your initials) for the application to be processed. You may seek additional time to provide the information by making a written request to interrupt processing for up to six months. The application will be voided without a timely written reply within the next thirty (30) days. Refunds are not issued for voided applications.

IDWR forms and other information are available on the Internet at www.idwr.idaho.gov. Please contact me at 208-334-2190 if you need more information. Thank you for your attention to these matters.

Sincerely,

Danie Merriman
Water Resource Agent, Senior
IDWR, Western Region

Enclosed: Copy of Original Application for Permit



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

July 25, 2016

COPY

CITY OF BOISE
DEPARTMENT OF PARKS AND RECREATION
1104 ROYAL BLVD
BOISE, ID 83706

Re: Application for permit 63-34240 clarification

Dear Applicant,

The purpose of this letter is to request clarification regarding the application for permit 63-34240 received on June 7, 2016.

Your application requests additional groundwater to be diverted from the same well as water permit 63-33845 for seven acres of municipal irrigation. There is a discrepancy in the application form regarding the quantity of water requested. Section four (4) of the application for permit requests 0.22 cfs of water for municipal use. This request is consistent with the narrative that describes a combined use with water permit 63-33845 to achieve a flow rate of 160 gpm. However, section five (5) of the application requests a total of 0.21 cfs to be appropriated. Please amend either section four (4) or section five (5) to reflect the true quantity of water to be appropriated.

I am returning a copy of your original application with notes showing the areas that need to be addressed. Please submit the amended application (with your initials) for the application to be processed. You may seek additional time to provide the information by making a written request to interrupt processing for up to six months. The application will be voided without a timely written reply within the next thirty (30) days. Refunds are not issued for voided applications.

IDWR forms and other information are available on the Internet at www.idwr.idaho.gov. Please contact me at 208-334-2190 if you need more information. Thank you for your attention to these matters.

Sincerely,

Danie Merriman
Water Resource Agent, Senior
IDWR, Western Region

Enclosed: Copy of Original Application for Permit