

RECEIVED

AUG 05 2016

FORM 202 Rev. 07/16

IDWR / NORTH

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. 95-17186

1. Name of applicant(s) RALPHINE FALLQUIST Phone 509-924-7344 h
509-990-8158 c
 Mailing address 11808 E 15th AVE SPOKANE VALLEY WA 99206 Email ralphine.fallquist@gmail.com
 Name connector (check one): ☐ and ☐ or ☐ and/or
 2. Name of representative, if any NA Phone _____ Email _____
 Mailing address _____
 a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
 b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation providing authority to sign for the applicant.
 3. Source of water supply Hayden Lake which is a tributary of SINKS
 4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
52N	03W	34	7		SW	SW	Kootenai	Hayden LAKE	

5. Water will be used for the following purposes:

Amount 0.04 CFS for Domestic purposes from 01-01 to 12-31 (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

6. Total quantity to be appropriated is (a)
- 0.04
- cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).

7. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source. Lake water irrigation pumping system delivering approximately 18 GPM to serve our property & home
 b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
 c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
 e. If well is already drilled, when? _____; drilling firm _____;
 well was drilled for (well owner) _____; Drilling Permit No. _____

Received by db Date 8/5/16 Time _____ Preliminary check by _____
 Fee \$ 100.00 Received by db Receipt No. N032099 Date 8/5/16

8. Description of proposed uses (if irrigation only, go to item ⁹ ~~8~~):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; must complete and attach the [Municipal Water Right Application Checklist](#).
- d. Domestic; show number of households 1
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	03W	34											D						
													GL7						

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? _____

11. a. Who owns the property at the point of diversion? FRANK DEPTAS R 8-5-16
Ralphine FALLQUIST ERL-95-S-1727B
- b. Who owns the land to be irrigated or place of use? Ralphine Fallquist
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Lake water system will be built in conjunction with dock to serve new home to be built on 03580000 22A & 03580000 21A encroachment permit ERL-95-S-1727B will be transferred into my name.

13. Time required for completion of works and application of water to proposed beneficial use is 3 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Ralphine Fallquist
Signature of Applicant
RALPHINE FALLQUIST
Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)



Pioneer Title Co.
GOING BEYOND

100 Wallace Avenue
Coeur d'Alene, ID 83814

ELECTRONICALLY RECORDED-DO NOT
REMOVE THE COUNTY STAMPED FIRST
PAGE AS IT IS NOW INCORPORATED AS
PART OF THE ORIGINAL DOCUMENT

File No. 592342 JS/RW

WARRANTY DEED

For Value Received

Rob Wert and Rebecca B. Wert, husband and wife

hereinafter referred to as Grantor, does hereby grant, bargain, sell, warrant and convey unto

Ralphine Fallquist, an unmarried woman

hereinafter referred to as Grantee, whose current address is:

11803 E 15th Ave. Spokane Valley, WA 99216

The following described premises, to-wit:

See Exhibit A attached hereto and made a part hereof.

To HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantee(s), and Grantees(s) heirs and assigns forever. And the said Grantor(s) does (do) hereby covenant to and with the said Grantee(s), the Grantor(s) is/are the owner(s) in fee simple of said premises; that said premises are free from all encumbrances EXCEPT those to which this conveyance is expressly made subject and those made, suffered or done by the Grantee(s); and subject to U.S. Patent reservations, restrictions, dedications, easements, rights of way and agreements, (if any) of record, and current years taxes, levies, and assessments, includes irrigation and utility assessments, (if any) which are not yet due and payable, and that Grantor(s) will warrant and defend the same from all lawful claims whatsoever.

Dated: May 2, 2016

Rob Wert

Rebecca B. Wert

State of Idaho, County of Kootenai

On this 3rd day of May in the year of 2016, before me, the undersigned, a Notary Public in and for said State, personally appeared Rob Wert and Rebecca B. Wert known or identified to me to be the person/persons whose name(s) is/are subscribed to the within instrument, and acknowledged to me that he/she/they executed the same.

Print Name: Jacqueline Sergeant
Residing at: Hauser, ID
Commission Expires: 02-24-2022




EXHIBIT A

Parcel 1:

Lot 21, Hayden Lake Park, according to the plat thereof, filed in Book "C" of Plats at Page(s) 95 records of Kootenai County, Idaho, lying East of the road shown on relocation survey dated March 5, 1958 by R.S. Nobis, situated in Section 34, Township 52 North, Range 3 West, Boise Meridian.

Parcel 2:

Lot 22, Hayden Lake Park, according to the plat thereof, filed in Book "C" of Plats at Page(s) 95 records of Kootenai County, Idaho, lying East of the road shown on relocation survey dated March 5, 1958 by R.S. Nobis, situated in Section 34, Township 52 North, Range 3 West, Boise Meridian.

Parcel 3:

Lot 22, Hayden Lake Park, according to the plat thereof, filed in Book "C" of Plats at Page(s) 95 records of Kootenai County, Idaho, lying West of the road shown on relocation survey dated March 5, 1958 by R.S. Nobis, situated in Section 34, Township 52 North, Range 3 West, Boise Meridian.



August 4, 2016

Mark Failquist
11808 E 15th Ave
Spokane Valley, WA 99206
Job: Shanandoah

To Our Valued Customer:

We are pleased to submit the following estimate for the installation of a lake water pumping system for your home. Our estimate is based on a 60' lift and a total pipe run of 300' from pressure tank location out into the lake. We will be installing a Franklin Electric Sub Drive constant pressure system with the new State of Idaho required GFCI protection. Included in this estimate is the installation of a 200 foot of in-pipe heat cable for freeze protection. Your system will include the following:

Lake Water Irrigation Pumping System

The unit selected for your system will deliver an average of 15-GPM .033 CFS to your home.

- 1 ea. Franklin 15SDQP-1.5 hp N1 constant pressure system
- 1 ls. 4" Custom intake structure
- 310 lf. # 12/4 Submersible pump cable in 1" poly
- 300 lf. 1-1/4" Water piping with fittings
- 1 ea. Constant pressure manifold and 8 gallon tank
- 1 ls. Tyco Thermal Winter-Guard in pipe heat tape 200'
- 1 ls. Electrical permits
- 1 ls. Lake Pump Ground fault protection controller and stop switch
- 1 ls. Underwater diver to set pump in lake
- 1 ea. Pura UVBBS 2SD 15 gpm w/5string
- 1 ls.. Plumbing with accessories
- 1 ls. Labor to install system

NOTE: The above estimate does not cover any excavation of the piping network, encroachment & usage permit, electrical modifications for breaker space at cabin, and relocation of components after installation

ASK ABOUT OUR GOLD STANDARD 5-YEAR LABOR WARRANTY

Please note that the above estimate/proposal is based on estimated distances and materials required to complete the project. Actual distances, materials used and/or additional labor to complete the project will be adjusted at final billing. If you need additional information on the equipment selected for this type of installation, please contact our office. Thank you for this opportunity to provide you with this estimate.

Estimate Good for 30 Days

United Crown Pump & Drilling

By: _____ Chris Agueros, Project Manager

Acceptance Signature: _____ / /

3125 West Hayden Ave Hayden Lake Idaho 83835

208-772-7867 Fax 208-772-7229

Idaho Contractor Business Licenses # RCE-4153

Idaho Electrical Licenses # ELE-C-13567

MICA SUPERVISORY

AREA

3258 West Industrial Loop

Coeur d'Alene ID 83815

Phone (208) 769-1577

Fax (208) 769-1597

592342



TOM SCHULTZ, DIRECTOR
EQUAL OPPORTUNITY EMPLOYER

STATE BOARD OF LAND COMMISSIONERS

C.L. "Butch" Otter, Governor

Lawrence E. Denney, Secretary of State

Lawrence G. Wasden, Attorney General

Brandon Woolf, State Controller

Sherri Ybarra, Sup't of Public Instruction

ENCROACHMENT PERMIT NUMBER ERL-95-S-1727B

Permission is hereby granted to Rob & Rebecca Wert of 1521 1/2E Lost Ave, Coeur d'Alene, ID 83814 to install and maintain waterline 1.25" extend 40' waterward w/ 2hp submersible pump; 3'x37' approach w/ 30'x30' double slip dock, Total = 692sq ft. Located: Hayden Lake, AIN 100324, Parcel 0-3580-000-021-A, Lot 21, Hayden Lake Park Addition; Section 34, Township 52 North, Range 03 West; Boise Meridian; Kootenai County.

1. All applicable provisions of the Rules for Regulation of Beds, Waters, and Airspace over Navigable Lakes and Streams in the State of Idaho are incorporated herein by reference and made a part hereof.
2. Construction will follow details and specifications shown on the approved drawings and data provided by the applicant. Should such information and data prove to be materially false, incomplete and/or inaccurate, this authorization may be modified, suspended, or revoked in accordance with the Administrative Procedures Act, Idaho Code Title 67, Chapter 52.
3. This permit does not convey the State's title to nor jurisdiction or management of lands lying below the natural or ordinary high water mark.
4. Acceptance of this permit constitutes permission by the Permittee for representatives of the Department of Lands to come upon Permittee's property at all reasonable times to inspect the encroachment authorized by this permit.
5. The Permittee shall indemnify, defend and save harmless, the state, its officers, agents and employees from and against any liability, claims, damages, losses, debts, obligations, judgments, expenses or actions, including reasonable attorneys' fees from action related to this permit. If it becomes necessary for the State to defend any action seeking to impose any such liability, Permittee agrees to pay the State all costs of court and attorneys' fees incurred by the State in effecting such defense in addition to all other sums that the State may be called upon to pay by reason of the entry of a judgment against it in the litigation in which such is asserted.
6. ***Idaho Code §58-1306(e) requires recordation of this permit in the records of respective county assessor's office as a condition of this permit.***
7. This permit is not valid until the identification number is displayed on the outermost area of the encroachment.
8. If the activity authorized herein is not completed on or before the 2nd of May, 2019 (three years from the date of issuance), this permit shall automatically expire unless it was previously revoked or otherwise extended.

ELECTRONICALLY RECORDED - DO NOT REMOVE THE COUNTY STAMPED FIRST PAGE AS IT IS NOW INCORPORATED AS PART OF THE ORIGINAL DOCUMENT.

9. This permit does not relieve the Permittee from obtaining additional local or federal permits as required. In addition, nothing in permit shall excuse a person from obtaining any additional approvals lawfully required by federal, local or other state agencies.
10. The Permittee or operator shall have a copy of this permit available on site for inspection at all times during construction.
11. Construction barges and other equipment or watercraft shall not be grounded on the lakebed for stability.
12. No demolition debris shall be allowed to fall to the lakebed or be dragged to shore. Demolition debris shall be disposed of at an approved upland location.
13. Piles shall be driven with noise reduction devices.
14. Permittee is responsible for all work done by any contractor. Permittee shall provide contractor with a copy of this permit. Permittee shall ensure any contractor who performs the work is informed of and follows all the terms and conditions of this permit.
15. No equipment, boats, barges or associated machinery shall create petroleum product sheen on the water due to petroleum products handling, use or storage. The operators shall have petroleum absorbent pads on hand and also have the Emergency Response Team phone number, 1-800-632-8000, on hand should there be a release of any kind.
16. White bead foam flotation shall be completely encased in a manner that will maintain the structural integrity of the foam. The encasement shall be resistant to the entry of rodents.
17. In the event a used boat lift is installed, it shall be inspected for invasive species and determined to be free from such species prior to installation. **Permittee shall provide proof of inspection to this office prior to any work waterward of the high water mark.**
18. Permanent slipcovers will not be permitted. For single-family encroachments a fabric canopy (**canopy top only, no sides are authorized by this permit**) of a color which blends with the surrounding uplands is acceptable. These colors shall be shades of browns or greens. However, bright carnival blue color is reserved for use by commercial marinas.
19. Removal and proper disposal of any preexisting or abandoned facilities is a condition of this permit.
20. This permit supersedes and voids any permit previously issued for this property.

21. Construction materials shall be natural or pressure treated utilizing only those preservative chemicals registered for the specific uses by the U.S. Environmental Protection Agency (EPA). All treated wood materials shall be produced in compliance with "Best Management Practices (BMPs) For the Use of Treated Wood in Aquatic Environments" issued by the Western Wood Preservers Institute (WWPI), July 1996. Treated materials not in contact with the water shall be completely dry before use near navigable waters. **Contact Idaho Department of Environmental Quality at (208)769-1422** for information on acceptable treatment methods and materials.
22. This permit in no way authorizes any portion of the bulkhead to be located waterward of the artificial high water mark.
23. Encroachment shall not extend further north/south than present pier location.
24. An IDL encroachment permit must be obtained before construction begins.
25. Kootenai County has advised the Department that any alteration within the 25 foot shoreline protection buffer may need to comply with the Site Disturbance Ordinance of Kootenai County. It is the permittees's responsibility contact Kootenai County Community Development and comply with their requirements.
26. Location of this dock must be placed as specified in the site plan.
27. The Permittee shall maintain the structure or work authorized herein in a good and safe condition and in accordance with the plans and drawings attached hereto.
28. The disturbed portion of the lakebed shall be shaped to its original contour upon completion of the project.
29. Any disturbed riparian vegetation by construction activity shall be replanted with native plants.
30. The pipeline intake should be screened in a manner that would create approach velocities of not more than **0.5 feet per second** and a maximum screen mesh diameter of one-quarter inch.
31. Waterline shall be anchored to the bed of the lake with a nontoxic type of weight.
32. The Permittee must be in compliance with all Water Resource laws.
33. No water shall be diverted by the system until valid water or appropriation permit is obtained from the Department of Water Resources.
34. As current EPA requirements dictate that disinfecting and filtration systems are to be used for minimum treatment by surface water purveyors, the department recommends that small, domestic surface water users do likewise.
35. All wood and/or plastic chips and other construction waste shall be removed from the lake upon completion of project.

May 2, 2016

Page four

36. If any excavation or pile driving occurs the operator must comply with the provisions of the Underground Facilities Damage Prevention Law (title 55, chapters 2201-2210, Idaho Code). The one-call locator service number is 811.

UPON TRANSFER OF THIS REAL PROPERTY, YOU ARE REQUIRED TO NOTIFY THIS OFFICE OF THE SUBSEQUENT NAME CHANGE (SEE ENCLOSURE).

FOR THE DIRECTOR

By:


 5/4/16
Amidy Fuson,
Lands Resource Specialist, Lands & Waterways

STATE OF IDAHO)

) ss

COUNTY OF KOOTENAI)

On May 4, 2016, personally appeared before me Amidy Fuson, whose identity is personally known to me and who by me duly affirmed that he is the Lands Resource Specialist, Navigable Waters of the Idaho Department of Lands, and acknowledged that the foregoing document was signed by him in behalf of said state agency by authority of a Resolution of the State Land Board.





Notary Public for Idaho Department of Lands
commission expires on 8/29/18

ACCOMMODATION RECORDING
Pioneer Title Company has
not examined this document,
and assumes no liability as
to its validity and its effects
upon the title.

Ball, Dianne

From: Ball, Dianne
Sent: Wednesday, August 10, 2016 4:59 PM
To: 'Fredericks, Holly'
Cc: Case, Morgan; Frederick, Adam; Maxey, Shaun
Subject: Application for Permit No. 95-17177, 95-17178, 95-17179, 95-17185, 95-17186
Attachments: LegalNotice 08-10-16 CDA e-mail 95-17177, 78, 79, 85, 86.doc

Hi, Holly,

Please publish the enclosed legal notice in the Coeur d'Alene Press on the dates indicated, August 18 and 25, 2016 (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

This, to, should be very close to press ready – for 2-column, 8pt, Century Old Style font.. It might be close enough to just copy and paste, with very little if any modification required.

Please note the area(s) under **USE** containing dates and water amounts that are offset and lined up. Our legal should appear in this format.

Please also provide a proof/preview copy for my review before this actually goes to press. That way I can double check my work as well as checking layout.

If you have any questions, please contact me as early as possible.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 9/6/2016. Your cooperation is appreciated.

Once again, I want to thank you for all you do to help make our legals look great.. It's a pleasure working with you.

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819

Hi Holly,

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-17177

R & B PREMIER ENTERPRISE LLC
1869 E SELTICE WAY #369
POST FALLS, ID 83854
Point of Diversion L4(NWNW) S6 T50N R05W KOOTENAI County
Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 03/15 to 11/15 0.09 CFS
Total Diversion: 0.11 CFS
Date Filed: 6/28/2015
Place of Use: DOMESTIC T50N R05W S6 L4(NWNW)
Place of Use: IRRIGATION T50N R05W S6 L4(NWNW)
L5(SWNW)
Total Acres: 3
Domestic use is for office.

95-17178

TIMOTHY GRAY
HEATHER GRAY
23617 N LAKEVIEW BLVD
RATHDRUM, ID 83858
Point of Diversion SWSW S29 T53N R02W KOOTENAI County
Source GROUND WATER
Use: COMMERCIAL 01/01 to 12/31 0.2 CFS
Use: FIRE Protection 01/01 to 12/31 0.5 CFS
Use: IRRIGATION 04/01 to 10/31 0.47 CFS
Use: STOCKWATER 01/01 to 12/31 0.02 CFS
Total Diversion: 0.5 CFS
Date Filed: 7/6/2016
Place of Use: IRRIGATION T53N R02W S29 NESW NWSW SWSW
Place Of Use: FIRE PROTECTION T53N R02W S29 NESW NWSW
SWSW SESW
Place of Use: STOCKWATER T53N R02W S29 NESW NWSW
SWSW
Place of Use: COMMERCIAL T53N R02W S29 NWSW
Total Acres: 236
Commercial use is for 10-room guest ranch.
Stockwater use is for 50 head of mixed stock.

95-17179

JENNIFER SEIB
JOHN SEIB
25164 N CEDAR MOUNTAIN RD
ATHOL, ID 83801
Point of Diversion SENE S34 T53N R03W KOOTENAI County
Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Total Diversion: 0.04 CFS
Date Filed: 7/7/2016
Place of Use: DOMESTIC T53N R03W S34 NENE NWNE
Domestic use is for 1 home with irrigation up to 1/2 acre.

95-17185

LUTHERHAVEN MINISTRIES
3258 W LUTHERHAVEN RD
COEUR D'ALENE, ID 83814
Point of Diversion L5(NWSW) S11 T49N R04W KOOTENAI CO
Source GROUND WATER tributary COEUR D'ALENE LAKE
Use: MUNICIPAL 01/01 to 12/31 0.07 CFS
Total Diversion: 0.07 CFS
Date Filed: 8/1/2016
Place Of Use: MUNICIPAL T49N R04W S10 NENE SENE
L4(NESE)
T49N R04W S11 NWNW SWNW L5(NWSW)
Municipal use is within the service area of applicant

95-17186

RALPHINE FALLQUIST
11808 E 15TH AVE
SPOKANE VALLEY, WA 99206
Point of Diversion L7(SWSW) S34 T52N R03W KOOTENAI County
Source HAYDEN LAKE tributary SINKS
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Total Diversion: 0.04 CFS
Date Filed: 8/5/2016

Place of Use: DOMESTIC T52N R03W S34 L7(SWSW)

Domestic use is for 1 home.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800; or for a full description of the right(s), please see:

<http://www.idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/>

Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D' Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 9/6/2016. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 8/18/2016 and 8/25/2016



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

August 10, 2016

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

RALPHINE FALLQUIST
11808 E 15TH AVE
SPOKANE VALLEY, WA 99206

Application For Permit No. 95-17186

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the COEUR D ALENE PRESS on 8/18/2016 and 8/25/2016. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in black ink that reads "Shaun M. Maxey". The signature is fluid and cursive, with a large loop at the end of the last name.

Shaun M Maxey
Senior Water Resource Agent

Ball, Dianne

From: Ball, Dianne
Sent: Tuesday, August 09, 2016 2:16 PM
To: 'Siitari,Kiira'; Mike Ahmer (mahmer@idl.idaho.gov)
Cc: Case, Morgan; Maxey, Shaun
Subject: RE: Application for Permit No. 95-17186
Attachments: 95-17186-app-map-pump-info-IDL-pmt.pdf

Hi, Kiira and Mike:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right application. A copy of the application is enclosed for your reference.

This is being prepared for publication in the Coeur d'Alene Press on August 18 and 25, 2016 with September 6, 2016 as final day for protests to be received in our office.

Mike, we understand encroachment permit ERL-95-S-1727B will be changed into Ralphine Fallquist's name.

Your prompt response to this request is appreciated. If your agency desires to formally protest the approval of this application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication.

Please contact Shaun Maxey in this office if you have any questions regarding this application.

Sincerely,

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819

Maxey, Shaun

From: Maxey, Shaun
Sent: Monday, August 08, 2016 10:00 AM
To: 'Ralphine.fallquist@comcast.net'
Cc: '5099908158@vtext.com'
Subject: Ralphine.fallquist@comcast.net

Ms. Fallquist:

Please give me a call this afternoon about your Water Right Permit Application. I have a couple of brief questions about your Encroachment Permit and the location of the dock.

Thanks,

Shaun Maxey

Shaun M. Maxey
Sr. Water Resource Agent
Idaho Department of Water Resources, Northern Region
7600 N Mineral DR Suite 100
Coeur d'Alene, ID 83815-7763
Phone (208) 762.2816 /2800
Fax (208) 762.2819
www.idwr.idaho.gov