

81073

96-9634
Ident. No. RECEIVED

RECEIVED

JUL 14 2016

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of IdahoJUL 11 2016
DEPARTMENT OF
WATER RESOURCES

IDWR / NORTH

1. Name of applicant(s) Peter Freeman Phone 208-428-0089
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 347 Homestead Loop City Sandpoint
 State ID Zip 83864 Email peterandkathyfreeman@gmail.com
2. Source of water supply Groundwater which is a tributary of N/A
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
57N	03W	23			NE	SW	Bonner	Groundwater	Hand Dug Well
57N	03W	23			NE	SW	Bonner	Groundwater	Hand Dug Well

4. Water will be used for the following purposes:
- Amount 0.20 cfs for Diversion to Storage purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 0.05 cfs for Irrigation purposes from 4/1 to 10/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 0.02 cfs for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 0.04 cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) 0.20 cubic feet per second (cfs) and/or (b) 6.0 acre feet per year (af).
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Concrete water collection structure set below creek water level, located adjacent to creek, housing inlet pipes and pumps.
- b. Height of storage dam NA feet; active reservoir capacity 8.8 acre-feet; total reservoir capacity 6.0 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____;
 well was drilled for (well owner) _____; Drilling Permit No. _____.
7. Description of proposed uses (if irrigation only, go to item 8):
- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. 10 Head Mixed Stock
- c. Municipal; complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households 1 Dwelling
- e. Other; describe fully. Fire protection in the actual event of a fire.

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.
See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	03W	23									1			0.5					1.5
57N	03W	23									D/S			S/F					
57N	03W	23									F								

Total number of acres to be irrigated: 1.5

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

Irrigation for gardens, greenhouses, landscaping and pasture.

10. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Install concrete water collection structure adjacent to creek and set below creek water level, housing inlet pipes and pumps. Pump water from the creek side using two pumps (electric and/or ramp pump) to deliver water to the house, holding tank (1,000 gallon max.) and pond, via two 1.5" pipes. Pond to be dug into existing grade (no dam), approximate size 60' wide, by 75' long, by average of 6' deep.

12. Time required for completion of works and application of water to proposed beneficial use is 3 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Peter Freeman
Signature of Applicant

Signature of Applicant

Peter Freeman
Print Name (and title, if applicable)

Print Name (and title, if applicable)

For Department Use:

Received by db Date 7/14/16 Time _____ Preliminary check by _____
Fee \$ 100.00 Received by NS Receipt No. 11032065 Date 7-28-16

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. _____

Season of Use/Purpose of Use Supplement

Attachment to: ☒ Application for Permit to Appropriate Water ☐ Adjudication Claim ☐ Beneficial Use Field Report
☐ Application for Amendment of Permit ☐ Statutory Claim

Water will be used for the following purposes:

Amount	<u>5.9 AF</u>	for	<u>IRRIGATION STORAGE</u>	purposes from	<u>1/1</u>	to	<u>12/31</u>	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	<u>4.5 AF</u>	for	<u>IRRIGATION FROM STOR</u>	purposes from	<u>4/1</u>	to	<u>10/31</u>	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	<u>1.5 AF</u>	for	<u>STOCKWATER STORAGE</u>	purposes from	<u>1/1</u>	to	<u>12/31</u>	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	<u>0.1 AF</u>	for	<u>STOCKWATER FROM STR</u>	purposes from	<u>1/1</u>	to	<u>12/31</u>	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	<u>1.4 AF</u>	for	<u>FIRE PROTECTION STOR</u>	purposes from	<u>1/1</u>	to	<u>12/31</u>	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							

Total Storage Calculations (Pond Only)

FILE NUMBER	Summers Application
REVIEWER	Adam Fredericks
DATE	6/7/2016

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC)	0.1	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	6	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	0.6	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.

Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)		The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a from storage component if the from storage component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: If a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.7	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.1	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	1.4	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Total Storage Calculations (Pond + Irrigation of 1.5 acres)

FILE NUMBER	Streamers Application
REVIEWER	Adam Frederick
DATE	8/7/2016

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated Value
Formula Explanations

Surface Area (AC.)	0.1	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	6	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	0.6	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	4.5	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a from storage component if the from storage component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: If a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.7	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.1	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	5.9	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Total Storage Calculations (Pond + Stockwater)

FILE NUMBER	Summary Application
REVIEWER	Adam Frederick
DATE	6/7/2016

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated Value
Formula Explanations

Surface Area (AC)	0.1	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	6	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	0.6	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0.1	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a from storage component if the from storage component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.7	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.1	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	1.5	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

SUMMERS APPLICATION MAP



Legend

-  Taxlots
-  Sections
- QQ

0 0.0275 0.055 0.11 Miles



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Appendix – A
STREAM FLOW & WATER USE CALCULATIONS

Name of Applicant: Peter Freeman

Mailing Address: 347 Homestead Loop, Sandpoint, Idaho 83864

Source of Water Supply: Hand Dug Well

Township: 57N, Range: 03W, Section: 23

Pond Capacity:

Average Pond Width = 60 feet

Average Pond Length = 75 feet

Average Pond Depth = 6 feet

60 Feet Wide x 75 Feet Long x 6 Feet Deep = 27,000 Cubic Feet or 0.62 Acre Feet

Irrigation:

4.0 Acres x 3.0 Acre Feet = 12.0 Acre Feet

Stockwater:

10 Head Mixed Cattle x 10 GPD x 365 Days / 325,850 GAL/AF = 0.11 Acre Feet

Domestic:

0.04 Cubic Feet Per Second/Dwelling = 0.04 cfs

Prepared By:



phone: 208.610.9853 address: PO Box 711, Sagle, Idaho 83860

Ball, Dianne

From: Ball, Dianne
Sent: Wednesday, August 10, 2016 10:12 AM
To: 'Fredericks, Holly'
Cc: Case, Morgan; Frederick, Adam; Maxey, Shaun
Subject: Application for Permit No. 96-9632, 96-9633, 96-9634, 97-7536, 97-7537, 97-7538,
Attachments: LegalNotice 08-09-16 BCDB e-mail 96-9632, 33, 34, 97-7536, 37, 38.doc

Good Morning, Holly,

Please publish the enclosed legal notice in the *Bonner County Daily Bee*, on the dates indicated, August 18 and 25, 2016, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

This should be **very close to press ready** – for 2-column, 8pt, Century Old Style font.. As long as this one is, it should be close enough to just copy and paste, with very little modification being required.

Please note the area(s) under **USE** containing dates and water amounts that are offset and lined up. Our legal should appear in this format. **IF** they can copy and paste, it should eliminate much if any modification. It's a standard WORD document.

Please also send a proof/preview copy for my review, as early as possible, before this actually goes to press.

If you have any questions, please contact me asap.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 9/6/2016. Your cooperation is appreciated.

Holly, it's really a pleasure working with you. Thanks for all your wonderful help, especially with these longer and more complicated legals.

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9632

CHARLES & MARLA MAILE FAMILY TRUST NOVEMBER 24
2008
23 SKY MEADOW LANE
SAGLE, ID 83860
Point of Diversion SESW S4 T56N R01W BONNER County
Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 04/01 to 10/31 0.16 CFS
Total Diversion: 0.2 CFS
Date Filed: 7/11/2016
Place of Use: IRRIGATION T56N R01W S4 SWSW SESW
Place of Use: DOMESTIC T56N R01W S4 SESW
Total Acres: 8.5
DOMESTIC USE IS FOR 1 HOME

96-9633

KEN FINLAYSON
ANGELA FINLAYSON
12300 N HOLMES LN
HAYDEN, ID 83835
Point of Diversion SWSW S27 T55N R03W BONNER County
Source SPRING tributary SINKS
Point of Diversion SENW S27 T55N R03W BONNER County
Source UNNAMED STREAM tributary FISH CREEK
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 04/01 to 10/31 0.15 CFS
Total Diversion: 0.19 CFS
Date Filed: 7/20/2016
Place of Use: DOMESTIC T55N R03W S27 SENW
Place of Use: IRRIGATION T55N R03W S27 SENW
Total Acres: 5
Domestic use is for 1 home.

96-9634

PETER FREEMAN
PO BOX 157
DOVER, ID 83825-0157
Point of Diversion NESW S23 T57N R03W BONNER County
Source GROUND WATER Tributary CARR CREEK
Point of Diversion NESW S23 T57N R03W BONNER County
Source GROUND WATER tributary CARR CREEK
Use: DIVERSION to Storage 01/01 to 12/31 0.2 CFS
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: FIRE Protection Storage 01/01 to 12/31 1.4 AF
Use: IRRIGATION 04/01 to 10/31 0.05 CFS
Use: IRRIGATION from Storage 04/01 to 10/31 4.5 AF
Use: IRRIGATION Storage 01/01 to 12/31 5.9 AF
Use: STOCKWATER 01/01 to 12/31 0.02 CFS
Use: STOCKWATER from Storage 01/01 to 12/31 0.1 AF
Use: STOCKWATER Storage 01/01 to 12/31 1.5 AF
Total Diversion: 0.2 CFS 6 AF
Date Filed: 7/11/2016
Place of Use: IRRIGATION T57N R03W S23 NESW SESW
Place of Use: DOMESTIC T57N R03W S23 NESW
Place of Use: STOCKWATER T57N R03W S23 NESW SESW
Place of Use: IRRIGATION from Storage T57N R03W S23 NESW
SESW
Place of Use: IRRIGATION Storage T57N R03W S23 NESW SESW
Place of Use: STOCKWATER Storage T57N R03W S23 NESW
SESW
Place of Use: STOCKWATER from Storage T57N R03W S23
NESW SESW
Place of Use: FIRE Protection Storage T57N R03W S23 NESW
SESW
Total Acres: 1.5
Domestic use is for 1 home
Stockwater use is for 10 head mixed stock.

97-7536

LEVI EDGECOMBE
DENISE EDGECOMBE
11123 148TH ST E
PUYALLUP, ID 98374
Point of Diversion L1(ENE) S28 T60N R04W BONNER County
Source PRIEST LAKE tributary PRIEST RIVER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Total Diversion: 0.04 CFS
Date Filed: 7/20/2016
Place of Use: DOMESTIC T60N R04W S28 L1(ENE)
Domestic use is for 1 home, with up to 1/2 acre irrigation.

97-7537

JANA OSTLER
4672 GLEASON MC ABEE FALLS RD
PRIEST RIVER, ID 83853
Point of Diversion NENSW S8 T58N R04W BONNER County
Source SPRING tributary SINKS
Point of Diversion NESW S8 T58N R04W BONNER County
Source SURFACE RUNOFF
Use: DIVERSION to Storage 01/01 to 12/31 0.07 CFS
Use: FIRE Protection Storage 01/01 to 12/31 0.2 AF
Use: IRRIGATION 04/01 to 10/31 0.03 CFS
Use: IRRIGATION from Storage 04/01 to 10/31 3 AF
Use: IRRIGATION Storage 01/01 to 12/31 3.2 AF
Use: STOCKWATER 01/01 to 12/31 0.02 CFS
Use: STOCKWATER from Storage 01/01 to 12/31 0.1 AF
Use: STOCKWATER Storage 01/01 to 12/31 0.3 AF
Total Diversion: 0.12 CFS 3.3 AF
Date Filed: 7/22/2016
Place of Use: STOCKWATER T58N R04W S8 SENW NESW
Place of Use: FIRE Protection Storage T58N R04W S8 NESW
Place of Use: STOCKWATER Storage T58N R04W S8 NESW
Place of Use: IRRIGATION from Storage T58N R04W S8 NESW
Place of Use: STOCKWATER from Storage T58N R04W S8 SENW
NESW
Place of Use: IRRIGATION Storage T58N R04W S8 NESW
Place of Use: IRRIGATION T58N R04W S8 NESW
Total Acres: 1
Stockwater use is for 12 head of mixed stock.

97-7538

JANA OSTLER
4672 GLEASON MC ABEE FALLS RD
PRIEST RIVER, ID 83853
Point of Diversion NENSW S8 T58N R04W BONNER County
Source SPRING tributary SINKS
Point of Diversion NESW S8 T58N R04W BONNER County
Source SURFACE RUNOFF
Use: DIVERSION to Storage 01/01 to 12/31 0.12 CFS
Use: FIRE Protection Storage 01/01 to 12/31 0.2 AF
Use: IRRIGATION 04/01 to 10/31 .03 CFS
Use: IRRIGATION from Storage 04/01 to 10/31 3 AF
Use: IRRIGATION Storage 01/01 to 12/31 3.2 AF
Use: STOCKWATER 01/01 to 12/31 0.02 CFS
Use: STOCKWATER from Storage 01/01 to 12/31 0.1 AF
Use: STOCKWATER Storage 01/01 to 12/31 0.3 AF
Total Diversion: 0.17 CFS 3.3 AF
Date Filed: 7/22/2016
Place of Use: IRRIGATION T58N R04W S8 NESW
Place of Use: FIRE Protection Storage T58N R04W S8 NESW
Place of Use: STOCKWATER Storage T58N R04W S8 NESW
Place of Use: STOCKWATER T58N R04W S8 SENW NESW
Place of Use: STOCKWATER from Storage T58N R04W S8 SENW
NESW
Place of Use: IRRIGATION Storage T58N R04W S8 NESW
Place of Use: IRRIGATION from Storage T58N R04W S8 NESW
Total Acres: 1
Stockwater use is for 12 head of mixed stock.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800; or for a full description of the right(s), please see:

<http://www.idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>

Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D' Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 9/6/2016. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 8/18/2016 and 8/25/2016



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

August 10, 2016

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

PETER FREEMAN
PO BOX 157
DOVER, ID 83825-0157

Application For Permit No. 96-9634

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNER COUNTY DAILY BEE, on 8/18/2016 and 8/25/2016. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Adam Frederick
Senior Water Resource Agent

Enc. Receipt No. N032065



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

RECEIVED

JUL 28 2016

IDWR / NORTH

July 18, 2016

PETER FREEMAN
347 HOMESTEAD LOOP
SANDPOINT ID 83864

Re: Application for Permit to Appropriate the Public Waters of the State of Idaho.

The application you had submitted on July 11, 2016 was missing the \$100.00 application fee. The Department of Water Resources is returning the application because no fee was received. In order to proceed in the processing of your application you will need to pay the fee and return the application in the next 30 days.

If you have any questions, please call me at 208-762-2800.

*enclosed find application fee
of \$100*

*Please send all mail to PO Box 157
Dover ID
83825*

Sincerely,

Adam Frederick

Adam Frederick
Senior Water Resource Agent
Northern Region

*Thanks,
Kathy & Peter Freeman*