

RECEIVED

AMENDED

7-29-16

FORM 202 Rev 10/16

JUL 22 2016

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No.

63-34250

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Specialty Construction Supply Phone 208-322-6800
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 348 NW 13th Place, Meridian, ID 83642 Email thopkins@specialtysupply.
2. Name of representative, if any Tracy Hopkins Phone 208-322-6800
 Mailing address 348 NW 13th Place, Meridian, ID 83642 Email thopkins@specialtysupply.
- a. ☒ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☒ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation providing authority to sign for the applicant.
3. Source of water supply Ground Water which is a tributary of Boise River 2A *
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
3N	1W	12			SW	SW	Ada	Ground Water	N/A

5. Water will be used for the following purposes:

Amount 0.18 for Commercial purposes from 1-1 to 12-31 (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

6. Total quantity to be appropriated is (a)
- 0.18
- cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).

7. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source. Pump water from well into a commercial Brine Plant. Brine Plant has a 600 gallon reservoir and is capable of producing 3600 gallons per hour.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 6" inches; proposed depth of well is 200' 150' feet. 2A *
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? No; drilling firm Waterhole Well Drilling LLC; well was drilled for (well owner) _____; Drilling Permit No. _____

Received by [Signature] Date 7/22/16 Time 10:15 Preliminary check by [Signature]
 Fee \$ 100.00 Received by [Signature] Receipt No. 12044442 Date 7/22/16

8. Description of proposed uses (if irrigation only, go to item 8):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - Domestic; show number of households _____
 - Other; describe fully. Manufacturer Liquid Deicer

9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	1W	12										C	C						

Total number of acres to be irrigated: _____


10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? Meridian Municipal Water for Office use.
11. a. Who owns the property at the point of diversion? Specialty Construction Supply
- b. Who owns the land to be irrigated or place of use? Specialty Construction Supply
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. See Attached
13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Tracy Hopkins
Signature of Applicant
Tracy Hopkins, Managing Member
Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)





SPECIALTY CONSTRUCTION SUPPLY

348 NW 13th Place, Meridian, Idaho 83709

Phone (208) 322-6800 • Fax (208) 322-2636 • Toll Free (888) 574-7732

www.specialtysupply.com

RECEIVED
JUL 22 2016
WATER RESOURCES
WESTERN REGION

7-20-2016

To whom it may concern,

This letter is to request that the attached application for permit be expedited due to the time frame needed to start operations. I am requesting that if at all possible this permit would be reviewed prior September to enable us to produce product for the upcoming winter season. We will need time to set up the plant after the well is put in. We feel that this is a critical need for the safety of commuters in our area, several businesses depend on us to supply them deicer for their parking lots.

I received assistance from Rachael Summer in producing this application, which was a lot of help in insuring the accuracy of the permit.

Thank you for your assistance in this matter.

Tracy Hopkins
Managing Member
Specialty Construction Supply



SPECIALTY CONSTRUCTION SUPPLY

348 NW 13th Place, Meridian, Idaho 83709

Phone (208) 322-6800 • Fax (208) 322-2636 • Toll Free (888) 574-7732

www.specialtysupply.com

AMENDED
7/29/16

7-20-2016

Attached for Item #12

12. Describe your proposal in narrative form, and provide additional explanation for any of the item above.

We are looking to put in a well to supply water for a commercial liquid deicer operation (Salt Brine Production System). The water would come out of the well and pump into a brine tank which would produce approximately 3600 gallons of liquid deicer an hour, with a maximum water usage of 600,000 gallons during the winter months. This would be pumped into trucks for delivery throughout the valley. Water usage was calculated by a pump volume of 80 gallons/minute. Water Boring Zone (WBZ = ~~200-240~~). *7A**

40-150

Tracy Hopkins
Managing Member
Specialty Construction Supply



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

August 12, 2016

SPECIALTY CONSTRUCTION SUPPLY
C/O TRACY HOPKINS
348 NW 13TH PL
MERIDIAN, ID 83642

Application for Permit No. 63-34250

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN on 8/18/2016 and 8/25/2016. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Rachel Neely
Administrative Assistant

Neely, Rachel

From: Neely, Rachel
Sent: Friday, August 12, 2016 8:11 AM
To: 'BOI Legals'
Subject: Ada Legal Ads
Attachments: Ada Cover Letter.docx; Ada Legal Ad.docx

Good Morning Legal Clerk,

Please see the attached ads for publication on 8/18/2016 & 8/25/2016.

Please confirm these are okay to publish as shown.

Thank you,

Rachel Neely

Administrative Assistant I
IDWR-Western Region
2735 Airport Way Boise, ID 83705
Rachel.Neely@idwr.idaho.gov

August 12, 2016

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application for Permit No. 63-34232
Application for Permit No. 63-34249
Application for Permit No. 63-34250

Dear Legal Notice Department:

Please publish the enclosed legal notices on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notices on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 9/6/2016. Your cooperation is appreciated.

Sincerely,

Rachel Neely
Administrative Assistant

Enclosure(s)

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-34232

ANDREW L ISAAC

9900 E HWY 21

BOISE, ID 83716

Point of Diversion SESW S2 T02N R03E ADA County Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: STOCKWATER 01/01 to 12/31 0.02 CFS

Total Diversion: 0.04 CFS

Date Filed: 5/11/2016

Places of Use: DOMESTIC, STOCKWATER

T02N R03E S2 SESW

T02N R03E S11 L2(NENW)

Water bearing zone to be appropriated is from 190 to 470 feet.

63-34249

H & B CRUSHING LLC

PO BOX 117

KUNA, ID 83634

Point of Diversion NENE S15 T02N R01E ADA County Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.36 CFS

Total Diversion: 0.4 CFS

Date Filed: 7/5/2016

Places of Use: IRRIGATION, DOMESTIC

T02N R01E S15 NENE

Total Acres: 18

Water bearing zone to be appropriated is from 200 to 400 feet.

63-34250

SPECIALTY CONSTRUCTION SUPPLY

C/O TRACY HOPKINS

348 NW 13TH PL

MERIDIAN, ID 83642

Point of Diversion SWSW S12 T03N R01W ADA County Source GROUND WATER

Use: COMMERCIAL 01/01 to 12/31 0.18 CFS

Total Diversion: 0.18 CFS

Date Filed: 7/22/2016

Place of Use: COMMERCIAL

T03N R01W S12 NWSW SWSW

Water bearing zone to be appropriated is from 40 to 150 feet.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), please see www.idwr.idaho.gov/WaterManagement/WaterRights. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 9/6/2016. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 8/18/2016 and 8/25/2016

Sommer, Rachel

From: Tracy Hopkins [thopkins@specialtysupply.com]
Sent: Wednesday, August 10, 2016 9:07 AM
To: Sommer, Rachel
Subject: RE: 63-34240 Application for Permit

Rachel,

Thank you for the direction on what you need from us and helping to expedite our application. Specialty Construction Supply is owned by two S Corps. Lotridge Inc. and Hopkins Inc. Below is the structure of the directors of Specialty.

Owners of Specialty Construction Supply

Tracy Hopkins Managing Member
President of Hopkins Inc.
2206 E. Lodge Trail Court
Meridian, ID 83642

Fred Lotridge Member
President of Lotridge Inc.
4521 W. Morgan Creek Court
Eagle, ID 83616

Let me know if you need anything else.



Tracy Hopkins
Managing Member
Specialty Construction Supply
208-322-6800

CONFIDENTIALITY NOTICE: This e-mail and any attachments may contain confidential or privileged information. If you are not the intended recipient, you are not authorized to use or distribute any information included in this e-mail or its attachments. If you receive this e-mail in error, please delete it from your system and contact the sender.

From: Sommer, Rachel [mailto:Rachel.Sommer@idwr.idaho.gov]
Sent: Tuesday, August 09, 2016 9:49 AM
To: Tracy Hopkins <thopkins@specialtysupply.com>
Subject: 63-34240 Application for Permit

Good Morning Tracy,

The Department needs a list of names and addresses of directors and officers that may act on behalf of Specialty Construction Supply. These do not appear to be filed with the ID Secretary of State. Please send me a list as soon as possible.

<https://www.accessidaho.org/public/sos/corp/search.html?SearchFormstep=crit>

Sincerely,

Rachel Sommer | Water Resource Agent

Idaho Dept. of Water Resources | Western Regional Office

208.334.2190 | 2735 Airport Way, Boise ID 83705