

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-13979

PRIORITY: May 17, 2002

Maximum Diversion Rate: 0.28 CFS
Maximum Diversion Volume: 29.0 AF

Comes now

SUNNYSIDE PARK UTILITIES INC C/O DOYLE BECK PO BOX 1768 IDAHO FALLS ID 83403-1768

and represents to the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 25-13979, and requests that the permit be changed as follows:

SOURCE: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
INDUSTRIAL	01/01 to 12/31	0.28 CFS	29.0 AF
COMMERCIAL	01/01 to 12/31	0.28 CFS	29.0 AF


LOCATION OF POINT(S) OF DIVERSION:GROUND WATER SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 36, Twp 02N, Rge 37E, B.M. BONNEVILLE CountyPLACE OF USE: COMMERCIAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N	37E	25												X L 4					
02N	37E	36					X	X L 1	X	X	X	X							

PLACE OF USE: INDUSTRIAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N	37E	25												X L 4					
02N	37E	36					X	X L 1	X	X	X	X							

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 24 day of June, 2016.


(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-13979

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 - Received by JB # E042218 Date 7/27/2016

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 25-13979 with the following:

CONDITIONS OF APPROVAL

1. Prior to the diversion and use of water under this right, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
2. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 120.
3. Place of use is located within Lots 1-10, Blk. 1; Lot 1-5, Blk. 2; Lots 1-8, Blk. 3; Lots 1-8, Blk. 4; Sunnyside Industrial & Professional Park, and one adjacent parcel.
4. Point(s) of diversion is located within Lot 5, Blk. 2, Sunnyside Industrial & Professional Park.
5. The quantity of water under this right shall not exceed 2,500 gallons per day per lot within each of the 27 lots in Sunnyside Industrial & Professional Park and the adjacent parcel.

This amendment is issued pursuant to the provisions of Section 42-211, Idaho Code.

Signed this 5th day of July, 2016.



JAMES CEFALO
Water Resource Program Manager