

APR 29 2016

IDWR / NORTH

80900

Ident. No. 95-17157

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Thomas and Darla Fletcher Phone 512-422-4508
Name connector (check one): ☐ and ☐ or ☒ and/or
Mailing address 720 Raven Lane City Careywood
State ID Zip 83809 Email darladenise.rm@gmail.com
2. Source of water supply Unnamed Stream (Intermittent) which is a tributary of Three Sisters Creek
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
54N	2W	8		SW	NE		Bonner	Unnamed Stream	

4. Water will be used for the following purposes:
- Amount 7.3 AF for irrigation storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount 6.0 AF for irrigation from storage purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount 1.5 AF for stockwater storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount 0.2 AF for stockwater from storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) 0.05 cubic feet per second (cfs) and/or (b) 7.3 acre feet per year (af).
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. The pond is proposed to be directly within the stream path, creating the pond with a low dam (<5') across the stream with the pond dug down (ave. 6', max. 12').
- b. Height of storage dam <5 feet; active reservoir capacity 6 acre-feet; total reservoir capacity 7.3 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____;
well was drilled for (well owner) _____; Drilling Permit No. _____.
7. Description of proposed uses (if irrigation only, go to item 8):
- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. 12 mixed head cattle.
- c. Municipal; complete and attach the [Municipal Water Right Application Checklist](#).
- d. Domestic; show number of households _____
- e. Other; describe fully. Fire protection in the case of an actual fire.

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	2W	8			2														2
54N	2W	8			SIF														

Total number of acres to be irrigated: 2

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?
Use portion of pond water to irrigate gardens and pasture.

10. a. Who owns the property at the point of diversion? Applicants
- b. Who owns the land to be irrigated or place of use? Applicants
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

We propose to store water in the form of a pond situated in the direct path of the unnamed stream (which is tributary to Three Sisters Creek) on the applicant's property. The storage area will be created by blocking the unnamed stream with a low berm (<5') and by excavating an area averaging 65' wide by 120' long at an average depth of 6' (maximum depth of 12'). A stone armored weir will be built into the berm to allow the unnamed stream to flow through the pond at its estimated high flow rate of approximately 0.05 cfs.

12. Time required for completion of works and application of water to proposed beneficial use is 3 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Signature of Applicant

Thomas Fletcher

Daria Fletcher

Print Name (and title, if applicable)

Print Name (and title, if applicable)

For Department Use:

Received by [Signature] Date 4/29/16 Time Preliminary check by

Fee \$ 100.00 Received by [Signature] Receipt No. NOV 1871 Date 4/29/16

3

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. _____

Season of Use/Purpose of Use Supplement

Attachment to: ☒ Application for Permit to Appropriate Water ☐ Adjudication Claim ☐ Beneficial Use Field Report
☐ Application for Amendment of Permit ☐ Statutory Claim

Water will be used for the following purposes:

Amount	<u>1.3 AF</u>	for	<u>Fire Protection Storage</u>	purposes from	<u>1/1</u>	to	<u>12/31</u>	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							
Amount	_____	for	_____	purposes from	_____	to	_____	(both dates inclusive)
	(cfs or acre-feet per year)							

Total Storage Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

FILE NUMBER	2016-000000
REVIEWER	Adam Frederick
DATE	4/20/2016

Surface Area (AC.)	0.180	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	6.000	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. If you do not know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use a reasonable estimate to attain average depth.
Pond Capacity (AF)	1.080	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, you will need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the formula is manually altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)		The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to fill the pond component if the from storage component exceeds a one time fill. This section is used to determine the amount of water needed to fill the pond initially or the amount of water needed to fill the pond level due to evaporation or seepage. For example: If a pond has a capacity of 5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires storage for the irrigation use, then you would insert 5 acre feet into this location (5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the "Pond Capacity" sheet to use this space.
Estimated Seepage Loss (AF)	0.000	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.255	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	1.335	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fill Volume, Estimated Seepage Loss, and Estimated Evaporation Loss amounts to determine the total amount of storage required.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Appendix – A
STREAM FLOW & POND CAPACITY CALCULATIONS

Name of Applicant: Thomas & Darla Fletcher

Mailing Address: 720 Raven Lane, Careywood, Idaho 83809

Source of Water Supply: Unnamed Stream which is a tributary to Three Sisters Creek

Township: 54N, Range: 2W, Section: 8

Water Flow of Unnamed Stream (Measurements taken on 04/08/2016):

Average Stream Width = 6 inches

Average Stream Depth = 1.5 inches

$6.0" \times 1.5" = 9.0$ square inches (si)

$9.0 \text{ si} / 144.0 \text{ (si)} = 0.0625$ square feet (sf)

Estimated flow rate = 0.75 feet per second (fps)

$0.0625 \text{ sf} \times 0.75 \text{ fps} = 0.05$ cubic feet per second (cfs)

Pond Capacity:

Average Pond Width = 65 feet

Average Pond Length = 120 feet

Average Pond Depth = 6 feet

65 feet wide x 120 feet long x 6 feet deep = 46,800 cubic feet or 1.07 acre feet

Irrigation:

2 Acres x 3.0 Acre Feet = 6.0 AF

Stockwater:

12 Mixed Head Cattle x 12 GPD x 365 Days / 325,850 GAL/AF = 0.2 AF

Prepared By:



phone: 208.610.9853 address: PO Box 711, Sagle, Idaho 83860

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho
Appendix – B
MAP of PROPOSED PROJECT - POND

Name of Applicant: Thomas & Darla Fletcher

Mailing Address: 720 Raven Lane, Careywood, Idaho 83809

Source of Water Supply: Unnamed Stream which is a tributary to Three Sisters Creek

Township: 54N, Range: 2W, Section: 8



- Map Key:**
- 1 Unnamed Stream
 - 2 POU, Pond
 - 3 POD, Berm
 - 4 POU, Area of Irrigation

Prepared By:



phone: 208.610.9853 address: PO Box 711, Sagle, Idaho 83860

**FLETCHER APPLICATION
POND ANALYSIS SHEET**

POND SIZE: 0.18 AC X 6 FEET DEEP = 1.08 AF

EVAPORATION: 0.25 AF (SEE ATTACHED IDWR TOTAL STORAGE SHEET)

SEEPAGE: 0.0 AF (INSTREAM POND)

IRRIGATION: 2 ACRES OF IRRIGATION X 3.0 AF = 6.0 AF

STOCKWATER: 12 HEAD OF MIXED STOCK X 12 GPD X 365 DAYS / 325,850 GAL/AF = 0.2 AF

7.3 AF	IRRIGATION STORAGE	A) POND SIZE	1.08 AF
		B) EVAPORATION	0.25 AF
		C) SEEPAGE	0.0 AF
		D) IRRIGATION	6.0 AF
6.0 AF	IRRIGATION FROM STORAGE		
1.5 AF	STOCKWATER STORAGE	A) POND SIZE	1.08 AF
		B) EVAPORATION	0.25 AF
		C) SEEPAGE	0.0 AF
		D) STOCKWATER	0.2 AF
0.2 AF	STOCKWATER FROM STORAGE		
1.3 AF	FIRE PROTECTION STORAGE	A) POND SIZE	1.08 AF
		B) EVAPORATION	0.25 AF
		C) SEEPAGE	0.0 AF

TOTAL STORAGE: 7.5 AF (7.3 AF FOR IRRIGATION STORAGE + 0.2 AF FOR STOCKWATER)

Ball, Dianne

From: Ball, Dianne
Sent: Tuesday, May 10, 2016 10:41 AM
To: Legal Notices BCDB
Subject: Application for Permit No. 96-9614, 96-9615, 96-9620, 95-17157, 96-9621
Attachments: LegalNotice 05-10-16 BCDB e-mail 95-17157, 96-9614, 9615, 9620, 9621.doc

Good morning,

Please publish the enclosed legal notice in the Bonner County Daily Bee on the dates indicated, May 19 and 26, 2016, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

This should be very close to press ready – for 2-column, 8pt, Century Old Style font.

Please note the area(s) under **USE** containing dates and water amounts that are offset and lined up. Our legal should appear in this format.

Please also send a proof/preview copy for my review before this actually goes to press.

If you have any questions, please contact me as early as possible.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 6/6/2016. Your cooperation is greatly appreciated.

Thank so much for all your help in putting our legals together as submitted.

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-17157

DARLA FLETCHER
THOMAS FLETCHER
720 RAVEN LN
CAREYWOOD, ID 83809
Point of Diversion SWNE S8 T54N R02W BONNER County
Source UNNAMED STREAM tributary THREE SISTERS CREEK
Use: FIRE PROTECTION Storage 01/01 to 12/31 1.3 AF
Use: IRRIGATION from Storage 04/01 to 10/31 6 AF
Use: IRRIGATION Storage 01/01 to 12/31 7.3 AF
Use: STOCKWATER from Storage 01/01 to 12/31 0.2 AF
Use: STOCKWATER Storage 01/01 to 12/31 1.5 AF
Total Diversion: 7.3 AF

Date Filed: 4/29/2016

Place of Use: IRRIGATION STORAGE T54N R02W S8 SWNE
Place of Use for ALL OTHER STORAGE same as IRRIGATION.
Total Acres: 2

Stockwater use is for 12 head of mixed stock.

96-9614

CAROL A BAUER
236 SKY VIEW RD
SAGLE, ID 83860
Point of Diversion NWSWSE S27 T57N R01W BONNER County
Source SPRING tributary SINKS
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 04/01 to 10/31 0.16 CFS
Total Diversion: 0.2 CFS

Date Filed: 5/13/2016

Place of Use: DOMESTIC T57N R01W S27 L2(NWSE) SWSE
Place of Use: IRRIGATION T57N R01W S27 L2(NWSE) SWSE
Total Acres: 6

Domestic use is for 1 house.

96-9615

THOMPSON LAND TRUST
PO BOX 1267
SANDPOINT, ID 83864
Point of Diversion NWSWSE S27 T57N R01W BONNER County
Source SPRING tributary SINKS
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 04/01 to 10/31 0.16 CFS
Total Diversion: 0.2 CFS

Date Filed: 4/13/2016

Place of Use: DOMESTIC T57N R01W S27 SWSE
Place of Use: IRRIGATION T57N R01W S27 SWSE
Total Acres: 6

Domestic use is for 1 house.

96-9620

DEANNA BARRETT
KENNETH BARRETT
611 WATKINS ST
BIRMINGHAM, MI 48009
Point of Diversion NWSE S11 T59N R02W BONNER County
Source PACK RIVER tributary LAKE PEND OREILLE
Use: IRRIGATION 04/01 to 10/31 0.06 CFS
Total Diversion: 0.06 CFS

Date Filed: 4/25/2016

Place of Use: IRRIGATION T59N R02W S11 NWSE
Total Acres: 2

96-9621

TRACIE FINNEY
SCOTT FINNEY
157 W BRONX RD
SANDPOINT, ID 83864
Point of Diversion SESE S35 T58N R02W BONNER County
Source SAND CREEK tributary LAKE PEND OREILLE
Use: IRRIGATION 04/01 to 10/31 0.14 CFS
Total Diversion: 0.14 CFS

Date Filed: 5/4/2016

Place of Use: IRRIGATION T58N R02W S35 SESE
Total Acres: 7

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800; or for a full description of the right(s), please see:

www.idwr.idaho.gov/apps/ExtSearch/WRFiling.asp.

Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D' Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 6/6/2016. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 5/19/2016 and 5/26/2016



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

May 10, 2016

DARLA FLETCHER
THOMAS FLETCHER
720 RAVEN LN
CAREYWOOD, ID 83809

Application For Permit No. 95-17157

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNER COUNTY DAILY BEE on 5/19/2016 and 5/26/2016. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Adam Frederick

Adam Frederick
Water Resource Agent

Ball, Dianne

From: Ball, Dianne
Sent: Tuesday, May 10, 2016 3:17 PM
To: kiira.siitari@idfg.idaho.gov
Cc: Frederick, Adam; Maxey, Shaun; Case, Morgan
Subject: RE: Application for Permit No. 95-17157, 96-9614, 96-9615, 96-9620 and 96-9621,
Attachments: App-map(s)-and-pond-info-95-17157.pdf; App-map(s)--96-9614.pdf; App-map(s)--96-9615.pdf; App-map(s)--96-9620.pdf; App-map(s)--96-9621.pdf

Hi Kiira:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right application. A copy of the application is enclosed for your reference.

These are being prepared for publication in the Bonner County Daily Bee on May 19 and 26, 2016 with June 6, 2016 as final date for protests to be received in our office.

Your prompt response to this request is appreciated. If your agency desires to formally protest the approval of this application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication.

Please contact Adam Frederick in this office if you have any questions regarding applications 95-17157, 96-9620 and 96-9621, and please contact Shaun Maxey if you have questions on 96-9614 and 96-9615

Sincerely,

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819

Frederick, Adam

From: brian.domke@gmail.com
Sent: Thursday, May 05, 2016 9:20 AM
To: Frederick, Adam
Subject: Re: Fletcher Application

Hi Adam,

By the time offsetting space has been used for fencing, gates and access roads, the gross 2 acre area will be reduced to a smaller net area that will coincide with the lesser area you described as actually being irrigated. As such, the 7.3 af value is acceptable. Thank you for bringing this to my attention for verification.

Best regards,
Brian

Sent from my iPhone

On May 5, 2016, at 8:18 AM, Frederick, Adam <Adam.Frederick@idwr.idaho.gov> wrote:

Brian,

I was data entering the Fletcher's application this morning and noticed one more error. The total on line 5 (b) is 7.3 acre feet and if you notice on the pond analysis sheet it is 7.5 acre feet to account for the pond size, irrigation component and the stockwater component. If we were to proceed now, the stockwater would not be given credit at time of exam if all 2 acres was irrigated. We could proceed with the application as it is, if at time of exam there was only 1.8 or 1.9 acres of irrigation occurring there would be enough acre feet on permit. If the full 7.5 acre feet is needed, I will have to send back application to applicant to have them cross out 7.3 and put in 7.5 under line 7 (b). How would you like to proceed?

Adam

From: brian.domke@gmail.com [<mailto:brian.domke@gmail.com>]
Sent: Wednesday, May 04, 2016 1:28 PM
To: Frederick, Adam
Subject: Re: Fletcher Application

Thank you for the clarification Adam. The cfs rate was shown for the reason you had ascertained, which was to account for the estimated stream flow. Since that does not need to be included with an in-stream pond, adding the note you suggested makes sense to me. Please process the application with your note if that is acceptable. I will keep this in mind for the future. Thank you.

Sent from my iPhone

On May 4, 2016, at 9:43 AM, Frederick, Adam <Adam.Frederick@idwr.idaho.gov> wrote:

Brian,

I have attached a copy of a few pages from the signed application from the Fletcher's. With an instream pond, we usually do not have a cfs rate like I have highlighted in the pdf. I'm assuming you put the value there based upon your estimated flow rate in the unnamed stream. We don't need the value of what the creek is flowing. We are having an internal discussion on whether we need to return application to applicants to have

Frederick, Adam

From: brian.domke@gmail.com
Sent: Wednesday, May 04, 2016 1:28 PM
To: Frederick, Adam
Subject: Re: Fletcher Application

Thank you for the clarification Adam. The cfs rate was shown for the reason you had ascertained, which was to account for the estimated stream flow. Since that does not need to be included with an in-stream pond, adding the note you suggested makes sense to me. Please process the application with your note if that is acceptable. I will keep this in mind for the future. Thank you.

Sent from my iPhone

On May 4, 2016, at 9:43 AM, Frederick, Adam <Adam.Frederick@idwr.idaho.gov> wrote:

Brian,

I have attached a copy of a few pages from the signed application from the Fletcher's. With an instream pond, we usually do not have a cfs rate like I have highlighted in the pdf. I'm assuming you put the value there based upon your estimated flow rate in the unnamed stream. We don't need the value of what the creek is flowing. We are having an internal discussion on whether we need to return application to applicants to have them cross that out with their initials or if we can proceed with processing it as it is. The only time with a pond where you need a diversion rate is when it is off channel and you would apply for something like 0.20 cfs diversion to storage. Just fyi for the future. Feel free to email or call if you have any questions.

Adam

Adam Frederick
Water Resource Agent
Idaho Department of Water Resources
Northern Regional Office
Phone 208-762-2800

<DOC.pdf>

M E M O R A N D U M

To: Water Right Application for Thomas and Darla Fletcher

From: Adam Frederick

Date: 5/4/16

Re: Application for a Permit to Appropriate Water within the State of Idaho.

Application was received for storage of water from an unnamed stream. Applicant's representative estimated the flow of the unnamed stream at 0.05 cfs and put that value under line 5(a) on application. Because the application was only for storage values in acre feet (AF), the Department will proceed with processing application and omit 0.05 cfs when data entering application.