


POCATELLO 46 MI
BLACKFOOT 17 MI
4809



T. 1N6
R. 37E

MICROFILMED
OCT 26 1989

43°22'30"
112°07'30"

and published by the Geological Survey


★ MN

T-1-N

POINT OF DIVERSION
AND
PLACE OF USE



000
EET
4805



25-7497

JAN 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07497

Priority: May 31, 1989

Maximum Diversion Rate:
Maximum Diversion Volume:

0.04 CFS
4.6 AF

This is to certify, that JANET D PUTNAM
LAWRENCE D PUTNAM

833 E 1415 N
SHELLEY ID 83274

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 25, 1989; and has submitted Proof of Beneficial Use on November 7, 1991. An examination indicates that the works have a diversion capacity of .070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.03 CFS	4.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	4.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 21, Township 01N, Range 37E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	37E	21	SESW	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

JAN 22 1993


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 25-07497

CONDITIONS/REMARKS:

5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
8. Domestic use is for 1 home.
9. Place of use is located within Hallmark Estates.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of January, 1993.


Acting for R. Keith Higginson, Director

RECEIVED

JAN 22 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 25-07497)
IN THE NAME OF LAWRENCE & JANET PUTNAM) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before November 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on November 7, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 25-07497 be REINSTATED with an advance in priority to May 31, 1989.

Dated this 21st day of November, 1991.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED
FILMED

DEC 09 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07497

Proposed Priority: May 25, 1989

Maximum Diversion Rate:

0.08 CFS

This is to certify, that **LAWRENCE D. PUTNAM**
JANET D. PUTNAM
P.O. BOX 532
SHELLEY, ID 83274

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.04 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.08 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSESW

Sec. 21, Township 01N, Range 37E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	37E	21	SESW	2		2

Total number of acres irrigated:

2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 8.00 cubic feet per second for each acre of land.

MICROFILMED

OCT 26 1989

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07497

CONDITIONS/REMARKS:

8. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

19th day of October, 1989.

for *R. Keith Higginson*
R. Keith Higginson, Director

MICROFILMED

OCT 26 1989

Ident. No. 25-07497

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: LAWRENCE D PUTNAM 208-357-7321
Address: P.O. BOX 532
SHELLEY, ID 83274

AND/OR
Name: JANET D PUTNAM 208-357-7321
Address: P.O. BOX 532
SHELLEY, ID 83274

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
01N	37E	21	NW	SE	SW		BINGHAM

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
DOMESTIC	01/01	12/31		0.040	
IRRIGATION	04/01	11/01		0.040	

5. Total quantity appropriated is:
0.080 CFS (and/or) AFA

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
WELL & PUMP

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 180 feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years.

MICROFILMED

OCT 26 1989

8. Description of proposed uses:
DOMESTIC & IRRIGATION

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
01N	37E	21	SE SW		IRR	2.0
			SE SW		DOMEST	

Total Section Acres 2.0

Total Acres 2.0

10. Describe any other water rights used for the same purposes.
SNAKE RIVER IRR DIST

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.


Applicant

MICROFILMED

OCT 26 1989


Ident. No. 25-07497
Page 3

Received by SM. Date 5/25/89 Time 4:50 PM Preliminary check by AML
Fee \$ 30⁰⁰ Received by SM. # E008056 Date 5/25/1989.
Publication prepared by RB Date 7-13-89 Published in Morning News 7-20, 27, 89
Publication approved Qa Date 8-24-89 8-31, 10, 89

MICROFILMED

OCT 26 1989

T. 1N6
R. 37E



MICROFILMED

OCT 26 1989

43°22'30"
112°07'30"

GOSHEN 5.1 MI | 520000 FEET 412 5'

and published by the Geological Survey

MN

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

25-07497

PUTNAM, LAWRENCE D
PUTNAM, JANET D
P.O. Box 532
Shelley, ID 83274
Source: GROUNDWATER
Diversion Pt: NWSESW
Sec 21 T 01N R 37E
Use: DOMESTIC, (.040 CFS);
IRRIGATION, (.040 CFS)
Date Filed: 5/25/1989
In: T01N R37E S21 SESW
2.0 ACRES TOTAL

25-07504

C/O LEAH JONES
EASTERN IDAHO GRAZING ASSN.
P.O. Box 308
Blackfoot, ID 83221
Source: SPRING,
Tributary: SINKS
Diversion Pt: NENWSE
Sec 28 T 03S R 42E
Use: STOCKWATER, (.040 CFS)
Date Filed: 5/22/1989
In: T03S R42E S28 NWSE

25-07505

CHURCH OF JESUS CHRIST,
LATTER DAY SAINTS
REAL ESTATE DIVISION
Twelfth Floor
50 East North Temple Street
Salt Lake City, UT 84150
Source: SPRING,
Tributary: SINKS
Diversion Pt: SESWSW
Sec 11 T 02S R 39E
Use: DOMESTIC, (.020 CFS)
Date Filed: 5/16/89
In: T02S R39E S11 SWSW

27-07465

SHIPLEY, PATRICIA K.
SHIPLEY, O. DEVAUGHN
13 S. 600 W
Blackfoot, ID 83221
Source: GROUNDWATER
Diversion Pt: NWNWNW
Sec 6T 03S R 35E
Use: IRRIGATION, (.020 CFS);
STOCKWATER, (.020 CFS);
DOMESTIC, (.040 CFS)
Date Filed: 6/22/1989
In: T03S R35E S06 NWNW
1.0 ACRES TOTAL

27-07466

NULPH BROTHERS, INC.
1418 N. Hwy. 91
Shelley, ID 83274
Source: GROUNDWATER
Diversion Pt: SWSE Sec 21 T01N R 37E
Use: COMMERCIAL, (.040 CFS)
Date Filed: 5/03/1989
In: T01N R37E S21 SWSE

27-07467

STEWART, CORDELL H.
563 W. 200 S.
Blackfoot, ID 83221

Source: GROUNDWATER
Diversion Pt: NENW
Sec 18 T 03S R 35E
Use: IRRIGATION, (.090 CFS);
DOMESTIC, (.040 CFS)
Date Filed: 5/26/1989
In: T03S R35E S18 NENW
3.0 ACRES TOTAL

RECEIVED

AUG 22 1989

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, Michael Bell)

solemnly do

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

3rd day of August, 19 89;

and the last publication having been made on the
10th day of August, 19 89;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 21st day of August, in
the year 1989 before me a Notary Public of said State,
personally appeared

Michael Bell
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

David J. Taylor
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00

MICROFILMED

OCT 26 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 11, 1993

JANET D PUTNAM
LAWRENCE D PUTNAM
833 E 1415 N
SHELLEY ID 83274

RE: WATER RIGHT NO. 25-07497

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

A faint, rectangular stamp, possibly a date or processing mark, located in the lower right area of the page.

JAN 22 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 14, 1992

JANET D PUTNAM
LAWRENCE D PUTNAM
833 E 1415 N
SHELLEY ID 83274

RE: WATER RIGHT NO. 25-07497

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
JAN 22 1993

LICENSE REVIEW CHECKLIST

Permit # 25-07497

Date 12-08-92

28

	Yes	No	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed? <u> </u>
TOTAL CFS	<u>✓</u>	<u> </u>	No Fee Paid / .04 cfs
	<u>NA</u>	<u> </u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u> </u>	<u>✓</u>	<u>1x.03 = .03 cfs (IRR) .04 cfs (DOM)</u>
	<u> </u>	<u>✓</u>	Disagree with Theoretical? <u> </u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.07 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
			<u>Same/Reduced 1 Day</u> Season Recommended
	<u>✓</u>	<u> </u>	Disagree with Examiner's Calculations?
	<u>✓</u>	<u> </u>	<u>1x4 = 4.0 cfs (IRR) .04 cfs (DOM)</u>
	<u>✓</u>	<u> </u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void. <u> </u>
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM/1 Home</u>
	<u>✓</u>	<u> </u>	Special Overlap Condition <u> </u>
	<u>✓</u>	<u> </u>	Other P/U <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>RSI</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
		<u>✓</u>	Water Dist.
		<u>✓</u>	App Rec'd
		<u>✓</u>	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acre, rate

License 10-Day ✓ 15-Day Special Correspondence

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/11/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LAWRENCE D PUTNAM	05/31/1989	IRRIGATION	04-01 10-31	0.03 CFS	4.0 AFA
C	JANET D PUTNAM		DOMESTIC	01-01 12-31	0.04 CFS	0.6 AFA
	833 E 1415 N					
	SHELLEY ID 83274					
	(208) 357-7321			TOTAL DIVERSION:	0.04 CFS	4.6 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.07 CFS

Point(s) of Diversion: T01N R37E S21 SE SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
01N	37E	21	:																	1.0
																				1.0
TOTAL ACRES																				

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: BINGHAM

Other Rights: ~~SNAKE RIVER IRR DIST~~

Other Water Rights Listing Overlapping Place(s) of use:

01-000388 01-000398 01-001718 01-001728 01-00250A 01-00250B 01-003288 25-07497

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any
- claim against the holder of a senior water right based upon the
- theories of forfeiture, abandonment, adverse possession, waiver,
- equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right and any license
- subsequently issued to incorporate the use into a water district,
- require streamflow augmentation or other action needed to protect
- prior surface water and groundwater rights.
- R51 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Remarks: Domestic use is for 1 home.
Place of use is located within Hallmark Estates.

Dates: App. Received: 05/25/1989 Priority Date: 05/31/1989 (Priority Date Advanced.)
Proof Due Date: 11/01/1991 Proof Made Date: 11/07/1991 (Proof Received Late.)
Exam Made Date: 08/07/1992 Exam Sent to S.O.: 11/27/1992
Licensed Date:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 02 1992

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Lawrence D. or Janet D. Putnam Permit No. 25-7497
Phone No. 357-7321
Current Address: 833 E 1415 N, Shelley, Id. 83274
2. Accompanied by: Janet Putnam EXAM. DATE: 7 Aug 92
Address: Same Phone No. Same
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

RECEIVED
JAN 22 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well pump mainline to single domestic home and for irrigation of 1 acre.

30 psi

Static H₂O = 80' well logs

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1 1/2	2823007103	—	—

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	21	1N	37E	Bingham	On site inspection / USGS Quad Map

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	37E	21											1						1
													D						

RECEIVED

JAN 22 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{hp(8.814)(eff)}{Lft + (R1 \times 2.308)} = \frac{1.5(8.814)(0.8)}{80 + (36 \times 2.308)} = 0.07 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1(4) = 4.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.04(214)1.9835 = 16.97$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.0 \text{ afu}$$

2. Volume Calculations for Other Uses:

$$V_{Dom} = 1.2 \text{ afu}$$

0.6 afu (without irrigation component)

RECEIVED
JUL 22 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Place of use within Hallmark Estates

Theoretical Capacity is so close to permitted amount, and the amount is
de minimus allow $Q_{TOTAL} = 0.08 cfs$

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.04 cfs	1.2 0.6
Irrigation	4/1	11/1	0.04 cfs	4.0
Totals:			0.08 cfs	5.2 afa 4.6 cfs

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KEITH C. WILSON

Signature Keith C. Wilson

Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


RECEIVED

JAN 22 1993

T
-
N

Root of Division
and
Place of Use

300
EET
4805



R37E

Mitchell

25-7497

2 1993

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

OPEN WELL Yes [] No [☒]

Drilling Permit # _____

Water Right # 25-7321

Well Location: 1/4, SE 1/4, SW 1/4, Lot _____, Sec. 21, Twp 1N, Rge 37E

Owner: Lawrence D. or Janet D. Putnam Phone # 357-7321

Address: 833 E 1415 N City Shelley State Id Zip 83274

Well Driller: Erve Wanless State License # _____ unk.

Is Driller Licensed? Yes [] No [☒] ^{unknown} Is Driller on Site? Yes [] No [☒]

Is a Copy of Drilling Permit on Site? Yes [] No []

WELL INFORMATION: Completion Date of Well: _____

Casing Size? _____ inches. Water Tight Cap? Yes [] No []

Casing >12" above ground? Yes [] No [☒ approx 8"]

Evidence of well seal? Yes [☒] No [] Visual? Yes [☒] No []

Auger to a depth of? _____ feet. Access Port? Yes [] No [☒]

Static Water Level? _____ feet. ^{in area 80'} Water Temperature? _____ degrees.

Cascading Water? Yes [] No [] Flowing through casing? Yes [] No []

Flowing Artesian? Yes [] No [] Flowing around annulus? Yes [] No []

Pressure Gage? Yes [] No [] Pressure? _____ psi.

Are there obvious construction problems that may be a safety hazard, a source of contamination or waste of water? Yes [] No [☒]

Notes or Diagrams: Single Domestic Home

Keith C. Wilson
DEPARTMENT OF WATER RESOURCES AGENT

8/7/1992
DATE OF INSPECTION

JAN 22 1993

November 22, 1991

LAWRENCE D. PUTNAM
JANET D. PUTNAM
833 E 1415 N
SHELLEY ID 83274

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07497

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED

DEC 09 1991

RECEIVED
 NOV 07 1991

 NOV
 Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- Permit No. 25-07497 Telephone No. 208-357-7321
- Name(s) of Permit Holder(s): LAWRENCE G. OR JANET D. PUTNAM
- Post Office Address: 833 E 1415 N, SHELLEY, IDAHO 83274
- Source of Water: WELL
 - If ground water, well driller's name: DR WAINLESS Date drilled: 1985
 - Pump horsepower: 1 1/2 Pressure (psi): _____ Dynamic pumping level (ft.): _____
- Extent of Use:

Domestic 1 (No. of households) Irrigation 1 (No. of acres)
 Stockwater _____ (No. and type of stock) Other _____

- Total rate and/or volume for which proof is submitted .04 CFS OR MORE _____ acre/feet

- Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐
 OR
 Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

- Fee Enclosed: \$ N/A (See License Examination Fee Schedule)

- Person to contact to accompany the Department representative during the field examination:

LAWRENCE G. PUTNAM 208 357 7321
 Name Telephone No.
833 E 1415 N, SHELLEY, IDAHO 83274
 Address

- The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11/5/91
 Date

Lawrence G. Putnam
 Signature (and title if on behalf of a company or organization)

DEC 09 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 25-07497

Date 11/21/91

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit? If no, indicate below.
no Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

✓ Surface water source
✓ Ground water source
NA Drill permit req'd?
1985 ✓ Copy in file? Drill permit no. _____
✓ Amt paid for drilling permit? _____ Correct?
✓ Well log in file?

LICENSE EXAMINATION FEE

no Required?
0 Amount submitted?
yes Correct amount?

MEASURING DEVICE

NA Measuring device or access port required?
✓ Installed?
✓ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

new address - 833 E 1415 N
11/21/91 K2g
proof acceptable - Reinstate

PRIORITY CALCULATION

Date proof received	<u>11/7/91</u>	<u>311</u>
Date proof due	<u>11/1/91</u>	<u>- 305</u>
No. of days late		<u>= 6</u>
Priority date	<u>5/25/89</u>	<u>+ 145</u>
NEW PRIORITY DATE	<u>5/31/89</u>	<u>= 151</u>

K2g
11/22/91

November 7, 1991

LAWRENCE D. PUTNAM
JANET D. PUTNAM
P.O. BOX 532
SHELLEY ID 83274

LAPSE NOTICE

RE: PERMIT NO. 25-07497

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated August 31, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

MICROFILMED

DEC 09 1991

CERTIFICATION OF MAILING

I hereby certify that on 11-8-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

KXG

138985
August 31, 1991

LAWRENCE D. PUTNAM
JANET D. PUTNAM
P.O. BOX 532
SHELLEY, ID 83274

PROOF DUE NOTICE

RE: PERMIT NO. 25-07497

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MISSOURI

DEC 09 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
October 20, 1989

LAWRENCE D. PUTNAM
JANET D. PUTNAM
P.O. BOX 532
SHELLEY, ID 83274

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P25-07497

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

MEMORIALIZED

OCT 26 1989

1

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

OCT 26 1989

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY Deane's 110 Dunn DATE July 1989 APPLICATION NUMBER 25-7497

Lawrence S. Putnam

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

_____ Date Requested _____

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 8-7-89 8-21-89
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01-P05
☐ Yes ☐ No Special conditions of approval or cover letter below.

See below for additional information
Date of priority recommended 5-25-1989
By HWT Date 8-31-89

STATE OFFICE REVIEW P05, P23 P17 46 48 49 26
By kw See below for additional information
Date 10-12-89

ADDITIONAL INFORMATION

App. in NON-TRUST area -
OK to allow 2 yrs. to develop

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
100 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JULY 26, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 21, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

RECORDED

OCT 26 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

MICROFILMED

OCT 26 1989

25-07497

PUTNAM, LAWRENCE D.
PUTNAM, JANET D.
P.O. BOX 532
SHELLEY, ID 83274

Source: GROUNDWATER

Diversion Pt: NWSESW Sec 21 T 01N R 37E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.040 CFS)

Date Filed: 5/25/1989

In: T01N R37E S21 SESW

2.0 ACRES TOTAL

MICROFILMED

OCT 26 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before AUGUST 21, 1989.

R. Keith Higginson, Director

Published 8/03/1989 & 8/10/1989

MICROFILMED

OCT 26 1989

18-July-1989

Lawrence D. Putnam
P.O. Box 532
Shelley, ID 83274

RE: Application for Permit No. 25-7497

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

OCT 26 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JULY 17, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 7, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

OCT 26 1989

Did not run

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

MICROFILMED

OCT 26 1989

25-07497

PUTNAM, LAWRENCE D
PUTNAM, JANET D
P.O. BOX 532
SHELLEY, ID 83274

Source: GROUNDWATER

Diversion Pt: NWSESW Sec 21 T 01N R 37E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.040 CFS)

Date Filed: 5/25/1989

In: T01N R37E S21 SESW

2.0 ACRES TOTAL

MICROFILMED

OCT 26 1980

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before AUGUST 7, 1989.

R. Keith Higginson, Director

Published 7/20/1989 & 7/27/1989

MICROFILMED

OCT 26 1989
