

RECEIVED

MAR 25 2016

IDWR / NORTH

80775

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 87-10083

RECEIVE

APR 07 2016

1. Name of applicant(s) GREGORY'S CUSTOM SAUSAGE Terry & Patsy Gregory Phone (208) 883.8876 IDWR / NORTH
Name connector (check one) ☐ and ☐ or ☒ and/or

Mailing address 3025 HWY 8 E City MOSCOW
State ID Zip 83843 Email None

2. Source of water supply GROUND WATER which is a tributary of _____
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
39N	05W	15			NE	SW	LATAH	GROUNDWATER	87-70-N-9

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) 0.04 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. WATER FROM DRILLED WELL 87-70-N-9 WILL BE PUMPED TO INSIDE OF MEAT PROCESSING FACILITY & EXTERNAL HOSES / SPIGOTS.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is 8 inches; proposed depth of well is 140 feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? 10-22-19; drilling firm PHIL OLSON WELL DRILLING; well was drilled for (well owner) OSCAR NELSON; Drilling Permit No. _____

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; complete and attach the Municipal Water Right Application Checklist.

d. Domestic; show number of households 1 (SMALL meat processing facility less than 2500 GPD) - Established 1999.

e. Other; describe fully. Shop Building sink + Toilet - hand wash sink in shop - to be constructed

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.
See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
39N	05W	15										D							

Total number of acres to be irrigated: None

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

NONE

10. a. Who owns the property at the point of diversion? APPLICANT Terry + Patsy Gregory
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

WATER FROM DRILLED WELL 87-70-N-9 WILL BE PUMPED TO INTERIOR OF SMALL MEAT PROCESSING FACILITY BUILDING AT 3025 HWY 8 EAST MOSCOW, IDAHO, AND USED WITH HOSES OR FROST FREE SPIGOTS TO IRRIGATE A SMALL GARDEN AND / OR LAWN OF LESS THAN 0.5 ACRES. TOTAL WATER USE WILL BE LESS THAN 0.04 CUBIC FEET PER SECOND AND LESS THAN 2,500 GALLONS PER DAY.

Facilities in shop figured into less than 2500 Gal per day total use

12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Terry Gregory
Signature of Applicant

Signature of Applicant

Terry Gregory Owner Manager
Print Name (and title, if applicable)

Gregory's Custom Sausage

Print Name (and title, if applicable)

For Department Use:

Received by db Date 3/25/16 Time _____ Preliminary check by _____
Fee \$ 100.00 Received by db Receipt No. N031787 Date 3/25/16

RECEIVED

APR 07 2016

IDWR / NORTH

State of Idaho
Department of Water Resources


APPLICATION FOR PERMIT

87-XXXXX

RECEIVED

MAR 25 2016

IDWR / NORTH



0 0.0225 0.045 0.09 Miles

 Taxlots



Ball, Dianne

From: Ball, Dianne
Sent: Monday, April 18, 2016 4:38 PM
To: Legal Notices-MoscowPullmanDailyNews
Cc: Frederick, Adam; Maxey, Shaun
Subject: Application for Permit No. 87-10083, 86-12041
Attachments: LegalNotice 04-18-16 MP e-mail 86-12041, 87-10083.doc

Hi, Karen,

Please publish the enclosed legal notice in the Moscow Pullman Daily News on the dates indicated, April 21 and 28, 2016, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

This should be very close to press ready – for 2-column, 8pt, Dutch 811 font.

Please note the area(s) under **USE** containing dates and water amounts that are offset and lined up. Our legal should appear in this format.

Please also send a proof/preview copy for my review before this actually goes to press.

If you have any questions, please contact me as early as possible.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 5/9/2016. Your cooperation is appreciated.

Karen, it is ALWAYS a pleasure working with you. Thanks for all your great help.

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

86-12041

KAREN CHOJNACKI
NICHOLAS CHOJNACKI
1240 ORCHARD LOOP RD
TROY, ID 83871

Point of Diversion SWSE S30 T40N R03W LATAH County
Source RUNOFF tributary SINKS
Point of Diversion SWSE S30 T40N R03W LATAH County
Source RUNOFF tributary SINKS

Use: IRRIGATION STORAGE	01/01 to 12/31	18.9 AF
Use: IRRIGATION from Storage	04/01 to 10/31	10 AF
Use: FIRE PROTECTION Storage	01/01 to 12/31	8.9 AF
Use: RECREATION Storage	01/01 to 12/31	8.9 AF
Use: STOCKWATER from Storage	01/01 to 12/31	0.1 AF
Use: STOCKWATER Storage	01/01 to 12/31	9 AF
Use: WILDLIFE Storage	01/01 to 12/31	8.9 AF
Total Diversion:		19 AF

Date Filed: 4/13/2016

Place of Use: IRRIGATION STORAGE T40N R03W S30
SWSE

Place of Use: ALL OTHER STORAGE USES same as
IRRIGATION STORAGE

Total Acres: 5

Recreation use is for swimming and fishing.

Stockwater use is for 25 goats or sheep.

87-10083

GREGORYS CUSTOM SAUSAGE
3025 HWY 8 E
MOSCOW, ID 83843

Point of Diversion NESW S15 T39N R05W LATAH County
Source GROUND WATER

Use: DOMESTIC	01/01 to 12/31	0.04 CFS
Total Diversion:		0.04 CFS

Date Filed: 4/7/2016

Place of Use: DOMESTIC T39N R05W S15 NWSW

Domestic use is for 1 small meat processing facility, less than 2500 GPD

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800, or for a full description of the right(s) please see:

www.idwr.idaho.gov/apps/ExtSearch/WRFiling.asp

Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D' Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 5/9/2016. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 4/21/2016 and 4/28/2016



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

April 18, 2016

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

GREGORYS CUSTOM SAUSAGE
3025 HWY 8 E
MOSCOW, ID 83843

Application For Permit No. 87-10083

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the MOSCOW PULLMAN DAILY NEWS on 4/21/2016 and 4/28/2016. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in black ink that reads "Shaun M. Maxey". The signature is fluid and cursive, with a large loop at the end of the last name.

Shaun M Maxey
Water Resource Agent, Senior

Enc. Receipt No. N031787

Ball, Dianne

From: Ball, Dianne
Sent: Tuesday, April 19, 2016 9:03 AM
To: Cynthia.Barrett@deq.idaho.gov; rhennekey@idfg.idaho.gov
Cc: Frederick, Adam; Maxey, Shaun; Case, Morgan
Subject: RE: Application for Permit No. 86-12041 and 87-10083
Attachments: App-map-pond-analysis-86-12041.pdf; App-map-and-driller-rept-87-10083.pdf

Dear Cindy and Ray:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right applications. A copy of each of the applications is attached for your reference.

These are being prepared for publication in the Moscow-Pullman Daily News on April 21 and 28, 2016 with May 9, 2016 as final date for protests to be received in our office.

Your prompt response to this request is appreciated. If your agency desires to formally protest the approval of this application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication.

Please contact Adam Frederick in this office if you have any questions regarding application 86-12041, and Shaun Maxey in this office if you have questions regarding application 87-10083.

Sincerely,

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819

RECEIVED

APR 07 2016

IDWR / NORTH

April 4-2016

Shaun Maxey

your photo graph
doesn't quite reach far enough
East on property to show well
site

I have another highway photo
of property with intersection of
Mill Road and State Highway 8

Well position is about 20 yard
south of Highway 8
80 yards west of Mill Road
and not quite 40 yards east
of existing meat plant business
If this photo doesn't explain
position clear enough I will
try something else

Thank you
Jerry Gregory

RECEIVED

MAR 25 2016

IDWR / NORTH

Gregory's Custom Saus
3025 Hwy 8 East
Moscow Idaho

Idaho Dept of Water Resources
7600 N Mineral Dr, Suite 100
Coeur d'Alene ID 83815-7763

Shaun Maxey

Wellison Eastern Port of 7+
acres parcel has been supplying
water to Gregory's Custom Saus since 1999. Adding a shop with
restroom facilities + sink will not
put the water use from well
over 2500 gal over per day.

Total water use for both meat
plant and shop will be much less
than domestic use at less than
2500 gal / day.

After reading over application
permit instructions
I think my fee falls
into the 0.00-0.20 0-20
category therefore I guess
my fee to be \$100.00

If I have figured wrong
please contact me

I need a registered water
right right on permit
in case of a property sale

Thank you
Terry Gregory

**GREGORY'S
CUSTOM SAUSAGE**
and Wild Game Processing



3025 Hwy. 8 East
Moscow, Idaho 83843

Call Terry

208-883-8870

Terry Gregory

Shawn Maxey

Dear Shawn:

I'm sure there was a permit or water right issued on this well when drilled in 1970

I'm hoping that since I've purchased and owned this property since 1991 or 1992 and had the well pump redone and run service to a meat plant in 1999 that I have a water right because I own the well and ground it is sitting on.

Terry Gregory