

RECEIVED

NOV 27 2015

WATER RESOURCES
WESTERN REGIONIdent. No. 63-34171STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Vallivue School District #139 Phone 208-454-0445
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 5207 S. Montana Ave. City Caldwell
 State ID Zip 83607-1583 Email pcharlton@vallivue.org
2. Source of water supply Ground Water which is a tributary of _____
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
4N	2W	30			NW	SE	Canyon	Ground Water	

4. Water will be used for the following purposes:
- Amount 0.72 for Irrigation purposes from 3/1 to 11/15 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) 0.72 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Well, pump, pressurized irrigation
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 10 inches; proposed depth of well is 200 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? _____; drilling firm _____;
 well was drilled for (well owner) _____; Drilling Permit No. _____
7. Description of proposed uses (if irrigation only, go to item 8):
- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; complete and attach the [Municipal Water Right Application Checklist](#).
- d. Domestic; show number of households _____
- e. Other; describe fully. _____

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	2W	30														19			19

Total number of acres to be irrigated: 12 acres within a 19-acre permissible place of use

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

Pioneer Irrigation District surface water

10. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Applicants propose a new well to provide supplemental irrigation water to a new elementary school site (aka Elementary School #7) during times when surface water is unavailable or insufficient. An excessive diversion rate (i.e., 0.06 cfs/acre) is proposed to allow irrigation within an eight-hour window in an effort to avoid student and athletic activities during and after school sessions.

Water bearing zone to be appropriated is from 50 to 200 feet.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Pat Charlton
Signature of Applicant

Pat Charlton, Superintendent
Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

For Department Use:

Received by AS Date 11/27/15 Time 1:30 Preliminary check by _____
Fee \$ 290.00 Receipted by AS Receipt No. W043711 Date 11/27/15



Neely, Rachel

From: Neely, Rachel
Sent: Friday, April 01, 2016 9:24 AM
To: 'IDAHO PRESS TRIBUNE'
Subject: Canyon Legal Ads
Attachments: Canyon Cover Letter.docx; Canyon Legal Ad.docx

Good Morning Legal Clerk,

Please see the attached ads for publication on 4/7/2016 & 4/14/2016.

Please confirm these are okay to publish as shown.

Thank you,

Rachel Neely

Administrative Assistant I
IDWR-Western Region
2735 Airport Way Boise, ID 83705
Rachel.Neely@idwr.idaho.gov

March 31, 2016

LEGAL NOTICE DEPARTMENT
PRESS TRIBUNE
PO BOX 9399
NAMPA, ID 83652

RE: Application for Permit No. 63-34148
 Application for Permit No. 63-34171
 Application for Permit No. 63-34184
 Application for Permit No. 63-34188

Dear Legal Notice Department:

Please publish the enclosed legal notices on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notices on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 4/25/2016. Your cooperation is appreciated.

Sincerely,

Rachel Neely
Administrative Assistant

Enclosure(s)

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-34148

MIKE SKOGSBERG
DIAMOND S FARMS LLC
23460 STAFFORD RD
CALDWELL, ID 83607
Points of Diversion SWSE SESE S1 T04N R04W CANYON County Source UNNAMED DRAIN Tributary BOISE RIVER
Use: WILDLIFE 11/16 to 02/28 1 CFS
Total Diversion: 1 CFS
Date Filed: 9/17/2015
Place of Use: WILDLIFE
T04N R04W S1 L2(NESW) L1(SESW) SWSE

63-34171

VALLIVUE SCHOOL DISTRICT #139
5207 S MONTANA AVE
CALDWELL, ID 83607
Point of Diversion NWSE S30 T04N R02W CANYON County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 0.72 CFS
Total Diversion: 0.72 CFS
Date Filed: 11/27/2015
Place of Use: IRRIGATION
T04N R02W S30 NWSE
TOTAL ACRES: 19
Water bearing zone to be appropriated is from 50 to 200 feet.
Irrigation of 12 acres will occur within a 19 acre permissible place of use.

63-34184

MOBLEY LLC
120 MOBLEY DR
BOISE, ID 83712
(2)Points of Diversion NWSW S13 T03N R04W CANYON County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 0.27 CFS
Total Diversion: 0.27 CFS
Date Filed: 12/28/2015
Place of Use: IRRIGATION
T03N R04W S13 NWSW
Total Acres: 14
Water bearing zone to be appropriated is from 100 to 500 feet.
Application is for irrigation within Shiraz Point Subdivision.

63-34188

GAYLE MANUFACTURING CO
80 N KINGS RD
NAMPA, ID 83687
Point of Diversion NESW S24 T04N R04W CANYON County Source GROUND WATER
Use: FIRE PROTECTION 01/01 to 12/31 0.5 CFS
Total Diversion: 0.5 CFS
Date Filed: 1/21/2016
Place of Use: FIRE PROTECTION
T04N R04W S24 NESW
Water bearing zone to be appropriated is from 100 to 150 feet.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), please see www.idwr.idaho.gov/WaterManagement/WaterRights. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 4/25/2016. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 4/7/2016 and 4/14/2016



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

March 31, 2016

VALLIVUE SCHOOL DISTRICT #139
5207 S MONTANA AVE
CALDWELL, ID 83607

Application for Permit No. 63-34171

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the PRESS TRIBUNE on 4/7/2016 and 4/14/2016. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Rachel Neely
Administrative Assistant

CC:
SPF WATER ENGINEERING LLC
C/O LORI GRAVES
300 E MALLARD DR STE 350
BOISE, ID 83706



SPF WATER
ENGINEERING

COPY

March 15, 2016

Phil Hummer
IDWR Western Region Office
2735 Airport Way
Boise, ID 83705

RECEIVED

MAR 15 2016

WATER RESOURCES
WESTERN REGION

Subject: Application for Transfer

Dear Phil,

Per your review findings for application 63-34171, enclosed on behalf of Vallivue School District #139, is an *Application for Transfer* seeking to split right 63-8752, change the point of diversion on the School District's portion, and consolidate the acres and flow rate. The School District wishes to continue to proceed with application 63-34171 for additional flow rate to allow irrigation within an 8-hour window. Both rights, when combined will not exceed 0.06 cfs/acre for irrigation of the 12 acres within a 19 acre permissible place of use.

We initially prepared and obtained a signature on a Transfer Application *short form*. Per your recent request and preference, enclosed is a Transfer Application *long form*. The signature page is in transit and will be submitted ASAP upon receipt. To enable processing, the original signed short form is included. As we discussed on the phone, time is of essence since construction of the new elementary school site's entire irrigation system has been delayed until the proposed new well is completed.

Check No. 35460 for \$560 is enclosed for the \$600 filing fee. As you noted in your email, \$40 from receipt W043711 can be applied for the remaining fee. Thank you for your consideration and assistance in this matter. Please call me if you have any questions.

Sincerely,

Lori Graves
Water Rights Specialist

Cc: Pat Charlton, Superintendent
Chris Vondemkamp, Design West Architects

Enclosures

SPF file number: 1108.0030

Hummer, Phill

From: Lori Graves [LGraves@spfwater.com]
Sent: Friday, February 05, 2016 8:21 AM
To: Hummer, Phill
Cc: Bob Hardgrove
Subject: RE: Vallivue School District 63-34171

Categories: More Info Emails

Thank you very much for your email Phil. Yes, the School District does now own the property. We have to discuss options with them, but will probably end up filing both a transfer application and permit. I will let you know ASAP when we have direction. Please hold off on the refund for now; the extra fees may be applied towards a future transfer application. Thanks again.

From: Hummer, Phill [<mailto:Phill.Hummer@idwr.idaho.gov>]
Sent: Thursday, February 04, 2016 9:18 AM
To: Lori Graves <LGraves@spfwater.com>
Subject: Vallivue School District 63-34171

Hi Lori,

Just a couple things regarding the application. Our records (as of 3/5/2015) indicate that the property is co-owned by Double D Investments and Ronald Quenzer, can you confirm that the school district now owns the property. If the school district now owns the property they may own a portion of water right 63-8752. They have the option to submit a change of ownership to split the portion owned. A transfer would be necessary to consolidate acres to get the desired rate of 0.06 cfs per acre, if the school would prefer to use this split for the proposed project in place of a new application. This would give them the benefit of an earlier priority date. Otherwise we can proceed with the new application if that is what they prefer. The new application looks ready for advertising except that you submitted a greater fee (\$290.00) than required based on the desired rate (\$250.00), see attached receipt. I will submit the paperwork to refund \$40.00 if the applicant wishes to move forward with the new application or for the full amount if they wish to withdraw in favor of the transfer.

Phill Hummer

*Water Resource Agent
Idaho Department of Water Resources
Phone: (208) 334-2190
Fax: (208) 334-2348
Email: phill.hummer@idwr.idaho.gov*



SPF WATER
ENGINEERING

November 23, 2015

Angie Grimm
IDWR Western Region Office
2735 Airport Way
Boise, ID 83705

RECEIVED

NOV 27 2015

WATER RESOURCES
WESTERN REGION

Subject: Application for Permit

Dear Angie,

Enclosed on behalf of Vallivue School District #139, is an *Application for Permit* proposing diversion of 0.72 cfs from a new well for supplemental irrigation at a new elementary school site.

Check No. 34228 for \$290 is enclosed for the filing fee. Thank you very much for your consideration and assistance in this matter. Please call me if you have any questions.

Sincerely,

Lori Graves
Water Rights Specialist

Cc: Pat Charlton, Superintendent

Enclosures

SPF file number: 1108.0030