

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 63-34095
Before Split

Priority: June 04, 2015

Maximum Diversion Rate: 0.18 CFS

This is to certify, that STEVE AND ELLEN WOODARD
4795 N HARTLEY RD
EAGLE ID 83616

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

IRRIGATION

PERIOD OF USE

03/01 to 11/15

RATE OF DIVERSION

0.18 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NW1/4NE1/4	Sec. 34,	Twp 05N,	Rge 01W, B.M.	ADA County
GROUND WATER	NW1/4NE1/4	Sec. 34,	Twp 05N,	Rge 01W, B.M.	ADA County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	01W	34			9.0														9.0
Total Acres: 9																			

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before November 01, 2020.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 2nd day of November, 2015.


for GARY SPACKMAN, Director

State of Idaho
Department of Water Resources


Attachment to Permit to Appropriate Water

63-34095

Before Split

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

01W



- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters

0 0.0275 0.055 0.11 Miles



SCANNED
MAR 22 2016

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

3/3/2016

Water Permit 63-34095
After Split

Owner Type **Name and Address**
Current Owner ELLEN WOODARD
4795 N HARTLEY RD
EAGLE, ID 83616
(208)286-9700

Current Owner STEVE WOODARD
4795 N HARTLEY RD
EAGLE, ID 83616
(208)286-9700

Representative SPF WATER ENGINEERING LLC
C/O ROXANNE BROWN
300 E MALLARD DR STE 350
BOISE, ID 83706
(208)383-4140

Priority Date: 6/4/2015

Status: Active

Source
GROUND WATER

Tributary

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	03/01	11/15	0.080 CFS	
	<u>Total Diversion</u>		0.080 CFS	

Source and Point(s) of Diversion

GROUND WATER NWNE Sec. 34, Twp 05N, Rge 01W, ADA County

Place Of Use

IRRIGATION within ADA County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	01W	34		4.0															4.0

POU Total Acres: 4.0

Conditions of Approval:

1. 26A Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
2. R65 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
3. 01M After specific notification by the Department, the right holder shall install a suitable

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

3/3/2016

measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.

4. 046 Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
5. 121 The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.

Comments:

- | | | |
|--|------------|-------------|
| 1. dmerriman
Updated Shape | 10/26/2015 | POD |
| 2. dmerriman
Updated Shape | 10/26/2015 | POU |
| 3. Ownership Change
Split into 63-34204 | 3/3/2016 | Split Right |
| 4. dmerriman
Updated Shape | 3/3/2016 | POD |
| 5. dmerriman
Updated Shape | 3/3/2016 | POU |

Dates and Other Information

Permit Proof Due Date: 11/1/2020
Permit Approved Date: 11/2/2015
Owner Name Connector: And
Generic Max Rate Per Acre: 0.020
Generic Max Volume Per Acre: 4.5
Mitigation Plan: False

Combined Use Limits

N/A

Verification Log

SubCase:

N/A

Water Supply Bank:

N/A


State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

63-34095
After Split

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

01W



- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections

0 0.0175 0.035 0.07 Miles

SCANNED

MAR 2 2 2016

