

RECEIVED
FEB 23 2016
WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 103-34168

AMENDED

1. Name of applicant(s) Idaho Materials and Construction Phone 208-466-5001
Name connector (check one): ☐ and ☐ or ☐ and/or
Mailing address 924 N. Sugar St. City Nampa
State ID Zip 83687 Email tkeenan@idahoconcrete.com
2. Source of water supply Ground Water which is a tributary of Boise River
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
4N	2E	17			SW	SW	Canyon	Shallow Ground Water	

4. Water will be used for the following purposes:
- Amount 152 acre feet for Commercial Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount 150 acre feet for Commercial from Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) _____ cubic feet per second (cfs) and/or (b) 169.7 ~~152~~ acre feet per year (af).

6. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source. 7.5 acre pond, 25 feet deep; pump; water truck(s)
- b. Height of storage dam 0 feet; active reservoir capacity 150 acre-feet; total reservoir capacity 150 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? _____; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____.

7. Description of proposed uses (if irrigation only, go to item 8):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; complete and attach the [Municipal Water Right Application Checklist](#).
- d. Domestic; show number of households _____
- e. Other; describe fully. Commercial uses including truck washing, gravel washing and dust control

AMENDED

SCANNED

1

MAR 10 2016

8. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	2W	17			C	C					C	C	C	C	C	C			
						Lt 3													

Total number of acres to be irrigated: _____

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

Permit 63-12534 authorizes commercial uses at the same gravel site, but from a separate system. Permit 63-12534 will be withdrawn upon approval of the accompanying application for permit for the commercial well.

- Who owns the property at the point of diversion? Old Castle MMG Inc.
- Who owns the land to be irrigated or place of use? Old Castle MMG Inc.
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Old Castle MMG Inc. owns Idaho Materials and Construction

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Commercial storage volume includes maximum pond volume plus evaporative losses, which were calculated using the IDWR storage memo No. 76 spreadsheet (attached). Commercial from storage volume is based on the following estimates: (1) 12 truck tanks washed 3x/day@ 3000 gal/truck/wash up to 300 days/year; (2) one truck filled 15x/day @ 3000 gal/fill, up to 250 days/year; and (3) up to 16 acre feet/year for misc. gravel washing.

Water bearing zone to be appropriated is from 0 to 25 feet.

- Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
- MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Signature of Applicant

Print Name (and title, if applicable)

Print Name (and title, if applicable)

For Department Use:

Received by CS Date 2/23/16 Time 12:15 Preliminary check by _____
 Fee \$ 50.00 Received by CS Receipt No. W043914 Date 2/23/16

Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

FILE NUMBER	XX-XXXX
REVIEWER	Lori Graves
DATE	10/23/2015

User Input
Calculated value
Formula Explanations

The acronyms used on the Kimberly Research Center website are defined below:

P = Precipitation
ET= Evapotranspiration
P _d = Precipitation deficit
P _d = ET-P

USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at <X:/Spatial/Climate/ETIdahostations.shp>.

Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

Precipitation Deficit

Station: Caldwell (NWS -- 101380)

Month	mm/day ¹	Days per month	mm/Month
Jan	-0.83	31	0.00
Feb	0.18	28	5.04
March	1.22	31	37.82
April	2.51	30	75.30
May	3.74	31	115.94
June	4.22	30	126.60
July	5.01	31	155.31
August	4.27	31	132.37
September	3.06	30	91.80
October	1.89	31	58.59
November	-0.12	30	0.00
December	-0.78	31	0.00

PLEASE NOTE: The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS -- 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

Total mm/year = 798.77

$$((\text{mm/yr}) \div (\text{convert to feet})) \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$$

$$((798.77) \div 304.8) \times 7.5 = 19.7$$

by 2/22/16

Total Storage Calculations

FILE NUMBER	XX-XXXX
REVIEWER	Lori Graves
DATE	10/23/2015

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	7.5	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	20	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	150	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: If a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.0	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	19.7 ~~2.0~~	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	169.7 ~~152.0~~	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

68
2/22/16

RECEIVED

NOV 05 2015

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT ~~XX~~
To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Idaho Materials and Construction Phone 208-466-5001
Name connector (check one): ☐ and ☐ or ☐ and/or
Mailing address 924 N. Sugar St. City Nampa
State ID Zip 83687 Email tkeen@idahoconcrete.com
2. Source of water supply Ground Water which is a tributary of Boise River
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
4N	~~2E~~ *	17			SW	SW	Canyon	Shallow Ground Water	
	2W								

4. Water will be used for the following purposes:
Amount 152 acre feet for Commercial Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
Amount 150 acre feet for Commercial from Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) _____ cubic feet per second (cfs) and/or (b) 152 acre feet per year (af).
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source. 7.5 acre pond, 25 feet deep; pump; water truck(s)
b. Height of storage dam 0 feet; active reservoir capacity 150 acre-feet; total reservoir capacity 150 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
e. If well is already drilled, when? _____; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____
7. Description of proposed uses (if irrigation only, go to item 8):
a. Hydropower; show total feet of head and proposed capacity in kW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; complete and attach the [Municipal Water Right Application Checklist](#).
d. Domestic; show number of households _____
e. Other; describe fully. Commercial uses including truck washing, gravel washing and dust control

* Application amended per e-mail 12-18-2015.

SCANNED

DEC 31 2016

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	2W	17			C	C					C	C	C	C	C	C			
						Lt 3													

Total number of acres to be irrigated: _____

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

Permit 63-12534 authorizes commercial uses at the same gravel site, but from a separate system. Permit 63-12534 will be withdrawn upon approval of the accompanying application for permit for the commercial well.

10. a. Who owns the property at the point of diversion? Old Castle MMG Inc.
- b. Who owns the land to be irrigated or place of use? Old Castle MMG Inc.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Old Castle MMG Inc. owns Idaho Materials and Construction

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Commercial storage volume includes maximum pond volume plus evaporative losses, which were calculated using the IDWR storage memo No. 76 spreadsheet (attached). Commercial from storage volume is based on the following estimates: (1) 12 truck tanks washed 3x/day@ 3000 gal/truck/wash up to 300 days/year; (2) one truck filled 15x/day @ 3000 gal/fill, up to 250 days/year; and (3) up to 16 acre feet/year for misc. gravel washing.

Water bearing zone to be appropriated is from 0 to 25 feet.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Signature of Applicant

Print Name (and title, if applicable)

Print Name (and title, if applicable)

For Department Use:

Received by [Signature] Date 11/5/15 Time 3:00 Preliminary check by P. Kelly

Fee \$ 290.00 Received by [Signature] Receipt No. WD43656 Date 11/5/15

SCANNED₂

DEC 31 2015

63-34168

Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

FILE NUMBER	XX-XXXXX
REVIEWER	Lori Graves
DATE	10/23/2015

User Input
Calculated value
Formula Explanations

The acronyms used on the Kimberly Research Center website are defined below:
P = Precipitation
ET= Evapotranspiration
P _d = Precipitation deficit
P _d =ET-P

USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at <X:/Spatial/Climate/ETIdahostations.shp>.

Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

Precipitation Deficit

Station: Caldwell (NWS -- 101380)

Month	mm/day ¹	Days per month	mm/Month
Jan	-0.83	31	0.00
Feb	0.18	28	5.04
March	1.22	31	37.82
April	2.51	30	75.30
May	3.74	31	115.94
June	4.22	30	126.60
July	5.01	31	155.31
August	4.27	31	132.37
September	3.06	30	91.80
October	1.89	31	58.59
November	-0.12	30	0.00
December	-0.78	31	0.00

PLEASE NOTE: The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS -- 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

Total mm/year = 798.77

$$[(\text{mm/yr}) \div (\text{convert to feet})] \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$$

(798.77) ÷ 304.8) X 0.75 = 2.0 AFA

SCANNED
DEC 31 2015

Total Storage Calculations

FILE NUMBER	xx-xxxxx
REVIEWER	Lori Graves
DATE	10/23/2015

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	7.5	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	20	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	150	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.0	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	2.0	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	152.0	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

SCANNED
DEC 31 2015



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

March 10, 2016

IDAHO MATERIALS AND CONSTRUCTION
924 N SUGAR ST
NAMPA, ID 83687

Application for Permit No. 63-34168

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the PRESS TRIBUNE on 3/17/2016 and 3/24/2016. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Rachel Neely
Administrative Assistant

CC:
SPF WATER ENGINEERING LLC
C/O LORI GRAVES
300 E MALLARD DR STE 350
BOISE, ID 83706

Neely, Rachel

From: Neely, Rachel
Sent: Thursday, March 10, 2016 10:09 AM
To: 'IDAHO PRESS TRIBUNE'
Subject: Canyon Legal Ads
Attachments: Canyon Cover Letter.docx; Canyon Legal Ad.docx

Good Afternoon Legal Clerk,

Please see the attached ads for publication on 3/17/16 & 3/24/16.

Please confirm these are okay to publish as shown.

Thank you,

Rachel Neely

Administrative Assistant I
IDWR-Western Region
2735 Airport Way Boise, ID 83705
Rachel.Neely@idwr.idaho.gov

March 10, 2016

LEGAL NOTICE DEPARTMENT
PRESS TRIBUNE
PO BOX 9399
NAMPA, ID 83652

RE: Application for Permit No. 63-34168
 Application for Permit No. 63-34170

Dear Legal Notice Department:

Please publish the enclosed legal notices on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notices on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 4/4/2016. Your cooperation is appreciated.

Sincerely,

Rachel Neely
Administrative Assistant

Enclosure(s)

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-34168

IDAHO MATERIALS AND CONSTRUCTION

924 N SUGAR ST

NAMPA, ID 83687

Point of Diversion SWSW S17 T04N R02W CANYON County Source GROUND WATER Tributary BOISE RIVER

Use: COMMERCIAL FROM STORAGE 01/01 to 12/31 150 AF

Use: COMMERCIAL STORAGE 01/01 to 12/31 169.7 AF

Total Diversion: 169.7 AF

Date Filed: 11/5/2015

Place of Use: COMMERCIAL STORAGE

T04N R02W S17 SWSW

Place of Use: COMMERCIAL FROM STORAGE

T04N R02W S17 SWNE L3(SENE) SW(ALL) NESE NWSE

Water bearing zone to be appropriated is from 0 to 25 feet.

63-34170

CHRISTINA A LINCOLN

COTTONWOOD RETRIEVERS

JAKE COON

22195 LOOK LN

CALDWELL, ID 83607

Points of Diversion SWSW SESW SESW SESW S8 T04N R03W CANYON County Source GROUND WATER

Points of Diversion NESW SESW S8 T04N R03W CANYON County Source UNNAMED DRAIN Tributary BOISE RIVER

Use: COMMERCIAL 01/01 to 12/31 3 CFS

Use: COMMERCIAL 10/01 to 04/01 2.5 CFS

Use: COMMERCIAL STORAGE 01/01 to 12/31 1447 AF

Use: COMMERCIAL STORAGE 10/01 to 04/01 717 AF

Use: DIVERSION TO STORAGE 01/01 to 12/31 3 CFS

Use: DIVERSION TO STORAGE 10/01 to 04/01 2.5 CFS

Use: IRRIGATION 03/01 to 11/15 0.76 CFS

Use: WILDLIFE 01/01 to 12/31 3 CFS

Use: WILDLIFE 10/01 to 04/01 2.5 CFS

Use: WILDLIFE STORAGE 01/01 to 12/31 1447 AF

Use: WILDLIFE STORAGE 10/01 to 04/01 717 AF

Total Diversion: 5.5 CFS

Date Filed: 11/19/2015

Places of Use: IRRIGATION, COMMERCIAL, WILDLIFE, COMMERCIAL STORAGE, WILDLIFE STORAGE

T04N R03W S8 NESW SWSW SESW

Total Acres: 38

Water bearing zone to be appropriated is from 0 to 6 feet.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), please see www.idwr.idaho.gov/WaterManagement/WaterRights. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 4/4/2016. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 3/17/2016 and 3/24/2016



February 22, 2016

RECEIVED

FEB 23 2016

WATER RESOURCES
WESTERN REGION

Patrick Kelly & Angie Grimm
IDWR Western Region Office
2735 Airport Way
Boise, ID 83705

Subject: Amended Application for Permit 63-34168, Idaho Materials & Construction

Dear Patrick & Angie,

Per Patrick's email dated 2/18/2016, enclosed is *Amended Application No. 63-34168* that includes the additional volume intended, but not included in the original submittal and missed during the Department review process. SPF will pay the re-advertising fee and not bill the client. We appreciate working and cooperating with Western Region staff to accelerate application processing on behalf of our clients.

Check No. 010429 for \$50 is enclosed for the re-advertising fee. Please call me if you have any questions.

Sincerely,

A handwritten signature in blue ink that reads "Lori Graves".

Lori Graves
Water Rights Specialist

Enclosures

SPF file number: 1225.0010

Kelly, Patrick

From: Kelly, Patrick
Sent: Thursday, February 18, 2016 9:42 AM
To: 'Lori Graves'
Subject: Idaho Materials Permit App 63-34168

Good morning,

I processed app for permit 63-34168 for Idaho Materials & Construction. It made it through advertisement and I drafted a license for 152.0 af. Angie caught an error in the application for evaporation analysis. At the bottom, you had entered a surface area of 0.75 instead of 7.5. This changes the evaporation losses from 2.0 af to 19.7 af. Will you please send over an amended application that identifies 169.7 af for Commercial Storage as well as another \$50 to re-advertise? I will get this over to advertisement as soon as it is received.

Thank you Lori,

Patrick Kelly

Senior Water Resource Agent

Idaho Department of Water Resources

2735 Airport Way

Boise, Idaho 83705

p: 208.334.2190

f: 208.334.2348

patrick.kelly@idwr.idaho.gov