

Newbry, Ashley

From: Newbry, Ashley
Sent: Thursday, January 14, 2016 9:37 AM
To: 'ckimball@roadrunner.com'
Subject: Fernan Estates Annual Reporting Requirements for Water Right 95-9323
Attachments: DOC.pdf

Good Morning Claude,

I tried calling the telephone number at the bottom of your letter, but your wife answered to let me know you were in recovery from a surgery. I am writing to respond to your recent letter dated 1/6/2016.

I believe there may be a misunderstanding about the need to change Fernan Estates water right reporting cycle. *We are simply requesting to receive your data at a different time of year on the designated form.* I highlighted the portion of your letter which we are interested in receiving (attached). We understand that measurements may not be feasible when the wells are inaccessible due to snow volume.

Throughout each calendar year (January to December), you should collect any measurements that you can – Monthly readings on the well totalizer and quarterly readings on the house meters. If it is not going to be possible to take a measurement during winter months with inclement weather conditions, simply note that on your annual report. We would like you to submit an annual report each year in January. For example: submit any measurements you took in 2015 at your earliest convenience (January 2016). In January 2017, you will need to submit any measurements you took during 2016.

You might fill out your report in the following manner: (EXAMPLE: Measurement Year 2017)

Date (date of reading)	Totalizer Reading	Flow Rate Circle: cfs or gpm	Discharge Pressure
January ()	Could not access – too much snow	Totalizer only	
February ()	Could not access – too much snow		
March (20)	335467		60 psi
April (17)	335629		61 psi
May (15)	335791		55 psi
June (16)	335953		57 psi
July (15)	336115		53 psi
August (20)	336285		55 psi
September (15)	336445		59 psi
October (18)	336610		60 psi
November (10)	336760		61 psi
December ()	Could not access – too much snow		
*Submitted in January 2018			
*House meter readings are attached on my own printout.			

You will only need to fill out the portions of the form that you have information for. If your flow meter does not measure flow rate, then this section should be left blank.

Link to the form: http://idwr.idaho.gov/files/water_measurement/Form-WMP2-Meter-Generic-SO.pdf

When you are available, please call me if you have further questions about this request.

Thank you,

Ashley Newbry

Associate Engineer

Idaho Dept. of Water Resources

State Office

322 E. Front Street

PO Box 83720

Boise, ID 83720-0098

208.287.4800 X 4846