

RECEIVED
JAN 19 2016
WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Notice of Change in Water Right Ownership

1. List the numbers of all water rights and/or adjudication claim records to be changed. If you only acquired a portion of the water right or adjudication claim, check "Yes" in the "Split?" column. If the water right is leased to the Water Supply Bank, check "Yes". If you are not sure if the water right is leased to the Water Supply Bank, see #6 of the instructions.

Water Right/Claim No.	Split?	Leased to Water Supply Bank?	Water Right/Claim No.	Split?	Leased to Water Supply Bank?
65-23335 ✓	Yes ☐	Yes ☐	65-21738 ✓	Yes ☐	Yes ☐
65-267 ✓	Yes ☐	Yes ☐	65-17914 ✓	Yes ☐	Yes ☐
65-3027 ✓	Yes ☐	Yes ☐		Yes ☐	Yes ☐
65-21737 ✓	Yes ☐	Yes ☐		Yes ☐	Yes ☐
65-270 ✓	Yes ☐	Yes ☐		Yes ☐	Yes ☐

2. Previous Owner's Name: JERALD J. JENNARO
Name of current water right holder/claimant
3. New Owner(s)/Claimant(s): SIERRA VISTA PROPERTIES, INC MARK F. ANDELIN
New owner(s) as listed on the conveyance document Name connector ☐ and ☐ or ☐ and/or
- PO BOX 30 OLA ID 83657
Mailing address City State ZIP
- 208 584 3948 mfandelin@gmail.com
Telephone Email

4. If the water rights and/or adjudication claims were split, how did the division occur?
☐ The water rights or claims were divided as specifically identified in a deed, contract, or other conveyance document.
☐ The water rights or claims were divided proportionately based on the portion of their place(s) of use acquired by the new owner.
5. Date you acquired the water rights and/or claims listed above: 5/9/2008

6. If the water right is leased to the Water Supply Bank changing ownership of a water right will reassign to the new owner any Water Supply Bank leases associated with the water right. Payment of revenue generated from any rental of a leased water right requires a completed IRS Form W-9 for payment to be issued to an owner. A new owner for a water right under lease shall supply a W-9. Water rights with multiple owners must specify a designated lessor, using a completed Lessor Designation form. Beginning in the calendar year following an acknowledged change in water right ownership, compensation for any rental will go to the new owner(s).

7. This form must be signed and submitted with the following **REQUIRED** items:
- ☒ A copy of the conveyance document – warranty deed, quitclaim deed, court decree, contract of sale, etc. The conveyance document must include a legal description of the property or description of the water right(s) if no land is conveyed.
 - ☒ Plat map, survey map or aerial photograph which clearly shows the place of use and point of diversion for each water right and/or claim listed above (if necessary to clarify division of water rights or complex property descriptions).
 - ☒ Filing fee (see instructions for further explanation):
 - ☐ \$25 per *undivided* water right.
 - ☐ \$100 per *split* water right.
 - ☐ No fee is required for pending adjudication claims.
 - ☐ If water right(s) are leased to the Water Supply Bank AND there are multiple owners, a Lessor Designation form is required.
 - ☐ If water right(s) are leased to the Water Supply Bank, the individual owner or designated lessor must complete, sign and submit an IRS Form W-9.

8. Signature: Mark F. Andelin President 1-14-16
Signature of new owner/claimant Title, if applicable Date

Signature: _____ Title, if applicable _____ Date _____
Signature of new owner/claimant

For IDWR Office Use Only:

Received by [Signature] Date 1/19/16 Receipt No. WD43813 Receipt Amt. \$175⁰⁰
 Active in the Water Supply Bank? Yes ☐ No ☒ If yes, forward to the State Office for processing W-9 received? Yes ☐ No ☒
 Name on W-9 [Signature] Approved by [Signature] Processed by [Signature] Date 2/2/16

WARRANTY DEED

Order No.: AT-4050809656

FOR VALUE RECEIVED

Joseph T. Gennaro, an unmarried person, who aquired title as Joseph T. Jennaro, an unmarried person and Jerald J. Jennaro, an unmarried person,

the grantor(s), do(es) hereby grant, bargain, sell and convey unto

Sierra Vista Properties, Inc., a Nevada Corporation,

whose current address is 8100 Pyramid Road, Sparks, Nevada, 89436,


the grantee(s), the following described premises, in Gem County, Idaho, TO WIT:

see Exhibit "A" attached hereto and made a part hereof.

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantee, heirs and assigns forever. And the said Grantor does hereby covenant to and with the said Grantee(s), that (s)he is/are the owner(s) in fee simple of said premises; that they are free from all encumbrances Except: Current Year Taxes, conditions, covenants, restrictions, reservations, easements, rights and rights of way, apparent or of record.

And that (s)he will warrant and defend the same from all lawful claims whatsoever.

Dated: May 2, 2008


Joseph T. Gennaro


Jerald J. Jennaro

State of _____ }
County of _____ } ss
}

On this _____ day of _____, 20____, before me, a Notary Public in and for said state, personally appeared _____, known or identified to me to be the person(s) whose name(s) is/are subscribed to the within Instrument and acknowledged to me that he/she/they executed same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.

Notary Public for the State of
Residing at:
Commission Expires:

State of Idaho }
County of Gem } ss
}

On this 2nd day of MAY, 2008, before me, a Notary Public in and for said state, personally appeared JOSEPH T. GENNARO, known or identified to me to be the person(s) whose name(s) is/are subscribed to the within Instrument and acknowledged to me that he/she/they executed same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.



Lenore Mahler
Notary Public for the State of Idaho
Residing at:
Commission Expires: Residing at Emmett, Idaho
My commission expires April 18, 2012

LEGAL DESCRIPTION

EXHIBIT 'A'

TRACT I

A parcel of land being a portion of Section 18 and a portion of Section 17, Government Lot 6, Township 10 North, Range 2 East, Boise Meridian, Gem County, Idaho, being more particularly described as follows:

Commencing at the section corner common to Sections 18, 19 and 20, T. 10 N., R. 2 E., B.M. being an existing aluminum monument (CP&F #144864) and the True Point of Beginning; Thence N. $0^{\circ} 56' 24''$ E. on the section line between Sections 18 and 17 a distance of 1420.79 feet to a point being the SW1/16 corner;

Thence S. $88^{\circ} 14' 42''$ E. on the south line of Government Lot 6 a distance of 1119.81 feet to an existing aluminum monument being the S-W1/16 corner;

Thence N. $0^{\circ} 53' 29''$ E. on the east line of said Government Lot 6 a distance of 1318.89 feet to an existing aluminum monument being the C-W1/16 corner;

Thence N. $88^{\circ} 13' 44''$ W. on the north line of said Government Lot 6 a distance of 140.20 feet to a point being on the centerline of High Valley Road, said road being 50.00 feet wide, 25.00 feet each side of centerline;

Thence S. $28^{\circ} 05' 14''$ W. on said centerline of High Valley Road a distance of 59.61 feet to a point;

Thence continuing S. $33^{\circ} 26' 50''$ W. on said centerline a distance of 105.99 feet to a point;

Thence continuing on said centerline on a curve to the left, which curve has a radius of 215.00 feet, a delta angle of $31^{\circ} 26' 07''$, a length of 117.96 and a long chord which bears S. $17^{\circ} 43' 47''$ W. a distance of 116.49 feet to a point;

Thence continuing on said centerline S. $2^{\circ} 00' 43''$ W. a distance of 325.67 feet to a point;

Thence on a curve to the right, which curve has a radius of 225.00 feet, a delta angle of $85^{\circ} 53' 36''$, a length of 337.30, a long chord bears S. $44^{\circ} 57' 32''$ W. a distance of 306.59 feet to a point;

Thence continuing on said centerline S. $87^{\circ} 54' 20''$ W. a distance of 97.56 feet to a point;

Thence continuing on said centerline on a curve to the left, which curve has a radius of 150.00 feet, a delta angle of $61^{\circ} 19' 05''$, a length of 160.53 feet, a long chord bears S. $57^{\circ} 14' 47''$ W. a distance of 152.98 feet to a point;

Thence continuing on said centerline S. $26^{\circ} 35' 15''$ W. a distance of 137.20 feet to a point;

Thence continuing S. $33^{\circ} 16' 21''$ W. a distance of 176.10 feet to a point;

Thence continuing on a curve to the right, which curve has a radius of 275.00 feet, a delta angle of $64^{\circ} 53' 55''$, a length of 311.49 feet, a long chord bears S. $65^{\circ} 43' 19''$ W. a distance of 295.10 feet to a point;

Thence continuing N. $81^{\circ} 49' 44''$ W. a distance of 319.72 feet to a point;

Thence continuing on a curve to the left, which curve has a radius of 225.00 feet, a delta angle of $63^{\circ} 35' 32''$, a length of 249.73 feet, a long chord bears S. $66^{\circ} 22' 30''$ W. a distance of 237.10 feet to a point;

Thence continuing S. 34° 34' 44" W. a distance of 233.67 feet to a point;
 Thence continuing on a curve to the right, which curve has a radius of 265.00 feet, a delta angle of 58° 54' 09", a length of 272.43 feet, a long chord bears S. 64° 01' 48" W. a distance of 260.59 feet to a point;
 Thence continuing N. 86° 31' 07" W. a distance of 363.03 feet to a point;
 Thence continuing on a curve to the left, which curve has a radius of 300.00 feet, a delta angle of 14° 41' 28", a length of 76.92 feet, a long chord bears S. 86° 08' 09" W. a distance of 76.71 feet to a point;
 Thence continuing S. 78° 47' 25" W. a distance of 123.52 feet to a point;
 Thence continuing on a curve to the right, which curve has a radius of 300.00 feet, a delta angle of 16° 21' 59", and a length of 85.69 feet, a long chord bears S. 86° 58' 24" W. a distance of 85.40 feet to a point;
 Thence continuing N. 84° 50' 37" W. a distance of 65.29 feet to a point;
 Thence continuing on a curve to the left, which curve has a radius of 135.00 feet, a delta angle of 51° 32' 06", a length of 121.43 feet, a long chord bears S. 69° 23' 20" W. a distance of 117.37 feet to a point;
 Thence continuing S. 43° 37' 17" W. a distance of 132.66 feet to a point;
 Thence continuing on a curve to the right, which curve has a radius of 200.00 feet, a delta angle of 39° 27' 53", a length of 137.76 feet, a long chord bears S. 63° 21' 13" W. a distance of 135.05 feet to a point;
 Thence continuing S. 83° 05' 09" W. a distance of 142.96 feet to a point;
 Thence continuing on a curve to the left, which curve has a radius of 250.00 feet, a delta angle of 13° 40' 12", a length of 59.65 feet, a long chord bears S. 76° 15' 03" W. a distance of 59.51 feet to a point;
 Thence continuing S. 69° 24' 57" W. a distance of 154.67 feet to a point;
 Thence continuing on a curve to the right, which curve has a radius of 170.00 feet, a delta angle of 46° 31' 45", a length of 138.05 feet, a long chord bears N. 87° 19' 11" W. a distance of 134.29 feet to a point;
 Thence continuing N. 64° 03' 19" W. a distance of 76.80 feet to a point;
 Thence continuing on a curve to the left, which curve has a radius of 215.00 feet, a delta angle of 17° 24' 15", a length of 65.31 feet, a long chord bears N. 72° 45' 26" W. a distance of 65.06 feet to a point;
 Thence continuing N. 81° 27' 34" W. a distance of 225.91 feet to a point;
 Thence continuing on a curve to the left, which curve has a radius of 265.00 feet, a delta angle of 63° 11' 33", a length of 292.27 feet, a long chord bears S. 66° 56' 40" W. a distance of 277.68 feet to a point;
 Thence continuing S. 35° 20' 53" W. a distance of 541.48 feet to a point;
 Thence continuing on a curve to the right, which curve has a radius of 100.00 feet, a delta angle of 60° 14' 49", a length of 105.15 feet, a long chord bears S. 65° 28' 17" W. a distance of 100.37 feet to a point;
 Thence continuing N. 84° 24' 18" W. a distance of 530.03 feet to a point;
 Thence continuing on a curve to the left, which curve has a radius of 515.00 feet, a delta angle of 57° 02' 03", a length of 512.65 feet, a long chord bears S. 67° 04' 41" W. a distance of 491.74 feet to a point;
 Thence continuing S. 38° 33' 39" W. a distance of 91.43 feet to a point being on the section line between Sections 18 and 19;
 Thence S. 88° 57' 12" E. on said section line a distance of 1801.08 feet to the 1/4 Corner common to Sections 18 and 19, being an existing aluminum monument (CP&F #190382);

Thence continuing S. 88° 57' 12" E. on said section line a distance of 2643.71 feet to the Point of Beginning,

TRACT II

A Parcel of land lying in the SE1/4 of Section 23, and the NE1/4 of Section 26, and the SW1/4 of Section 24, all in Township 10 North, Range 1 East, Boise Meridian, Gem County, Idaho, being more particularly described as follows:

Commencing at the section corner common to Sections 23, 24, 25 and 26, T. 10 N., R. 1 E., B.M., being a 5/8-inch rebar with aluminum cap (CP&F #178822);
Thence N. 88° 41' 04" W. on the section line between Sections 23 and 26 a distance of 55.96 feet to a 5/8-inch rebar being on the westerly right of way of the Sweet-Ola Highway, being 60.00 feet wide, 30.00 feet each side of centerline and the True Point of Beginning;
Thence S. 14° 31' 49" W. on said westerly right of way of Sweet-Ola Highway a distance of 522.04 feet to a 5/8-inch rebar;
Thence N. 89° 04' 40" W. a distance of 31.97 feet to a 5/8-inch rebar;
Thence S. 0° 55' 20" W. a distance of 78.39 feet to an existing 5/8-inch rebar being the northeasterly corner of Record of Survey Instrument No. 247918;
Thence N. 88° 42' 25" W. a distance of 1969.84 feet to a point being on the mean centerline of Squaw Creek also being the northwest corner of said ROS Inst. No. 247918;
Thence N. 17° 18' 38" E. on said mean centerline of Squaw Creek a distance of 478.86 feet to a point;
Thence continuing on said centerline of Squaw Creek N. 2° 18' 12" E. a distance of 239.14 feet to a point;
Thence continuing on said centerline N. 16° 20' 23" E. a distance of 162.00 feet to a point;
Thence continuing on said centerline N. 45° 17' 49" E. a distance of 171.43 feet to a point;
Thence continuing on said centerline N. 85° 58' 27" E. a distance of 140.80 feet to a point;
Thence continuing on said centerline N. 44° 57' 00" E. a distance of 100.24 feet to a point;
Thence continuing N. 8° 14' 17" E. a distance of 283.83 feet to a point;
Thence continuing N. 28° 52' 48" W. a distance of 184.56 feet to a point;
Thence continuing N. 6° 52' 38" E. a distance of 115.57 feet to a point;
Thence continuing N. 23° 35' 03" E. a distance of 475.80 feet to a point;
Thence continuing N. 14° 57' 12" W. a distance of 59.68 feet to a point;
Thence continuing N. 55° 06' 07" W. a distance of 439.87 feet to a point;
Thence continuing N. 28° 01' 51" W. a distance of 128.70 feet to a point;
Thence continuing N. 46° 13' 34" E. a distance of 200.69 feet to a point;
Thence continuing N. 00° 40' 39" E. a distance of 333.38 feet to a point;
Thence continuing N. 19° 41' 27" E. a distance of 222.38 feet to a point;
Thence continuing on said centerline of Squaw Creek N. 65° 31' 52" E. a distance of 121.92 feet to a point being on the subdivisional line of said Section 23;
Thence S. 88° 43' 32" E. on the subdivisional line of said section a distance of 782.47 feet to a 5/8-inch rebar being on the westerly right of way of Sweet-Ola Highway, a prescriptive use road, said right of way being 50.00 feet wide, 25.00 feet each side of centerline;
Thence continuing on said subdivisional line S. 88° 43' 32" E. a distance of 48.10 feet to a point;

Thence S. 06° 04' 59" W. a distance of 17.09 feet to a 5/8-inch rebar being on said westerly right of way of said Sweet-Ola Highway;
 Thence continuing S 6° 04' 59" W. a distance of 287.81 feet to a 5/8-inch rebar;
 Thence S. 71° 26' 17" E. a distance of 365.60 feet to a 5/8-inch rebar;
 Thence S. 41° 41' 47" E. a distance of 37.14 feet to a 5/8-inch rebar;
 Thence S. 71° 35' 25" E. a distance of 323.93 feet to a 5/8-inch rebar; being on the westerly right of way of said Sweet-Ola Highway;
 Thence continuing S. 71° 35' 25" E. a distance of 33.58 feet to a point being on the centerline of said Sweet-Ola Highway;
 Thence continuing on said centerline S. 23° 31' 30" E. a distance of 4.63 feet to a point;
 Thence continuing on said centerline on a curve to the right, which curve has a radius of 788.93 feet, a delta angle of 29° 05' 38", a length of 400.61 feet, a long chord bears S. 8° 58' 41" E. a distance of 396.32 feet to a point;
 Thence continuing on said centerline S. 5° 34' 08" W. a distance of 336.74 feet to a point;
 Thence continuing on said right of way on a curve to the left, which curve has a radius of 539.39 feet, a delta angle of 14° 29' 17", a length of 136.39 feet, a long chord bears S. 1° 40' 30" E. a distance of 136.03 feet to a point;
 Thence continuing on said centerline S. 8° 55' 08" E. a distance of 157.72 feet to a point;
 Thence continuing on said centerline on a curve to the right, which curve has a radius of 862.69 feet, a delta angle of 10° 49' 51", a length of 163.08 feet, a long chord bears S. 3° 30' 13" E. a distance of 162.84 feet to a point;
 Thence continuing on said centerline S. 1° 54' 43" W. a distance of 206.39 feet to a point;
 Thence continuing on said centerline on a curve to the left, which curve has a radius of 476.60 feet, a delta angle of 17° 50' 46", a length of 148.45 feet, a long chord bears S. 7° 00' 40" E. a distance of 147.85 feet to a point;
 Thence continuing on said centerline S. 15° 56' 03" E. a distance of 129.78 feet to a point;
 Thence continuing on said centerline on a curve to the right, which curve has a radius of 450.60 feet, a delta angle of 15° 01' 41", a length of 118.79 feet, a long chord bears S. 8° 25' 06" E. a distance of 117.85 feet to a 3-inch brass cap set in concrete, being the intersection of said Sweet-Ola Highway and High Valley Road;
 Thence S. 89° 05' 37" W. a distance of 25.00 feet to a 5/8-inch rebar being on the westerly right-of-way of said Sweet-Ola Highway, a prescriptive use road;
 Thence continuing S. 89° 05' 37" W. a distance of 7.30 feet to a 5/8-inch rebar being on the section line between Sections 23 and 24;
 Thence S. 0° 54' 18" W. on said section line a distance of 73.84 feet to a 5/8-inch rebar being on the westerly right of way of a dedicated State Highway (Federal Highway Project No. 3840 (2) dated January 1958) known as Sweet-Ola Highway, said right of way being 60.00 feet wide, 30.00 feet each side of centerline;
 Thence S. 14° 31' 49" W. on said westerly right of way of Sweet-Ola Highway a distance of 39.57 feet to a 5/8-inch rebar being the PC station 139+91.93;
 Thence continuing on said right of way S 14° 31' 49" W. a distance of 197.95 feet to the Point of Beginning

AND

A Parcel of land lying in the NE1/4 NE1/4 of Section 26, Township 10 North, Range 1 East, Boise Meridian, Gem County, Idaho, being more particularly described as follows:

Commencing at the section corner common to Sections 23, 24, 25 and 26, T. 10 N., R. 1 E., B.M., being a 5/8-inch rebar with 2" aluminum cap (CP&F #178822);

Thence S. 0° 55' 19" W. on the section line between Sections 25 and 26 and distance of 23.49 feet to a 5/8-inch rebar being on the easterly right of way of Sweet-Ola Highway, said right of way being 60.00 feet wide, 30.00 feet each side of centerline;

Thence S. 14° 31' 49" W. on said highway right of way a distance of 446.27 feet to a 5/8-inch rebar and the True Point of Beginning;

Thence S. 14° 31' 49" W. on said right of way a distance of 51.21 feet to a 5/8-inch rebar;

Thence S. 89° 04' 40" E. a distance of 12.05 feet to a 5/8-inch rebar;

Thence N. 0° 55' 20" E. a distance of 49.77 feet to the Point of Beginning.

AND

A Parcel of land lying in the NE1/4 NE1/4 of Section 26, Township 10 North, Range 1 East, Boise Meridian, Gem County, Idaho, being more particularly described as follows:

Commencing at the section corner common to Sections 23, 24, 25 and 26, T. 10 N., R. 1 E., B.M., being a 5/8-inch rebar with 2" aluminum cap (CP&F #178822);

Thence S. 0° 55' 19" W. on the section line between Sections 25 and 26 and distance of 23.49 feet to a 5/8-inch rebar being on the easterly right of way of Sweet-Ola Highway, said right of way being 60.00 feet wide, 30.00 feet each side of centerline and the True Point of Beginning;

Thence S. 14° 31' 49" W. on said highway right of way a distance of 258.77 feet to a 5/8-inch rebar being on the northerly right of way of Old Ola Road, a public road being 25.00 feet wide;

Thence S. 38° 07' 03" E. on said Old Ola Road a distance of 96.66 feet to a 5/8-inch rebar being on the section line between Sections 25 and 26;

Thence N. 0° 55' 19" E. on said section line a distance of 326.58 feet to the Point of Beginning.

AND

A Parcel of land lying in the NE1/4 NE1/4 of Section 26, Township 10 North, Range 1 East, Boise Meridian, Gem County, Idaho, being more particularly described as follows:

Commencing at the section corner common to Sections 23, 24, 25 and 26, T. 10 N., R. 1 E., B.M., being a 5/8-inch rebar with 2" aluminum cap (CP&F #178822);

Thence S. 0° 55' 19" W. on the section line between Sections 25 and 26 and distance of 23.49 feet to a 5/8-inch rebar being on the easterly right of way of Sweet-Ola Highway, said right of way being 60.00 feet wide, 30.00 feet each side of centerline;


Thence S. 14° 31' 49" W. on said highway right of way a distance of 290.22 feet to a 5/8-inch rebar being on the westerly right of way of a public road known as Old Ola Road, being 25.00 feet wide and the True Point of Beginning;

Thence S. 14° 31' 49" W. on said Sweet-Ola Highway right of way a distance of 40.37 feet to a 5/8-inch rebar being the northwest corner of Tract 2, Instrument #186080 dated 8/1/1995;

Thence S. 89° 04' 40" E. a distance of 41.32 feet to a 5/8-inch rebar being on the westerly right of way of said Old Ola Road;

Thence N. 38° 07' 03" W. on said westerly right of way of Old Ola Road a distance of 50.52 feet to the Point of Beginning.

22 ORIGINAL PARCELS PER INSTR. No. 123179




State of Idaho
Department of Water Resources

Water Right

65-21738

STOCKWATER

The map depicts the place of use for the water use listed above and point(s) of diversion of this right as currently derived from interpretations of the paper records and is used solely for illustrative purposes. Discrepancies between the computer representation and the permanent document file will be resolved in favor of the actual water right documents in the water right file.



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.045 0.09 0.18 Miles



State of Idaho
Department of Water Resources

Water Right
65-17914

STOCKWATER

The map depicts the place of use for the water use listed above and point(s) of diversion of this right as currently derived from interpretations of the paper records and is used solely for illustrative purposes. Discrepancies between the computer representation and the permanent document file will be resolved in favor of the actual water right documents in the water right file.

02E



- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters

0 0.045 0.09 0.18 Miles




State of Idaho
Department of Water Resources

Water Right
65-270

DOMESTIC

The map depicts the place of use for the water use listed above and point(s) of diversion of this right as currently derived from interpretations of the paper records and is used solely for illustrative purposes. Discrepancies between the computer representation and the permanent document file will be resolved in favor of the actual water right documents in the water right file.

02E



- ⊙ Point of Diversion
- ▭ Place Of Use Boundary
- ▭ Townships
- ▭ PLS Sections
- ▭ Quarter Quarters

0 0.045 0.09 0.18 Miles



State of Idaho
Department of Water Resources

Water Right
65-267

DOMESTIC

The map depicts the place of use for the water use listed above and point(s) of diversion of this right as currently derived from interpretations of the paper records and is used solely for illustrative purposes. Discrepancies between the computer representation and the permanent document file will be resolved in favor of the actual water right documents in the water right file.

01E



- ⊙ Point of Diversion
- Place Of Use Boundary
- ▬ Townships
- ▬ PLS Sections
- ▬ Quarter Quarters

0 0.045 0.09 0.18 Miles




State of Idaho
Department of Water Resources

Water Right

65-3027

IRRIGATION

The map depicts the place of use for the water use listed above and point(s) of diversion of this right as currently derived from interpretations of the paper records and is used solely for illustrative purposes. Discrepancies between the computer representation and the permanent document file will be resolved in favor of the actual water right documents in the water right file.



○ Point of Diversion

□ Place Of Use Boundary

□ Townships

□ PLS Sections

□ Quarter Quarters

0 0.225 0.45 0.9 Miles



State of Idaho
Department of Water Resources

Water Right
65-21737

STOCKWATER

The map depicts the place of use for the water use listed above and point(s) of diversion of this right as currently derived from interpretations of the paper records and is used solely for illustrative purposes. Discrepancies between the computer representation and the permanent document file will be resolved in favor of the actual water right documents in the water right file.



- ⊙ Point of Diversion
- Place Of Use Boundary
- ▬ Townships
- ▬ PLS Sections
- ▬ Quarter Quarters

0 0.075 0.15 0.3 Miles



State of Idaho
Department of Water Resources

Water Right
65-23335

IRRIGATION

The map depicts the place of use for the water use listed above and point(s) of diversion of this right as currently derived from interpretations of the paper records and is used solely for illustrative purposes. Discrepancies between the computer representation and the permanent document file will be resolved in favor of the actual water right documents in the water right file.

