

RECEIVED

JUL 24 2015

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

WATER RESOURCES
WESTERN REGION

1. Name of applicant(s) Ryan and Holly Hood or Holly Hood Phone (208) 761-0842
 Name connector (check one): ☐ and ☐ or ☒ and/or

Mailing address 10050 Gabica St. City Middleton
 State ID Zip 83644 Email sforhood@gmail.com

2. Source of water supply Shallow Ground Water which is a tributary of Boise River
 3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
4N	2W	8	1		SE	SE	Canyon	Shallow Ground Water	

4. Water will be used for the following purposes:

Amount 12 AF for Astic/Rec Storage purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)

Amount 10 AF for Irrigation Storage purposes from 3/1 to 11/15 (both dates inclusive)
 (cfs or acre-feet per year)

Amount 10 AF for Irrigation From Storage purposes from 3/1 to 11/15 (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) _____ cubic feet per second (cfs) and/or (b) 22 AF acre feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. Pond, Surface area .5 acres,
Average Depth 20 ft. Pond GUS with shallow ground water Have 3.5 HP Pump to Sprinkler System

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No

c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No

e. If well is already drilled, when? _____; drilling firm _____;
 well was drilled for (well owner) _____; Drilling Permit No. _____.

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; complete and attach the Municipal Water Right Application Checklist.

d. Domestic; show number of households _____

e. Other; describe fully. Water Fountain and Water Fall Fishing & Rec, Swimming

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	2W	8																~~1X~~ 2	

Total number of acres to be irrigated: 2

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

Have irrigation shares for natural flow. No other water rights for pond

10. a. Who owns the property at the point of diversion? Applicant and Dave Heber + Amy Heber
- b. Who owns the land to be irrigated or place of use? Applicant and Dave + Amy Heber + (neighbor)
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

~~The pond is on the property line~~ Written Agreement between both parties


11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

The pond is on the property line


12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.


Signature of Applicant


Ryan Hood
Print Name (and title, if applicable)


Signature of Applicant

Holly M. Hood
Print Name (and title, if applicable)

For Department Use:

Received by  Date 7/24/15 Time 11:20 Preliminary check by DM
Fee \$ 250.00 Received by  Receipt No. W043347 Date 7/24/15



NESE

NWSW

8

04N02W

9

SESE

SWSW

Neely, Rachel

From: Neely, Rachel
Sent: Thursday, December 10, 2015 12:29 PM
To: 'LEGALS@IDAHOPRESS.COM'
Subject: Canyon Legal Ads
Attachments: Canyon Cover Letter.docx; Canyon Legal Ad.docx

Good Afternoon Legal Clerk,

Please see the attached ads for publication on 12/17/15 & 12/24/15.

Please confirm these are okay to publish as shown.

Thank you,

Rachel Neely

Administrative Assistant I
IDWR-Western Region
2735 Airport Way Boise, ID 83705
Rachel.Neely@idwr.idaho.gov

December 10, 2015

LEGAL NOTICE DEPARTMENT
PRESS TRIBUNE
PO BOX 9399
NAMPA, ID 83652

RE: Application for Permit No. 63-34119
 Application for Permit No. 63-34114
 Application for Permit No. 63-34060

Dear Legal Notice Department:

Please publish the enclosed legal notices on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notices on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 1/4/2016. Your cooperation is appreciated.

Sincerely,

Rachel Neely
Administrative Assistant

Enclosure(s)

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-34119

RYAN HOOD

HOLLY HOOD

10050 GABICA ST

MIDDLETON, ID 83644

Point of Diversion L1(SESE) S8 T04N R02W CANYON County Source GROUND WATER

Use: AESTHETIC STORAGE 01/01 to 12/31 12 AF

Use: IRRIGATION FROM STORAGE 03/01 to 11/15 10 AF

Use: IRRIGATION STORAGE 03/01 to 11/15 10 AF

Use: RECREATION STORAGE 01/01 to 12/31 12 AF

Total Diversion: 22 AF

Date Filed: 7/24/2015

Places of Use: AESTHETIC STORAGE, RECREATION STORAGE, IRRIGATION FROM STORAGE, IRRIGATION STORAGE
T04N R02W S8 L1(SESE)

Total Acres: 2

Water bearing zone to be appropriated is from 0 to 20 feet.

63-34114

RONALD WATSON

ELIZABETH KUCHINSKI-WATSON

10105 GABICA ST

MIDDLETON, ID 83644

Point of Diversion L1(SESE) S8 T04N R02W CANYON County Source GROUND WATER

Use: IRRIGATION FROM STORAGE 03/01 to 11/15 15.8 AF

Use: IRRIGATION STORAGE 03/01 to 11/15 17.5 AF

Use: RECREATION STORAGE 01/01 to 12/31 2.5 AF

Total Diversion: 20 AF

Date Filed: 7/20/2015

Place of Use: RECREATION STORAGE, IRRIGATION FROM STORAGE, IRRIGATION STORAGE
T04N R02W S8 L1(SESE)

Total Acres: 3.5

Water bearing zone to be appropriated is from 0 to 15 feet.

63-34060

MIYASAKO FARMS LLP

PO BOX 1060

HOMEDALE, ID 83628-1060

Point of Diversion NWSE S2 T03N R04W CANYON County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 1.72 CFS

Total Diversion: 1.72 CFS

Date Filed: 5/13/2015

Place of Use: IRRIGATION

T03N R04W S2 L1(NENE) SENE NESE

Total Acres: 87

Water bearing zone to be appropriated is from 185 to 348 feet.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), please see www.idwr.idaho.gov/WaterManagement/WaterRights. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 1/4/2016. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 12/17/2015 and 12/24/2015



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

December 10, 2015

RYAN HOOD
HOLLY HOOD
10050 GABICA ST
MIDDLETON, ID 83644

Application for Permit No. 63-34119

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the PRESS TRIBUNE on 12/17/2015 and 12/24/2015. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in black ink, appearing to read 'Rachel Neely', with a long, sweeping horizontal line extending to the right.

Rachel Neely
Administrative Assistant

Neely, Rachel

From: Neely, Rachel
Sent: Thursday, December 10, 2015 3:14 PM
To: 'rick.ward@idfg.idaho.gov'
Subject: Application for Permit No. 63-34119
Attachments: IDFG Recommendation Form.docx; Application for Permit No. 63-34119.pdf

December 10, 2015

STATE OF IDAHO
DEPT OF FISH & GAME
ATTN: RICK WARD
3101 S POWERLINE RD
NAMPA, ID 83686

RE: Application for Permit No. 63-34119

Dear Mr. Ward:

The Idaho Department of Water Resources (IDWR) is seeking written comment and/or recommendation(s) from your agency regarding the above referenced water right application(s). Copy(s) of the application(s) are enclosed with this email for your reference. Please review the application(s), complete the enclosed recommendation form, and submit your reply, if any, to this office by the protest deadline of January 4, 2016.

If your agency desires to formally protest approval of this application, you may do so by filing a written protest along with a \$25.00 filing fee for each protested application by the protest deadline.

IDWR will assume your agency does not object to this application if a timely response is not received. Please contact me if you have any questions regarding the application. Thank you for your help.

Sincerely,

Rachel Neely

Administrative Assistant I
IDWR-Western Region
2735 Airport Way Boise, ID 83705
Rachel.Neely@idwr.idaho.gov

Seepage Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total annual seepage losses from a pond.

FILE NUMBER	63-34119
REVIEWER	D. Merriman
DATE	11/6/2015

User Input
Calculated value
Formula Explanations

INPUTS

Pond Surface Area (AC.)	0.5	AC.
-------------------------	-----	-----

Pond Surface Area (SQ. FT.)	21780	SQ. FT.
-----------------------------	-------	---------

I used the following method to obtain my Soil Classification information:	PondSoils Layer in GIS	
My Soil Classification is	GrndWtr	
Suggested Seepage Rate (FT./DAY)	0.0000	
	FT./DAY	

excavated pond

Formula: (Surface Area X Seepage Rate) X 7.48 = Gallons Per Day Loss
--

Convert to GPD	0	GPD
----------------	---	-----

Total Seepage Loss (AFA)	0.0	AFA
--------------------------	-----	-----

Though sand and gravel seepage rates may actually be higher, the maximum allowable rate is 0.2 ft/day, pursuant to Administrative Memo "Seepage Loss Standards for Ponds and Reservoirs."

Suggested Seepage Rates for Different Soil Types:

GW, GP, GM, GC, SW, SP and SM (silty sand, sand silt mixtures and gravel mixtures) = 0.2 ft per day

OL and ML (inorganic silts - very fine sands, silty, or clayey fine sands) = 0.02 ft per day

SC (clayey sands, sand clay mixtures) = 0.007 ft per day

CL (Low to medium plasticity clays) = 0.003 ft per day

MH, OH, PT and CH (high plasticity clays) = 0.0003 ft per day

LINED PONDS (liners can be chemical, fabric, or bentonite) = 0 ft per day

Ponds Intercepting Groundwater (excavated ponds filled by ground water) = 0 ft per day

PLEASE NOTE: The Initial basis for the Suggested Seepage Rates in the table above is found on Page 16 of Seepage from Fish Ponds, Bulletin 599, August 1989 Alabama Agricultural experiment Station, Auburn University, Auburn University Alabama. If you don't know the soil type, please refer to the map provided at the NRCS Web Soil Survey (Tab #1), an ArcMap Soil Classification Map (Tab #1.1), or published NRCS Soil Survey (Tab #1.2). Use "0" if the pond fill relies on the water table.

Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

FILE NUMBER	63-34119
REVIEWER	D. Merriman
DATE	11/6/2015

User Input
Calculated value
Formula Explanations

The acronyms used on the Kimberly Research Center website are defined below:
P = Precipitation
ET= Evapotranspiration
P _d = Precipitation deficit
P _d =ET-P

USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at <X:/Spatial/Climate/ETIdahostations.shp>.

Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

Precipitation Deficit

Station: Caldwell (NWS -- 101380)

Month	mm/day ¹	Days per month	mm/Month
Jan	-0.83	31	0.00
Feb	0.18	28	5.04
March	1.22	31	37.82
April	2.51	30	75.30
May	3.74	31	115.94
June	4.22	30	126.60
July	5.01	31	155.31
August	4.27	31	132.37
September	3.06	30	91.80
October	1.89	31	58.59
November	-0.12	30	0.00
December	-0.78	31	0.00

Total mm/year = 798.77

PLEASE NOTE: The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS -- 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

$$[(\text{mm/yr}) \div (\text{convert to feet})] \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$$

(798.77 ÷ 304.8) X 0.50 = 1.3 AFA

Total Storage Calculations

FILE NUMBER	63-34119
REVIEWER	D. Merriman
DATE	11/6/2015

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.5	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	20	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	10	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	10 AF (10 AF FROM STORAGE) 0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.0	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	1.3	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	11.3	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Flow Rate into Pond (CFS)	0.00	The "Flow Rate into Pond" depicts the actual flow, either measured or estimated, into the pond. For offstream facilities, this will be equivalent to "diversion to storage" rate.
Highest Daily Evaporation Rate From Evaporation Tab. (mm/Day)	5.01	This number is carried over from the "Evaporation Loss" sheet. It is the highest recorded number in the "Precipitation Deficit Table".
Required Daily Maintenance Volume (AF/Day)	0.01	"Required Daily Maintenance Volume" is the maximum volume of water needed on any given day during the year to maintain pond volume. It is calculated by adding the highest daily evaporation loss to the average daily seepage loss in acre feet. The average daily seepage loss is calculated by dividing the "Estimated Seepage Loss" by 365 days. This is acceptable, since the seepage rate shouldn't vary throughout the season unless the pond completely freezes over during the winter months. The highest daily evaporation loss is calculated by dividing the Highest Daily Evaporation Rate by the 304.8 conversion factor and multiplying this number by the pond surface area to attain a combined daily acre feet requirement.
Minimum Maintenance Flow (CFS)	0.00	The "Minimum Maintenance Flow" is the minimum amount of flow required to maintain the level of the pond. This number is determined by dividing the "Maximum Required Daily Maintenance Volume" by 1.9835. This flow can be used to determine if the flow rate into the pond is adequate to maintain the pond level.
Days Required to Fill the Pond	-1217	The "Days Required to Fill the Pond" is calculated by dividing the "Pond Capacity" by the "Flow Rate" minus "Minimum Maintenance Flow" multiplied by 1.9835. This section will assist you in determining if the flow rate being diverted to the pond is adequate to fill the pond while maintaining the pond level. The length of time to fill the pond will help determine if the flow rate is adequate for the size of pond being proposed. If this number is approximately 6 months (180 days) or more, the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond.
Days Required to Fill the Pond at 13,000 Gallons per Day	316	Some water users may want to fill a pond under the 13,000 gallons per day domestic exemption. The "Days Required to Fill the Pond at 13,000 Gallons per Day" is calculated by converting the "Pond Capacity" and the "Required Daily Maintenance Volume" to gallons. The "Pond Capacity" is then divided by 13,000 gallons minus the "Required Daily Maintenance Volume" in gallons to determine the number of days to fill pond. If this number is approximately 6 months (180 days) or more, the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond. Negative values indicate that the supply of 13,000 gallons per day is not enough volume to overcome the required daily maintenance volume; the pond will never fill.