

RECEIVED

NOV 23 2015

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR AMENDMENT OF A PERMIT

Fee is \$100 per § 42-221C, Idaho Code

Applicant(s) Lavar and/or Layne Thorton Phone 208-922-5779
Name connector (check one): ☐ and ☐ or ☐ and/orMailing address 2800 Forrey Rd City KunaState ID Zip 83634 Email: _____I am the owner of Water Appropriation Permit No. 63-33074 and request that the permit be amended as follows:

- ☐ Change point of diversion ☒ Add point of diversion ☐ Change period of use
☐ Change nature of use ☐ Change place of use ☐ Other _____

1. Point of diversion: ☐ No changes to point(s) of diversion. Skip item #1 and proceed to #2.
☐ Attach Eastern Snake Plain Aquifer analysis if this proposes to change a point of diversion affecting the ESPA.

Twp	Rge	Sec	Govt Lot	¼	¼	¼	County	Source	Local name or tag #
2N	1E	34			SW	SW	Ada	Ground Water	098981

2. Period and nature of use: ☒ No changes to period and/or nature of use. Skip item #2 and proceed to #3.

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year) (water use) (month/day) (month/day)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year) (water use) (month/day) (month/day)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year) (water use) (month/day) (month/day)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year) (water use) (month/day) (month/day)

3. Place of use or land to be irrigated: ☒ No changes to place of use. Skip item #3 and proceed to #4.

Twp	Rge	Sec	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total number of acres to be irrigated _____

Application ID 80558

4. Property ownership:

☐ No changes to point of diversion and/or place of use. Skip item #4 and proceed to #5.

- a. Who owns the property at the point of diversion? Applicants
- b. Who owns the land to be irrigated or place of use? Applicants
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:
- _____
- _____
- _____

5. Describe the proposed change in narrative form:

Add an existing well in Section 34 to the currently authorized three-well system in Section 3. All four wells have been drilled.

6. Map:

☒ The point(s) of diversion and/or the place of use are not amended, therefore a map is not attached.

Attach a map showing the proposed point(s) of diversion and/or place(s) of use. Clearly label the map with township, range, section, and $\frac{1}{4}$ of section information. A photocopy of a USGS 7.5 minute topographic quadrangle is commonly used, or the *Map Tool* available on the Department website provides a satisfactory template for creating the required map (<http://maps.idwr.idaho.gov/TransferApplicationLayouts/Map>).

7. Signature:

The information in this application is true to the best of my knowledge. I understand that any willful misrepresentations in this application may result in rejection of the application or cancellation of an approval.

Lavar Thornton

Signature of applicant or authorized agent

LAVAR THORNTON

Print name (and title, if applicable)

11/16/2015

Date

Signature of applicant or authorized agent

Print name (and title, if applicable)

Date

FOR DEPARTMENT USE ONLY

Received by aj

Date 11/23/15


Received by aj

Date 11/23/15

Receipt No. W043700

Reviewed by DM

Date 12/7/15



[Close](#)IDAHO DEPARTMENT OF WATER RESOURCES
Water Permit Report

11/12/2015

WATER RIGHT NO. 63-33074

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	LAVAR THORNTON 2800 FORREY RD KUNA, ID 83634 (208)922-5779
Current Owner	LAYNE THORNTON 3224 SWAN FALLS RD KUNA, ID 83634 (208)922-4658
Representative	SPF WATER ENGINEERING LLC C/O LORI GRAVES 300 E MALLARD DR STE 350 BOISE, ID 83706 (208)383-4140

Priority Date: 07/14/2008

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	03/01	11/15	3.3 CFS	
Total Diversion			3.3 CFS	

Location of Point(s) of Diversion:

GROUND WATER|NENE|Sec. 03|Township 01N|Range 01E|ADA County
 GROUND WATER|SENE|Sec. 03|Township 01N|Range 01E|ADA County
 GROUND WATER|NESE|Sec. 03|Township 01N|Range 01E|ADA County

Place(s) of use:

Place of Use Legal Description: IRRIGATION ADA County

Township	Range	Section	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres
01N	01E	2		SENE	40									
				NESW	40		SWSW	23		SESW	33			
		3	1	NENE	40	2	NWNE	40		SWNE	40		SENE	40
				NESW	36		NWSW	20						
				NESE	40		NWSE	40		SESE	14			

Total Acres: 446

Conditions of Approval:

- 1.046 Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
- 2.004 This right does not grant any right-of-way or easement across the land of another.
The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The
- 3.121 amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
- 4.01M After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
- 5.R65 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
- 6.26A Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

7. X36 Rights 63-2986, 63-31950, 63-31951, 63-31952 and 63-31953 are also diverted through the point(s) of diversion in the NESE and NENE of Section 3, Township 01N, Range 01E, B.M.

Dates:

Proof Due Date: 07/01/2019

Proof Made Date:

Approved Date: 07/02/2009

Moratorium Expiration Date:

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

Application Received Date: 07/14/2008

Protest Deadline Date: 06/08/2009

Number of Protests: 0

Field Exam Date::

Date Sent to State Off:

Date Received at State Off:

Other Information:

State or Federal:

Owner Name Connector:

Water District Number:

Generic Max Rate per Acre: 0.02

Generic Max Volume per Acre: 4.5

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Cary Act Number:


Mitigation Plan: False

[Close](#)

State of Idaho
Department of Water Resources
Permit To Appropriate Water
63-33074

IRRIGATION

The map depicts the place of use for the water use listed above and point(s) of diversion of this right as currently derived from interpretations of the paper records and is used solely for illustrative purposes. Discrepancies between the computer representation and the permanent document file will be resolved in favor of the actual water right documents in the water right file.



Neely, Rachel

From: Neely, Rachel
Sent: Thursday, December 10, 2015 12:29 PM
To: 'LEGALS@IDAHOSTATESMAN.COM'
Subject: Ada Legal Ads
Attachments: Ada Cover Letter.docx; Ada Legal Ad.docx

Good Afternoon Legal Clerk,

Please see the attached ads for publication on 12/17/15 & 12/24/15.

Please confirm these are okay to publish as shown.

Thank you,

Rachel Neely

Administrative Assistant I
IDWR-Western Region
2735 Airport Way Boise, ID 83705
Rachel.Neely@idwr.idaho.gov

December 10, 2015

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application for Permit No. 63-34158
 Application for Permit No. 63-34160
 Application for Permit No. 63-34143
 Application for Amendment of a Permit No. 63-33074

Dear Legal Notice Department:

Please publish the enclosed legal notices on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notices on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 1/4/2016. Your cooperation is appreciated.

Sincerely,

Rachel Neely
Administrative Assistant

Enclosure(s)

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-34158

WEST ADA SCHOOL DISTRICT

1303 E CENTRAL DR

MERIDIAN, ID 83642

Point of Diversion L1(NENE) S6 T04N R01W ADA County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 0.44 CFS

Total Diversion: 0.44 CFS

Date Filed: 10/22/2012

Place of Use: IRRIGATION

T04N R01W S6 L1(NENE)

Water bearing zone to be appropriated is from 50 to 200 feet.

63-34160

CITY OF BOISE

150 N CAPITAL BLVD

PO BOX 500

BOISE, ID 83701

Point of Diversion SESESE S31 T02N R02E ADA County Source GROUND WATER

Use: COOLING 01/01 to 12/31 0.01 CFS

Use: DOMESTIC 01/01 to 12/31 0.08 CFS

Use: HEATING 01/01 to 12/31 0.08 CFS

Total Diversion: 0.08 CFS

Date Filed: 10/23/2015

Places of Use: DOMESTIC, HEATING, COOLING

T02N R02E S31 SESE

Water bearing zone to be appropriated is from 350 to 450 feet.

Domestic use is for drinking fountains and restrooms at a police training range

63-34143

JAYA SIEVERS

GLORIA QUACKENBUSH

7161 HOLLILYNN DR

BOISE, ID 83709

Point of Diversion L3(NWSW) S7 T02N R02E ADA County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 0.14 CFS

Total Diversion: 0.14 CFS

Date Filed: 9/18/2015

Place of Use: IRRIGATION

T02N R02E S7 L3(NWSW)

Total Acres: 4.5

Water bearing zone to be appropriated is from 300 to 338 feet.

PROPOSED AMENDMENT OF WATER PERMIT

Lavar and/or Layne Thornton of 2800 Forrey Rd, Kuna, ID 83634 filed Application No. 80558 on 11/23/15 to amend a water permit no. 63-33074 with a 2008 priority from groundwater totaling 3.3 cfs for irrigation. The permit provides irrigation water for property located to the southeast of Cloverdale and Kuna Mora Road in Kuna. The applicant proposes to amend the permit to add a point of diversion in the SWSW corner of T02N R01E Sec 34 in Ada County. The water bearing zone to be appropriated is from 180 to 360 feet.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s) or proposed amendment(s), please see www.idwr.idaho.gov/WaterManagement/WaterRights. Protests may be submitted based on the criteria of Idaho Code §§ 42-203A and 42-211. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 1/4/2016. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 12/17/2015 and 12/24/2015



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

December 10, 2015

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

LAVAR THORNTON
2800 FORREY RD
KUNA, ID 83634

LAYNE THORNTON
3224 SWAN FALLS RD
KUNA, ID 83634

Application to Amend Permit No. 63-33074

Dear Applicant(s):

The Department of Water Resources has received your application to amend the permit referenced above. Please refer to the permit number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN on 12/17/2015 and 12/24/2015. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application to amend the permit is approved, the Department will send you a copy of the amended permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Rachel Neely
Administrative Assistant

CC:
SPF WATER ENGINEERING LLC
C/O LORI GRAVES
300 E MALLARD DR STE 350
BOISE, ID 83706

Merriman, Danielle

From: Merriman, Danielle
Sent: Monday, December 07, 2015 10:15 AM
To: 'Lori Graves'
Subject: RE: Amendment of Permit 63-33074

Thank you!

From: Lori Graves [<mailto:LGraves@spfwater.com>]
Sent: Monday, December 07, 2015 10:08 AM
To: Merriman, Danielle
Subject: RE: Amendment of Permit 63-33074

*Attachment: well log for well drilled 7-6-63
for Fred Wolske*

Here you go Danielle

From: Merriman, Danielle [<mailto:Danielle.Merriman@idwr.idaho.gov>]
Sent: Monday, December 07, 2015 9:48 AM
To: Lori Graves <LGraves@spfwater.com>
Subject: Amendment of Permit 63-33074

Good Morning Lori,

I hope you had a nice weekend! I'm contacting you in regards the Amendment of Permit application submitted on behalf of Lavar and/or Layne Thornton. Their application is adding a point of diversion to the north of their three authorized wells. The form states that all four wells have already been drilled, but I am having a hard time finding the well log for the fourth well. You listed a tag number of 098981, but none of our well staff can find this well. Was this fourth well drilled recently, or are the Thorntons filing on an older well? If so, when was it drilled? Do you know who the driller was, and what the water bearing zone of the well is?

Thanks Lori!

Danie Merriman

Water Resource Agent

Idaho Department of Water Resources

Phone: (208) 334-2190

Fax: (208) 334-2348

Email: danie.merriman@idwr.idaho.gov

RECEIVED
JUL 19 1965

WELL LOG AND REPORT OF THE

STATE RECLAMATION ENGINEER OF IDAHO

Department of Reclamation

098981

Permit No. 63-3150 Well No. 2784 County Ada

Owner Fred Wolske

Address Route 2 Hona

Driller Robert D. Smith

Address Box 92 Mountain Home, Idaho

Well location SW 1/4, SW 1/4, Sec 34, T. 2 N, R. 1 E

Size of drilled hole 12 in

Locate well in section

NW 1/4	NE 1/4
SW 1/4	SE 1/4

Total depth of well 3.75

Give depth to standing water from the ground 100 ft Water temp. _____ °Fahr.

On "Pumping Test" delivery was _____ g.p.m. or _____ c.f.s. Drawdown was _____ feet.

Size of pump and motor used to make test _____

Length of time of test _____ hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____ (TYPE AND SIZE OF VALVE, ETC.)

Water will be used for irrigation Weight of casing per lineal foot _____

Thickness of casing _____ Casing material _____ (STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing _____ (CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
				This was a deeping job, and the pump will have to be set deeper to tell if can pump more water, because the water below don't have any pressure

Number and size of perforations _____ located _____ feet to _____ feet from ground

Date of commencement of well 26 June 1963 Date of completion of well 16 July 1963

SWSW S. 34 2N1E

WELL LOG

From Feet	To Feet	Type of Material	Water-bearing Formation Above, Yes or No	Casing Perforated Above, Yes or No
203	205	grey lava	no	no
205	210	" "	"	"
210	213	" "	"	"
213	215	conglomerate	"	"
215	220	" "	"	"
220	225	" "	"	"
225	229	" "	"	"
229	230	grey lava	"	"
230	235	" "	"	"
235	238	" "	"	"
238	240	brown lava	"	"
240	244	" "	"	"
244	245	clay & gravel	"	"
245	249	" "	"	"
249	250	brown lava	"	"
250	255	" "	"	"
255	260	" "	"	"
If more space is required use Sheet No. 2				

WELL DRILLER'S STATEMENT

This well was drilled under my supervision and the above information is true and correct to the best of my knowledge and belief.

Signed Robert D. Smith

By self

Dated 17 July, 1963

License No. 164

098982

SHEET NO. 2

Well Owner Fred Walker

Well Driller: Robert B. Smith

Well Location Sw 1/4 Sw 1/4 S 34 T 2 N R 1 E

WELL LOG

[illegible]

SWLW 5.39 IN 1E

USGS

65



November 20, 2015

RECEIVED

NOV 23 2015

WATER RESOURCES
WESTERN REGION

Angie Grimm
IDWR Western Region Office
2735 Airport Way
Boise, ID 83705

**Subject: Amendment of Permit 63-33074
Application for Transfer**

Dear Angie,

Enclosed on behalf of the Thornton's, are an Amendment of Permit 63-33074 and an Application for Transfer proposing a 4-well integrated irrigation system.

Check No. 3040 for \$1,000 is enclosed for the application filing fees and ~~check No. 10230 for \$100 is enclosed for splitting a changing ownership of transfer right 63-31952.~~ Thank you very much for your consideration and assistance in this matter. Please call me if you have any questions.

Sincerely,

A handwritten signature in cursive script, appearing to read "Lori Graves".

Lori Graves
Water Rights Specialist

Cc: Lavar Thornton

Enclosures

SPF file number: 344.0010

* Check 010230
is w/ APP. for Amendment
of a Permit for
63-33074 (attached),
Not what the letter
states.