

RECEIVED

FORM 2021 OCT 28 2015

IDWR / NORTH

80487

Backy Lane - 10 ACRES

Ident. No. 95-17108

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Howard Rude 208 Phone 818-2101
Name connector (check one): ☐ and ☐ or ☐ and/or
Mailing address 6426 Maplewood City Post Falls
State ID Zip 83854 Email hrude@etcoservices.com

2. Source of water supply Ground which is a tributary of _____
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
<u>48N</u>	<u>5N</u>	<u>26</u>		<u>NE</u>	<u>NW</u>	<u>SE</u>	<u>KOOTENAI</u>	<u>GROUND WATER</u>	<u>D0051652</u> (Existing well)

4. Water will be used for the following purposes:

Amount .04 for Domestic purposes from 1/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
Amount .20 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per year)
Amount .02 for STOCKWATER purposes from 1/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) 1.2 ^{HL} cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. NONE

b. Height of storage dam NONE feet; active reservoir capacity N/A acre-feet; total reservoir capacity N/A acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No

c. Proposed well diameter is 6" inches; proposed depth of well is 250 Feet feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? 5/1/07; drilling firm ACTION DRILLING
well was drilled for (well owner) Western property, Howard Rude, Drilling Permit No. 95-11767 (Existing well)

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. N/A
b. Stockwatering; list number and kind of livestock. 50 HEAD CATTLE
c. Municipal; complete and attach the Municipal Water Right Application Checklist.
d. Domestic; show number of households 1 - House holds
e. Other; describe fully. IRRIGATION - Christmas TREES - 10 ACRES

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below. - 10 ACRES
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
40N	5W	26														10			10

Total number of acres to be irrigated: 10

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

IRRIGATION, CHRISTMAS TREES, GARDEN, LANDSCAPING -

10. a. Who owns the property at the point of diversion? Howard Rude
- b. Who owns the land to be irrigated or place of use? Howard Rude
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Domestic use, Stockwater, IRRIGATION OF 10 ACRES
FOR LANDSCAPING AND CHRISTMAS TREES

12. Time required for completion of works and application of water to proposed beneficial use is 2-3 YRS years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8 1/2" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Howard Rude
Signature of Applicant

Signature of Applicant

Howard Rude
Print Name (and title, if applicable)

Print Name (and title, if applicable)

For Department Use:

Received by [initials] Date 10/28/15 Time _____ Preliminary check by _____
Fee \$ 100.00 Received by [initials] Receipt No. N031604 Date 10/28/15

RUDE APPLICATION MAP



Legend

- Taxlots
- Sections
- QQ

0 0.0075 0.015 0.03 0.045 0.06 Miles



IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only			
Well ID No. _____			
Inspected by _____			
Twp _____	Rge _____	Sec _____	
1/4 _____	1/4 _____	1/4 _____	
Lat: _____	Long: _____		

1. WELL TAG NO. D 846305
 DRILLING PERMIT NO. DOO 51652
 Water Right or Injection Well No. _____

ENTERED

2. OWNER:
 Name WESTERN DEVELOPMENT, LLC
 Address 6426 MAPLEWOOD
 City POST FALLS State ID Zip 83854

3. LOCATION OF WELL by legal description:
 You must provide address or Lot, Blk, Sub. or Directions to well.
 Twp. 46 North ☒ or South ☐
 Rge. 5 East ☐ or West ☒
 Sec. 26 N/E 1/4 N/W 1/4 S/E 1/4
 Gov't Lot _____ County KOOTENAI
 Lat: _____ Long: _____
 Address of Well Site 11754 W. BECKY LN.
 City WORLEY
 (Give at least name of road - Distance to Road or Landmark)
 Lt. _____ Blk. _____ Sub. Name _____

4. USE:
☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)
☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD:
☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
<u>Bentonite</u>	<u>0</u>	<u>40</u>	<u>8 s.x</u>	<u>Pour Around Pipe</u>

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 138
 Was drive shoe seal tested? ☒ Y ☐ N How? Air

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
<u>6"</u>	<u>+2</u>	<u>-138</u>	<u>260</u>	<u>Steel</u>	☒	☐	☒	☐

Length of Headpipe _____ Length of Tailpipe _____
 Packer ☒ Y ☐ N Type formation packer @ 40'

9. PERFORATIONS/SCREENS PACKER TYPE

Perforation Method torch
 Screen Type & Method of Installation _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
<u>-98</u>	<u>-138</u>	<u>7/8x16</u>	<u>14</u>	<u>6"</u>	<u>Steel</u>	☒	☐

10. FILTER PACK

Filter Material	From	To	Weight / Volume	Placement Method
<u>none</u>				

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

36' ft. below ground Artesian pressure _____ lb.
 Depth flow encountered 110 ft. Describe access port or control devices: _____

Well Cap

46N 5W 26

12. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal / min.	Drawdown	Pumping Level	Time
<u>23 gpm</u>	<u>Airlift from</u>	<u>138</u>	

Water Temp. 48° Bottom hole temp. _____
 Water Quality test or comments: clear no odor

13. LITHOLOGIC LOG: (Describe repairs or abandonment) Depth first Water Encounter 110

Bore D.a.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
<u>8</u>	<u>0</u>	<u>15</u>	<u>Basalt Broken w/ clay</u>		
	<u>15</u>	<u>110</u>	<u>Basalt - Gray</u>		
	<u>110</u>	<u>120</u>	<u>Basalt - Broken w/ water</u>	☒	
	<u>120</u>	<u>142</u>	<u>Basalt - Gray</u>		

RECEIVED

JUN 15 2007

IDWR/North

Completed Depth 142 (Measurable)
 Date Started 4-30-07 Completed 5-1-07

14. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name ACTION DRILLING INC Firm No. 618

Principal Driller ALVIN CARRIS Date 5-10-07

and Driller or Operator II _____ Date _____

Operator I Alvin Carris Date 5-10-07

Principal Driller and Rig Operator Required.
 Operator I must have signature of Driller/Operator II.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

November 30, 2015

HOWARD RUDE
6426 MAPLEWOOD
POST FALLS, ID 83854

Application For Permit No. 95-17108

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the COEUR D ALENE PRESS on 12/3/2015 and 12/10/2015. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in cursive script that reads "Dianne Ball". The signature is written in dark ink and is positioned above the typed name and title.

Dianne Ball
Administrative Assistant

Ball, Dianne

From: Ball, Dianne
Sent: Monday, November 30, 2015 4:52 PM
To: Legal Notices CdA Press - Holly Fredericks; Legal Notices-CdA Press
Cc: Frederick, Adam; Maxey, Shaun
Subject: Application for Permit No. 95-17108, 95-17110, 95-17113, 95-17114
Attachments: LegalNotice 11-30-15 CDA e-mail 95-17108, 17110, 17113, 17114.doc

Hi, Holly,

Please publish the enclosed legal notice on the dates indicated, December 3 and 10, 2015, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

This should be very close to press ready – for 2-column, 8pt, Century Old Style font.

Please note the areas under **USE** containing dates and water amounts that are offset and lined up. Our legal should appear in this format.

Please also send a proof/preview copy for my review before this actually goes to press.

If you have any questions, please contact me as early as possible.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 12/21/2015. Your cooperation is appreciated.

It's a pleasure to work with you. Thanks for all your help.

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-17108

HOWARD RUDE

6426 MAPLEWOOD

POST FALLS, ID 83854

Point of Diversion NWSE S26 T48N R05W KOOTENAI CO

Source GROUND WATER

Use: DOMESTIC	01/01 to 12/31	0.04 CFS
Use: IRRIGATION	03/15 to 11/15	0.2 CFS
Use: STOCKWATER	01/01 to 12/31	0.02 CFS
Total Diversion:		0.2 CFS

Date Filed: 10/28/2015

Place of Use: DOMESTIC T48N R05W S26 NWSE

Place of Use: IRRIGATION and STOCKWATER

T48N R05W S26 NWSE

Total Acres: 10

Domestic use is for 1 home.

Stockwater use is for 50 head of cattle.

95-17110

BEN ROLPHE

ANNA ROLPHE

12908 N STRAHORN RD

HAYDEN, ID 83835

Point of Diversion L1(NWNW) S7 T51N R03W KOOTENAI CO

Source GROUND WATER

Use: AESTHETIC Storage	01/01 to 12/31	2.7 AF
Use: COMMERCIAL	01/01 to 12/31	0.02 CFS
Use: DIVERSION to Storage	01/01 to 12/31	0.07 CFS
Use: FIRE Protection Storage	01/01 to 12/31	2.7 AF
Use: IRRIGATION	03/15 to 11/15	0.07 CFS
Use: IRRIGATION from Storage	03/15 to 11/15	13.5 AF
Use: IRRIGATION Storage	01/01 to 12/31	16.2 AF
Total Diversion:		0.7 CFS

Date Filed: 11/3/2015

Place of Use: DIVERSION to Storage

T51N R03W S7 L1(NWNW)

Place of Use: COMMERCIAL T51N R03W S7 L1(NWNW)

Place of Use: IRRIGATION Storage T51N R03W S7 L1(NWNW)

Place of Use: IRRIGATION T51N R03W S7 NENW L1(NWNW)

Place of Use: IRRIGATION from Storage T51N R03W S7

NENW L1(NWNW)

Place of Use: AESTHETIC Storage T51N R03W S7 L1(NWNW)

Place of Use: FIRE PROTECTION Storage T51N R03W S7

L1(NWNW)

Total Acres: 4.5

Commercial use is for small greenhouse

95-17113

ELITE LIFESTYLES MANAGEMENT LLC

3456 S WALKERS BAY RD

COEUR D'ALENE, ID 83814

Points of Diversion(2) NENW S32 T53N R04W KOOTENAI CO

Points of Diversion(2) SENW S32 T53N R04W KOOTENAI CO

Source GROUND WATER

Use: FIRE PROTECTION	01/01 to 12/31	0.2 CFS
Use: MUNICIPAL	01/01 to 12/31	0.2 CFS
Total Diversion:		0.2 CFS

Date Filed: 10/15/2015

Place of Use: FIRE PROTECTION T53N R04W S32

NENW SWNW SENW

Place of Use: MUNICIPAL same as FIRE PROTECTION

95-17114

WESTVIEW LTD

15450 W FROST RD

WORLEY, ID 83876

Point of Diversion NENW S16 T48N R05W KOOTENAI CO

Source GROUND WATER

Use: DOMESTIC	01/01 to 12/31	0.04 CFS
Use: IRRIGATION	03/15 to 11/15	0.1 CFS
Use: STOCKWATER	01/01 to 12/31	0.02 CFS
Total Diversion:		0.16 CFS

Date Filed: 11/18/2015

Place of Use: DOMESTIC T48N R05W S16 NENW

Place of Use: STOCKWATER and IRRIGATION

Same as DOMESTIC

Total Acres: 5

Domestic use is for 1 home.

Stockwater use is for 50 head of mixed stock.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800; or for a full description of the right(s), please see:

www.idwr.idaho.gov/apps/ExtSearch/WRFiling.asp.

Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D' Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 12/21/2015. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 12/3/2015 and 12/10/2015