

State of Idaho
Department of Water Resources
Amendment of Permit

NO. 63-33845

Priority: August 28, 2013

Maximum Diversion Rate: 0.14 CFS

This is to certify, that CITY OF BOISE
DEPT OF PARKS & RECREATION
1104 ROYAL BLVD
BOISE ID 83706-2898

has applied for an amendment of a permit and the amendment is APPROVED for development of water as follows:

Source: GROUND WATER

BENEFICIAL USE

MUNICIPAL

PERIOD OF USE

03/15 to 11/15

RATE OF DIVERSION

0.14 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER L2 (NW1/4NE1/4) Sec. 2, Twp 03N, Rge 02E, B.M. ADA County

PLACE OF USE: MUNICIPAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	02E	2		X															
				L 2															

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before April 01, 2017.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
5. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
6. This right does not grant any right-of-way or easement across the land of another.
7. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.
8. The point of diversion identified in this right is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.

State of Idaho
Department of Water Resources
Amendment of Permit


NO. 63-33845

9. To prevent injury to prior water rights appropriating water from the Boise River and/or the underlying shallow aquifer tributary to Boise River, the new well used as a point of diversion for this water right located in Government Lot 2 of the NWNE, S2, T3N, R2E shall be constructed and maintained with unperforated casing and sealed into the first significant confining layer located 200 feet or more below ground surface.
10. Point of diversion and place of use are known as Boise Hills Park located in Lot 45, Blk. 5, Somerset Ridge Subdivision #4.
11. Water bearing zone to be appropriated is from 200 to 400 feet.
12. Municipal use is for irrigation of park landscape.

This amendment of permit is issued pursuant to the provisions of Section 42-211, Idaho Code. Witness the signature of the Director, affixed at Boise, this 12th day of November, 2015.



GARY SPACKMAN, Director




State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

63-33845

This map depicts the MUNICIPAL place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Point of Diversion
- Water Service Area Boundary
- Townships
- PLS Sections
- Quarter Quarters

0 0.025 0.05 0.1 Miles





State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

November 13, 2015

CITY OF BOISE
DEPT OF PARKS & RECREATION
1104 ROYAL BLVD
BOISE ID 83706-2898

RE: Permit No.63-33845

Amendment of Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed amendment of permit approving your application to amend the permit referenced above. Please be sure to thoroughly review every element including the conditions of approval listed on your permit.

The amendment of permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at (208)334-2190.

Sincerely,

Nick Miller

Western Region Manager

Enclosure(s)

cc: PERKINS COIE LLP

CERTIFICATE OF SERVICE

I hereby certify that on November 13, 2015 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Amendment of Permit) to the person(s) listed below:

RE: WATER RIGHT PERMIT NO. 63-33845

**CITY OF BOISE
DEPT OF PARKS & RECREATION
1104 ROYAL BLVD
BOISE ID 83706-2898**

**PERKINS COIE LLP
ROBERT MAYNARD
1111 W JEFFERSON STE 500
PO BOX 737
BOISE ID 83701-0737**

A handwritten signature in black ink, appearing to read 'Rachel Neely', is written over a horizontal line.

**Rachel Neely
Administrative Assistant**

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LEGAL PROOF OF PUBLICATION

Account #	Ad Number	Identification	PO	Amount	Cols	Lines
263978	0001991257	LEGAL NOTICE The following applications	Woodard	\$449.53	3	91

Attention: RACHEL NEELY

IDAHO DEPT OF WATER RESOURCES / WEST
2735 AIRPORT WAY
BOISE, ID 837055082

RECEIVED

OCT 13 2015

WATER RESOURCES
WESTERN REGION

LEGAL NOTICE

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-34095

STEVE WOODARD

ELLEN WOODARD

4795 N HARTLEY RD

EAGLE, ID 83616

(2) Points of Diversion NWNE S34 T05N R01W ADA

County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 0.18 CFS

Total Diversion: 0.18 CFS

Date Filed: 6/4/2015

Place of Use: IRRIGATION

T05N R01W S34 NWNE

Total Acres: 9

Water bearing zone to be appropriated is from 275

to 375 feet.

✓ OK RN 10/20/15

County Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.11 CFS

Total Diversion: 0.15 CFS

Date Filed: 7/14/2015

Places of Use: DOMESTIC, IRRIGATION

T05N R01W S34 NWNE

Total Acres: 5.4

Water bearing zone to be appropriated is from 200

to 600 feet

63-34110

ROBERT J HANSON

ELSIE V HANSON

4151 N HARTLEY RD

EAGLE, ID 83616

Point of Diversion NWNE S34 T05N R01W ADA Coun-

ty Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.12 CFS

Total Diversion: 0.16 CFS

Date Filed: 7/14/2015

Places of Use: DOMESTIC IRRIGATION

T05N R01W S34 NWNE

Total Acres: 6

Water bearing zone to be appropriated is from 200

to 600 feet.

✓ OK RN 10/20/15

63-34141

TES FARMS LLC

7551 S FLAT LN

KUNA, ID 83634

Point of Diversion NWSE S16 T01N R01E ADA Coun-

ty Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 1.6 CFS

Total Diversion: 1.6 CFS

Date Filed: 9/17/2015

Place of Use: IRRIGATION

T01N R01E S16 NESE NWSE

Total Acres: 80

Water bearing zone to be appropriated is from 250

to 400 feet.

✓ OK RN 10/20/15

63-34046

MELLIN PROPERTIES LTD PARTNERSHIP

10100 W FRANKLIN RD

BOISE, ID 83709-0333

Point of Diversion NESE S24 T01N R01E ADA County

Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 1.6 CFS

Total Diversion: 1.6 CFS

Date Filed: 2/25/2015

Place of Use: IRRIGATION

T01N R01E S24 NESE NWSE

Total Acres: 80

Water bearing zone to be appropriated is from 225

to 600 feet.

✓ OK RN 10/20/15

63-34113

M3 EAGLE LLC

4222 E CAMELBACK RD STE H100

PHOENIX, AZ 85018

Point of Diversion NWNE S34 T05N R01W ADA Coun-

ty Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.12 CFS

Total Diversion: 0.16 CFS

Date Filed: 7/14/2015

Places of Use: DOMESTIC, IRRIGATION

T05N R01W S34 NWNE

Total Acres: 6

Water bearing zone to be appropriated is from 200

to 600 feet.

✓ OK RN 10/20/15

63-34112

M3 EAGLE LLC

4222 E CAMELBACK RD STE H100

PHOENIX, AZ 85018

Point of Diversion NWNE S34 T05N R01W ADA Coun-

ty Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.1 CFS

Total Diversion: 0.14 CFS

Date Filed: 7/14/2015

Places of Use: DOMESTIC, IRRIGATION

T05N R01W S34 NWNE

Total Acres: 5.2

Water bearing zone to be appropriated is from 200

to 600 feet.

✓ OK RN 10/20/15

63-34115

DAVID SCAGGS

9408 W BURNETT DR

BOISE, ID 83709

Point of Diversion NWNE S26 T03N R01E ADA Coun-

ty Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 0.05 CFS

Total Diversion: 0.05 CFS

Date Filed: 7/16/2015

Place of Use: IRRIGATION

T03N R01E S26 NWNE

Total Acres: 1.5

Water bearing zone to be appropriated is from 100

to 150 feet.

✓ OK RN 10/20/15

PROPOSED AMENDMENT OF WATER PERMIT

City of Boise, Department of Parks and Recrea-

tion of 1104 Royal Blvd, Boise, ID, 83706 filed Applica-

tion No. 80390 on August 18, 2015 to amend a

water permit no. 63-33845 with a 2013 priority from

groundwater totaling 0.14 cfs for municipal use. The

permit provides municipal water for property located

at Boise Hills Park on East Club View Drive in the

Boise Foothills. The applicant proposes to amend the

permit to change the water bearing zone from 225-

250 feet to 200-400 feet.

JANICE HILDRETH, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein, and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto: that said notice was published in The Idaho Statesman, in conformity with Section 60-108, Idaho Code, as amended, for:

2 Insertions

Beginning issue of: 10/01/2015

Ending issue of: 10/08/2015

Janice Hildreth
(Legals Clerk)

STATE OF IDAHO)

SS

COUNTY OF ADA)


On this 8th day of October in the year of 2015 before me, a Notary Public, personally appeared before me Janice Hildreth known or identified to me to be the person whose name subscribed to the within instrument, and being by first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Heather Harradine

Notary Public FOR Idaho

Residing at: Boise, Idaho

My Commission Expires: 2/11/2020



Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s) or proposed amendment(s), please see www.idwr.idaho.gov/WaterManagement/WaterRights. Protests may be submitted based on the criteria of Idaho Code §§ 42-203A and 42-211. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 10-19-15. The protest must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director