

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 63-33698

Exam Date: 7/28/2015

1. Current Owner: EAGLE FM GROUP CPB OF THE LDS CHURCH
ATTN ROB BUCHANAN
PO BOX 609
EAGLE ID 83616
(208)939-2108

2. Accompanied by: Rob Buchanan
Phone No: 208-939-2108
Address: PO Box 609, Eagle ID 83616
Relationship to Permit Holder: Facilities Manager

3. SOURCE TRIBUTARY
GROUND WATER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-199A owned by Farm Credit, Nampa and Meridian Irrigation District, City of Meridian, Boise Project Board of Control, and the United States of America Bureau of Reclamation.
2. Other water rights with the same point of diversion: According to GIS and spatial data, the POD for Water Right 63-19206 that is owned by Alfred Gibbons is located underneath the parking lot of permit 63-33698. This information is not correct. No other water rights share the same POD.

C. DIVERSION AND DELIVERY SYSTEM

1. LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE1/4SE1/4 Sec. 31, Twp 04N, Rge 01E, B.M. ADA County

Method of Determination: GIS and visual inspection

- 2.

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	
04N	01E	31																2.5	2.5
Total Acres:			2.5																

Method of Determination: GIS and visual inspection

3. YES Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.
YES Aerial Photo Attached (required for irrigation of 10+ acres).
YES Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
D0064408		15		Hitachi Industries	Model # G25810E

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements – No exposed pipe available to measure however sprinklers were checked for pressure and nozzle sizes were recorded for calculation, see below.

E. FLOW CALCULATIONSX Additional Computation Sheet Attached

Measured Method: In field measurement of sprinkler discharge.

Diversion Rate

Permit allows 0.30 cfs

Theoretical is 0.48 cfs

This theoretical is based on the information provided without a static level specified.

The pump utilized for this system is a variable speed pump. It appears from field inspection of the sprinklers that the pump may not be pumping to its full capacity.

Field inspection of sprinklers while in use is 0.19 cfs (See notes below)

Full circle Hunter PGP sprinkler with #7 nozzle at 44 PSI = 3.2 GPM each

Part circle Hunter PGP sprinkler with #5 nozzle at 44 PSI = 1.9 GPM each

24 full sprinkler x 3.2 GPM = 76.8 GPM

4 part circle sprinklers x 1.9 GPM = 7.6 GPM

Total of 28 sprinklers = 84.4 GPM = 0.19 cfs

I would recommend a diversion rate of 0.19 cfs as this was the highest measured water use of the irrigation system. This rate is higher than our standard rate due to the fact the property being irrigated is a church and the landscape needs time to dry before patrons visit and use the grounds.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{2.5 \text{ Acres} \times 4.5 \text{ AF} = 11.25 \text{ AF}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = \underline{0.19 \times 260 \times 1.9835 = 98 \text{ AF}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{11.25 \text{ AF}}$$

The maximum diversion volume would be 11.25 AF for irrigation use however this permit is for supplemental irrigation and diversion volume is not listed.

G. NARRATIVE/REMARKS/COMMENTS

On 7/28/15, Dan Nelson and I visited the property and met with Rob Buchanan, the representative of the LDS Church, to conduct a field exam. Permit 63-33698 is for ground water to irrigate 2.5 acres. The use of ground water is to be supplemental to the use of existing surface water at the property.

Rob Buchanan explained to us how the irrigation system had changed during the time he was the facilities manager at the property. He stated that originally the property received surface water from a canal company. Rob stated that he was unfamiliar with all of the exact details of each valve and their operation along with the canal storage tank details as they were no longer being utilized. He stated that originally when canal water was delivered, it would first go through a screen on the south western corner of the property. The canal water then went to the north side of the property, and into an area with two manhole covers that may have been lids or tops of a holding area or storage tank. The water would then travel to an area beside the pump house and into some type of holding tank where water would be pumped from. Any overflow not used utilized during the delivery of canal water would flow to a holding area behind the parking lot. The holding area was currently a large depression area in the lawn that was being maintained as manicured lawn.

Rob then stated that the irrigation system was converted over to use domestic water as the availability of the canal water was not consistent. This use of domestic water became a very high cost and an application for permit was then filed. The system is now operating off of a well and is pumping ground water only. Surface water was no longer being used at the property.

The irrigation controls, electrical supply, power panels, and small expansion tank are located in a pump house on the north side of the property. The pump information acquired from inside the electrical panel states the pump is a Hitachi 15 HP, 3 phase 200 volt pump with Mfg. No. G25810E. We asked Rob to demonstrate the system in operation and to show us the largest zone of irrigation as to determine the maximum rate of the system. A zone was turned on the west side of the property in the lawn area that had 28 sprinklers on it. A rate was determined by utilizing a p-tube pressure testing gauge at multiple sprinklers locations. Pressure at the beginning of the line was recorded at 48 psi and 40 psi at the end of the line. The sprinklers were Hunter PGP series rotor. Of the 28 sprinklers, 24 were full circle sprinklers utilizing #7 nozzles and 4 sprinklers were part circle using #5 nozzles. Referencing the Hunter Industries nozzle chart information using an average pressure of 44 psi, we were able to determine a maximum flow rate of 84.4 GPM or 0.19 cfs for the irrigation system (see calculations in rate).

Overlaps**POU Overlaps**

Direct overlaps of this permit include Right 63-199A which is owned by Farm Credit Services. 63-199A is a decreed water right from the Boise River and is for 0.40 cfs of irrigation over 65 acres. It appears that 63-199A, which has a priority date of 5/1/1878, was originally owned by Cecil Thomas and the water was delivered through Nampa and Meridian Irrigation District. An agreement was signed stating the delivery of water would be switched from Nampa and Meridian Irrigation district to Settlers Irrigation District. Farm Credit then became the owner of the water right and

signed an agreement to have Settlers Irrigation District represent Farm Credit through the adjudication process. When we asked the permit holder about the use of the surface water, they stated that they were paying for shares of canal water from Nampa and Meridian Irrigation District and were not receiving water from Settlers Irrigation District. The permit holder submitted tax documents showing billings from Nampa and Meridian Irrigation District.

Other overlapping POUs with this permit include the Nampa and Meridian Irrigation District, the City of Meridian, Boise Project Board of Control, and the United States of America.

POD overlaps

Direct overlaps with the POD include Right 63-19206 owned by Alfred and Martha Gibbons. This stockwater and domestic well is for the property located to the north of the permit area. According to our GIS and the placement of the spatial point on Arcmap, the POD of Right 63-19206 appears to be on the place of use for this permit. The system of Right 63-19206 is not tied to the church nor did it seem reasonable that the well was underneath the parking lot as indicated on Arcmap.

In the area south and to the west of the permit (center of the quarter), there are four well drillers reports that are overlaps but not direct overlaps. One well drillers report is for Charley Clayborn, a domestic well that is an undocumented water right. Two well driller reports are in the name of C. Leon Johnson for water right 63-19481. This domestic and stockwater use well had a well drilled in 1979 and a replacement well drilled in 2002. The fourth POD overlap was for water right 63-19206 which is a domestic and stockwater use well for the property located to the north of this permit owned by Alfred Gibbons.

Conditions

Condition #1- (01M) should be removed as the diversion rate was lowered to below 0.24 CFS.

Condition #2-water bearing zone should be carried over licensing.

Condition #3-(020) should be carried over to licensing with updated language.

Condition #4- (065) should be carried over to licensing.

Condition #5-(104) should be updated to (105) and carried over to licensing.

Condition #6-(121) should be updated to (103) per condition description and carried over to licensing.

Condition #7-(165) should be carried over to licensing.

Conditions WB7 and R61 were added.

Have conditions of permit approval been met? ☐ Yes ☒ No

H. RECOMMENDATIONS

1. Recommended Amounts

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>
IRRIGATION	03/01 to 11/15	0.190 CFS
<u>Totals:</u>		0.190 CFS

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION – Steven Visosky – Water Resource Agent

Field Examiner's Name  Date 9/15/15

Reviewer _____ Date _____

THEORETICAL HORSEPOWER EQUATION WORKSHEET (cjh 1/92)

Water Right No.: 63-33698
 Reviewer: Steven Visosky
 Date of Review: 7/28/2015

P/D No.:

PUMP HORSEPOWER
 BOOSTER HORSEPOWER

PUMPING LEVEL

DISCHARGE PRESSURE

RATE OF FLOW (cfs)

Sinerio 1
15
0
27
72
0.48
215

Sinerio 2
15
0
37
72
0.45
204

Sinerio 3
15
0
140
72
0.30
135

1.23
553.85

The above calculates the formula =

$$Q = \frac{8.8 * (\text{Efficiency}) * \text{hp}}{\text{depth to water} + 2.31 * (\text{psi}) + \text{friction}}$$

Assumptions: %70 efficiency.
 No Friction

Examiners Notes:

The well log shows a draw down of 27 feet however it doesn't give a static water level. A nearby well shows a static water level of ten feet which would suggest a pumping level of 37 feet. To get the .30 cfs diversion rate the well could have a lift of 140 feet therefore we feel a pumping level of 27 to 140 feet a reasonable estimation of the pumping level of the calculations above. The pressure is measured 72 on the owners gauge (see pictures).

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

1. WELL TAG NO. D 0064408
Drilling Permit No. 962228-868287 ✓
Water right or injection well # 63-33698

2. OWNER:
Name Eagle FM Group CPB of the LDS Church
Address P.O. Box 609
City Eagle State ID Zip 83616

3. WELL LOCATION:
Twp. 4 North ☒ or South ☐ Rge. 1 East ☒ or West ☐
Sec. 31 1/4 SE 1/4 SE 1/4

Gov't Lot _____ County Ada
Lat. 43 38.198 (Deg and Decimal minutes)
Long. 116 22.595 (Deg and Decimal minutes)
Address of Well Site 3431 N. Locust Grove Rd.

(Give at least name of road - distance to road or landmark)
City Meridian
Lot _____ Blk. _____ Sub. Name _____

4. USE:
☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK:
☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:
☐ Air Rotary ☒ Mud Rotary ☐ Cable ☐ Other _____

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
cem/ben	10	185	252 cu/ft	tremie
Bentonite	0	10	5 cu/ft	dry pour

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing Liner Threaded Welded
8"	+2	18	.322	steel	☒ ☐ ☒ ☐
8"	18	198	sdr-17	pvc	☒ ☐ ☒ ☐
8"	198	203	.322	steel	☒ ☐ ☐ ☒
8"	223	225	.322	steel	☒ ☐ ☐ ☒

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 40ft

9. PERFORATIONS/SCREENS:
Perforations ☐ Y ☐ N Method _____
Manufactured screen ☒ Y ☐ N Type alloy machine works
Method of installation placed

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
203	223	.025	---	8"	stainless	

Length of Headpipe _____ Length of Tailpipe _____
Packer ☐ Y ☐ N Type _____

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method
8-12 silica	186	227	46.5 cu/ft	dry pour

11. FLOWING ARTESIAN:
Flowing Artesian? ☐ Y ☐ N Artesian Pressure (PSIG) _____
Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) _____ Static water level (ft) _____
Water temp. (°F) 56degF Bottom hole temp. (°F) _____

Describe access port turtle cap

Well test:	Test method:
Drawdown (feet)	Discharge or yield (gpm)
27ft	230gpm
Test duration (minutes)	240minutes
Pump	Bailer
☒	☐
Air	Flowing artesian
☐	☐

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
16"	0	2	top soil		
"	2	6	dark brown clay		
"	6	34	gravel and sand		
"	34	38	sandy clay		X
"	38	40	coarse sand	X	
14"	40	66	coarse sand	X	
"	66	72	tan clay		X
"	72	80	coarse sand	X	
"	80	82	tan clay		X
"	82	86	sand	X	
"	86	90	tan clay		X
"	90	97	coarse sand	X	
"	97	105	tan clay		X
"	105	145	coarse sand	X	
"	145	147	tan sandy clay		X
"	147	159	sand	X	
"	159	160	sandy clay		X
"	160	171	coarse sand	X	
"	171	179	tan clay		X
"	179	186	sand with clay strips	X	
"	186	202	coarse sand	X	
"	202	203	sandy clay		X
"	203	227	coarse sand	X	

RECEIVED

JUN 05 2013

WATER RESOURCES
WESTERN REGION

Completed Depth (Measurable) 225ft
Date Started: Apr 24, 2013 Date Completed: May 3, 2013

14. DRILLER'S CERTIFICATION:
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Cognse Well Drilling Co. No. 409
*Principal Driller [Signature] Date May 8, 2013
*Driller [Signature] Date May 8, 2013
*Operator II _____ Date _____
Operator I _____ Date _____

* Signature of Principal Driller and rig operator are required.

PHOTOGRAPHER AND DATE OF PHOTOS – Steven Visosky 7/28/15
FILE NUMBER 63-33698



The back lawn sprinklers looking west with the well head in the right side of the picture




The back lawn with a zone of sprinklers in operation looking to the southwest.

PHOTOGRAPHER AND DATE OF PHOTOS – Steven Visosky 7/28/15
FILE NUMBER 63-33698



The well head tag D0064408 located on the pump head which is located in the north west lawn area.




The electronic display on the control panel inside the pumphouse.

PHOTOGRAPHER AND DATE OF PHOTOS – Steven Viskosky 7/28/15
FILE NUMBER 63-33698



The expansion tank and pressure gauge from the mainline. Inside the pumphouse



The pressure gauge on the mainline reading was 72 psi inside the pumphouse during operation.

PHOTOGRAPHER AND DATE OF PHOTOS – Steven Visosky 7/28/15
FILE NUMBER 63-33698

SUBMERSIBLE MOTOR HITACHI				
TYPE	VCTI	HP	15	
FORM	KK	VOLTS	200	
PHASE	3	HERTZ	60	
POLES	2	min ⁻¹	3450	
RATING	S1	AMP'S	47	
TEMP.RISE	80K	CODE	K	
AMB.TEMP.	35°C	S.F.	1.15	
DATE	100	S.F.A.	53	
		MFG.No.	025810E	
Hitachi Industrial Equipment Systems Co., Ltd.				

07/28/2015 00:01

The specifications of the pump motor that was located on the inside of the control box.

U. S. A.

Franklin Electric 22995 NW Evergreen Pkwy
Hillsboro, OR 97124 USA
800.962.3787

ENCLOSED INDUSTRIAL CONTROL PANEL

UL LISTED E242640

No. CJ-324956

Customer: Franklin Electric- PUMP

Part Number: CSR1ED0160PX-E-001

Job Number: SO-82022 TYPE 1

Max. Amps: 64

Encl. Rating: NEMA 3R

Voltage (V) 200/3PH

Horsepower 15

Frequency (Hz) 60

PLA (A) 48.2

KAIC (KA) 6

Mfg Date: 13E040 10

Tag:

Tested By: F.S.

Inspected By: F.S.

07/28/2015 00:01

The pump control box specifications.

PHOTOGRAPHER AND DATE OF PHOTOS – Steven Visosky 7/28/15
FILE NUMBER 63-33698



The control box
for the pump
station.



The inside of
the pump
control box

PHOTOGRAPHER AND DATE OF PHOTOS – Steven Visosky 7/28/15
FILE NUMBER 63-33698



The westside of the church where the pump house was located with all controls.



A series of valves that we were told were no longer used that controlled the diversion of water from the underground storage tanks and valves along the mainline. These valves were not opened or closed during the site visit.

PHOTOGRAPHER AND DATE OF PHOTOS – Steven Visosky 7/28/15
FILE NUMBER 63-33698



A series of three screens in the screen box that was no longer being used as stated by Rob Buchanan, the facility manager at the site.



This is the overflow area where excess canal water would go when it was not being used in the irrigation system. We were told that in the past when canal water was being used that this area would flood up like a small pond.

PHOTOGRAPHER AND DATE OF PHOTOS – Steven Visosky 7/28/15
FILE NUMBER 63-33698



IDWR staff member Dan Nelson holding up the protective grate over the screen box for the canal system delivery in the back west lawn.



The entrance side of the screen box from the canal system. There was residual water from rain or the irrigation system in the screen box but no flowing canal water.

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY SAINTS

EAGLE ID FM GROUP
P.O. Box 609
Eagle, Idaho 83616-0609
Phone: 208-939-2108
Facsimile: 208-939-2445

Aug. 24, 2015

Steven Visosky
Water Resource Agent
Idaho Department of Water Resources

Dear Steven:

In response to your letter dated Aug. 17, 2015 (copy enclosed), we are providing the following documentation and plan regarding the use of surface water rights at this property.

Plan for Compliance

I met with Steve Pardew and Tom Murray, both with the Nampa & Meridian Irrigation District at the site on 8/12/2015. We discussed the headgate and frequency of water we can use from that to supply our surface water system. We would have water every 10 days at a rate of 2 hrs/ 16 minutes per acre. That would mean water would run into our system for about 9-10 hours every 10 days. Tom Murray is the water master for that ditch line and he is going to send me a schedule with the dates when our gate can be opened and we can use the surface water. The first of these dates would not be until at least early Sept, 2015, which means we would only have one or 2 dates before the 2015 watering season is over and the ditch is shut down.

I met with Waterboy Pump Company at the site on Aug. 14, 2015. We discussed what we need to do to install a pump to draw water from the surface irrigation weir box and feed into our irrigation system. We discussed what zones and areas of our property we could utilize this water on during the every 10 day cycle that we would have the water from the Nampa & Meridian Irrigation district. Waterboy then sent me the attached quote on 8/20/2015. Waterboy has informed me that they feel they can have the pump installed and the system ready to use surface water on Sept. 18, 2015.

I will contact you when the system is installed and we are ready to demonstrate use of the surface water in our irrigation system. We plan to schedule that demonstration for the week of Sept. 21-25, 2015.

I hope that this information provides what you need to see that we are actively working towards completion of this project and to put into use the surface water rights we have at this property.

Sincerely,



Rob Buchanan
Facilities Manager
Eagle Idaho FM Group



1285 N. Andrew Dr.
Kuna, ID 83634-2952
(208) 887-2100

Send To

Eagle F.M Group
P.O. Box 609
Eagle, ID 83616

Estimate

Date
8/20/2015

Estimate#
1684

Description	Qty	Cost	Total
Service Call/Travel Time	1	262.50	262.50
Turf Boss Centrifugal Pump 1ph 230v	1	3,195.00	3,195.00
Rebuild 4" suction pipe, main line, 230v wiring , pump switch	1	1,312.50	1,312.50
3" Resilient US Foot Valve	1	442.63	442.63
Labor Install pump	10	118.75	1,187.50
 SUBTOTAL.....			6,400.13
 20% Discount if paid on completion or within 10 days of invoice date.		-20.00%	-1,280.03
 Building # 12 surface water irrigation pump rebuild This pump produces 72 gpm @ 50 psi			
20% Discount if paid within 10 days of Invoice date			Total
IF YOU HAVE ANY QUESTIONS CALL 887-2100 OR 484-8478 THANKS. Richard "THE WATERBOY"			\$5,120.10



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

August 17, 2015

CORP OF PRESIDING BISHOP OF THE
CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS
50 EAST NORTH TEMPLE STREET 12TH FLOOR
SALT LAKE CITY UT 84150-0012

RE: Water Appropriation Permit No. 63-33698

Dear Permit Holder,

The Idaho Department of Water Resources (Department) issued the above permit for irrigation of 2.5 acres with a diversion rate of 0.30 cfs from ground water. This permit was issued with the following conditions:

The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.

And

If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.

It was determined through a field exam on July 28, 2015 along with conversation with Rob Buchanan, the facilities manager of the Eagle Idaho FM Group that the irrigation system at the property was only diverting ground water as a source of water and not using surface water. A "Notice of Intent to Void Permit" was issued on August 3, 2015 as the conditions of approval had not been met.

Through email discussions, the Department was notified by Rob Buchanan that Nampa and Meridian Irrigation District had visited the property and stated that they will resume delivery of canal water on a once every ten day delivery cycle to the property. The Department was also notified that the irrigation system is currently being reconfigured with a pump and will be ready to begin using surface water by the end of August. If the stated work is not completed by September 2, 2015, a detailed plan with acceptable dates and deadlines will need to be submitted showing that the permit holder is actively working towards completion of the project.

In order for the Department to issue a license confirming compliance of the conditions, it will be necessary to observe the use of surface water on the property. This confirmation of compliance may be done by the request of the permit holder with a Department agent and would require an examination fee equal to the original fee (\$100). Another option to confirm compliance would be a report from a certified water rights examiner.

The Department is requesting notification from the permit holder by September 2, 2015 describing the use of surface water at the property. If all work is not completed, a detailed plan with completion dates will need to be submitted and approved by the Department. If the work is completed and surface water is being used, the permit holder may request a Department field examination or specify the certified water rights examiner that is scheduled to do a report. If notification is not given by September 2, 2015, it will be assumed you are no longer interested in your permit and the Department will take actions to void your permit.

If you have any questions in regard to this matter, please do not hesitate to contact me.

Sincerely,



Steven Visosky
Water Resource Agent
Idaho Department of Water Resources
Telephone # (208) 287-4933
Fax (208) 287-6700 (C/O Steven Visosky)
Email steven.visosky@idwr.idaho.gov

Copy –

EAGLE FM GROUP CPB OF THE LDS CHURCH
ATTN ROB BUCHANAN
PO BOX 609
EAGLE ID 83616

Visosky, Steven

From: Rob Buchanan [BuchananRA@ldschurch.org]
Sent: Thursday, August 13, 2015 7:12 AM
To: Visosky, Steven; Matthew Paul Davidson
Subject: RE: Sending Documents for Signature

I am meeting a pump guy at the property tomorrow. We will determine what we need to do to install and connect a pump from the weir box by our shed so we can utilize the water in our irrigation system when we have it.

I have asked Tom Murray, water master for that line, to get me schedule of when we will get our first use of water and then every 10 days thereafter so we can schedule to use it.

Our plan is to have the pump in and working within 2 weeks from now, by Aug. 28th. I will take photos of the install and send to you.

Rob Buchanan
Facilities Manager
Eagle Idaho FM Group

-----Original Message-----

From: Visosky, Steven [mailto:Steven.Visosky@idwr.idaho.gov]
Sent: Wednesday, August 12, 2015 2:54 PM
To: Rob Buchanan; Matthew Paul Davidson
Subject: RE: Sending Documents for Signature

Rob,

I will put together a letter stating what you have mentioned below about using the surface water from Nampa Meridian Irrigation District. In that letter, we will ask for specific deadlines and dates of when your work will be completed. The important thing is that you are actively attempting to complete the conditions of the permit. You should expect to see the letter in about a week.

Steven Visosky
Water Resource Agent
Phone (208)287-4933
steven.visosky@idwr.idaho.gov

-----Original Message-----

From: Rob Buchanan [mailto:BuchananRA@ldschurch.org]
Sent: Wednesday, August 12, 2015 11:57 AM
To: Matthew Paul Davidson
Cc: Visosky, Steven
Subject: RE: Sending Documents for Signature

Update. I met with 2 people from the Nampa/Meridian Irrigation District today at the site. They told me we can get surface canal water every 10 days and that we are allowed 2 hrs 15 min flow for every acre. So that means we would get about 9-10 hours of water flow every 10 days. I am meeting a pump guy at the site Friday to look at what we need to do to install a pump to pump water from the weir box by our shed (which will fill as the surface water flows) into our irrigation system. Tom Murray, the water master for our ditch line, is going to set

us up on the 10 day rotation cycle and get the schedule to me. Our plan is to install the pump, connect to our irrigation system, and be ready to begin using surface water when we have it by the end of Aug. We will set up a schedule on our watering cycle to utilize this surface water every 10 days when we have it to run the irrigation system.

Steve - what do you need back from me/our church HQ water department by the Sept. deadline to inform you that we are now using the surface water and will continue to do so in order for you to keep our well permit in good standing?

Rob Buchanan
Facilities Manager
Eagle FM Group

From: Rob Buchanan
Sent: Tuesday, August 11, 2015 7:41 AM
To: Matthew Paul Davidson
Subject: RE: Sending Documents for Signature

Attached are more details and photos. Let me know if you are able to connect me with the correct irrigation people to go to the site and look at this.

Rob Buchanan
Facilities Manager
Eagle Idaho FM Group

From: Matthew Paul Davidson
Sent: Monday, August 10, 2015 4:33 PM
To: Rob Buchanan
Subject: RE: Sending Documents for Signature

What is this?

Matthew Davidson | P.E., Water Resources - Natural Resource Services Real Estate Services
Division - Special Projects Department The Church of Jesus Christ of Latter-day Saints|Corp.
of Presiding Bishop
50 East North Temple Street, 12th Floor | Salt Lake City, UT 84150-0012
Phone: 801-240-3263 | Cell: 801-835-2547 | E-mail:
mpdavidson@ldschurch.org<mailto:mpdavidson@ldschurch.org>

From: Rob Buchanan
Sent: Friday, August 07, 2015 4:34 PM
To: Matthew Paul Davidson
Subject: RE: Sending Documents for Signature

The whole reason we put the well in was because the surface water was inadequate. The headgate was off most of the time and water was only diverted to us a couple days a week. Since we had no way of storing large quantities of water when we did have it provided, we would water when we could, but then as soon as the headgate was off and our flow stopped, we dried up almost immediately and would have to go days without water. Our lawn and trees could not get enough water. So, using the surface water did not work for us to keep our lawns and landscape healthy and meet our standards. We cannot resurrect and use the surface water again, it will not meet our needs.

Rob Buchanan
Facilities Manager

Eagle FM Group

From: Matthew Paul Davidson
Sent: Friday, August 07, 2015 2:36 PM
To: Rob Buchanan
Subject: RE: Sending Documents for Signature That helps.

I spoke with Steve Viskosky with Water Rights on this issue. We will need to work with Settler Irrigation District to have them remove the portion of our water they were diverting out of the Boise River and have it put back into the river. Otherwise we will have to demonstrate that we are still utilizing the surface water before the ground water.

It sounds like you would like to continue just using the well, which is fine. Just so I can have a good justification for discontinuing our agreement with Settlers Irrigation District, how plausible would it be to resurrect and use their surface water again?

Matthew Davidson | P.E., Water Resources - Natural Resource Services Real Estate Services
Division - Special Projects Department The Church of Jesus Christ of Latter-day Saints|Corp.
of Presiding Bishop
50 East North Temple Street, 12th Floor | Salt Lake City, UT 84150-0012
Phone: 801-240-3263 | Cell: 801-835-2547 | E-mail:
mpdavidson@ldschurch.org<mailto:mpdavidson@ldschurch.org>

From: Rob Buchanan
Sent: Friday, August 07, 2015 12:02 PM
To: Matthew Paul Davidson
Subject: RE: Sending Documents for Signature

Matt-

See attached. I believe this will answer your questions on how we used to get surface water at this site better than me trying to explain on the phone.

The issue we had many years back was we only got the surface water occasionally and did not have enough onsite storage capacity, so we never had enough water to adequately irrigate and keep our site green. We got well permit a few years back to correct this. So we now have a well and no longer use the surface water at all.

I hope this answers your questions.

Rob Buchanan
Facilities Manager
Eagle FM Group

From: Rob Buchanan
Sent: Thursday, August 06, 2015 11:28 AM
To: Matthew Paul Davidson
Subject: RE: Sending Documents for Signature I mailed them to you today. Here is more info from them in reply to my question about getting back to them by Sept. 2, 2015-

Thirty days is our standard timeframe to make the appropriate changes in paperwork. I understand that the timing of the required documentation from Settlers Irrigation District may be out of your control since it will require action on their part, however we will need correspondence from your water resource department at church HQ by Sept. 2 showing evidence of the correspondence with the irrigation district and that the documentation is actively moving forward to completion. The ownership change will need to be completed by Sept. 2.

Steven Visosky
Water Resource Agent
Idaho Department of Water Resources
Phone (208) 287-4933
steven.visosky@idwr.idaho.gov<mailto:steven.visosky@idwr.idaho.gov>

Rob Buchanan
Facilities Manager
Eagle FM Group

From: Matthew Paul Davidson
Sent: Thursday, August 06, 2015 9:57 AM
To: Rob Buchanan
Subject: RE: Sending Documents for Signature Rob,

Go ahead and send the documents here.

Thanks.

Matthew Davidson | P.E., Water Resources - Natural Resource Services Real Estate Services
Division - Special Projects Department The Church of Jesus Christ of Latter-day Saints|Corp.
of Presiding Bishop
50 East North Temple Street, 12th Floor | Salt Lake City, UT 84150-0012
Phone: 801-240-3263 | Cell: 801-835-2547 | E-mail:
mpdavidson@ldschurch.org<mailto:mpdavidson@ldschurch.org>

From: Rob Buchanan
Sent: Thursday, August 06, 2015 7:58 AM
To: Matthew Paul Davidson
Cc: Grant Cooper
Subject: RE: Sending Documents for Signature

Matt-

Should I mail this notice to you? It states that we have to take some action by Sept. 2, 2015 or our well permit for the property will be voided.

Rob Buchanan
Facilities Manager
Eagle Idaho FM Group

From: Ryan White
Sent: Thursday, August 06, 2015 7:57 AM
To: Rob Buchanan; Matthew Paul Davidson
Cc: Grant Cooper
Subject: RE: Sending Documents for Signature

Matt Davidson will be able to help you. 801-240-3263

Ryan

From: Rob Buchanan
Sent: Thursday, August 06, 2015 7:43 AM
To: Ryan White
Subject: Sending Documents for Signature

Ryan-

I have a notice from the State of Idaho Department of Water Resources that is asking for a water right ownership change and contains some paperwork that needs to be filled out and signed. My understanding is that I cannot fill out and sign this as an FM. I believe it would need to be completed by someone there at church HQ in the water resources division. Can you direct me on an address where I would send this paperwork for someone there to review and approve it?

Rob Buchanan
Facilities Manager
Eagle Idaho FM Group



*****IMPORTANT*****
PLEASE READ BOTH FRONT AND BACK
 KEEP TOP PORTION FOR YOUR RECORDS
 YOUR CANCELLED CHECK IS YOUR RECEIPT

Deeded Owner and Property Address:
 CHURCH OF JESUS CHRIST
 3451 N LOCUST GROVE ROAD
 MERIDIAN, ID

REAL ESTATE DIVISION
 NATURAL RESOURCE SECTION

Prepared: 25-Sep-2013
 Assessment #: 549 B - -

OCT 21 2013

LDS CHURCH NATURAL RESOURCES DEPT
 50 E NORTH TEMPLE ST 12TH FL
 SALT LAKE CITY UT 84150-0012

Tax Roll 2013
 Assessment Expense \$13.50
 District Drainage \$8.58
 Ridenbaugh Maintenance \$345.24
 Project Maintenance \$0.00
 Urban Irrigation \$0.00

548-0450

Ada County Parcel #: SC521449306

Legal Description:

COM E QTR COR SEC 31 4N 1E, TH S 1599.95 FT TO RPB; TH CONT S 300 FT, TH W 661.69 FT,
 TH N 300 FT, TH E 661.43 FT TO BEG

	Assessment	Penalty	Interest	Fee/Cost	Other Due	Total
Tax Roll 2013 1st Half	\$183.66	\$0.00	\$0.00	\$0.00	\$0.00 20-Dec-2013	\$183.66
Tax Roll 2013 2nd Half	\$183.66	\$0.00	\$0.00	\$0.00	\$0.00 20-Jun-2014	\$183.66
Total Due:						\$367.32

CPBO1 9600441	5486	PFmt 548-0450
GL BU DEPT ID	ACCOUNT	PRODUCT PROJECT
Project PC BU	099	Activity ID
CPB	NRWAT	M
Resource Type	Resource Category	Resource Subcategory
Authorized Receiver's Signature B. W. 11/6/13		
New Higher Level Supervisor for Payments over \$100,000		
Unit Controller's Signature Diane Petty 11-6-13		

CHECKS SUBJECT TO BANK CLEARANCE

IF YOUR ADDRESS IS INCORRECTLY
 SHOWN ON THIS PAYMENT STUB,
 PLEASE SUPPLY THE CORRECT
 INFORMATION ON THE REVERSE SIDE.

TAX NOTICE

FAILURE TO RETURN THIS STUB WITH YOUR PAYMENT MAY RESULT IN
 CREDIT TO THE WRONG LAND. SUCH PAYMENT CANNOT BE REFUNDED.

LDS CHURCH NATURAL RESOURCES DEPT
 50 E NORTH TEMPLE ST 12TH FL
 SALT LAKE CITY UT 84150-0012

Assessment #: 549 B - -

Delinquent if not paid on or before 20-Dec-2013

Tax Roll 2013 1st Half \$183.66
Total Due: \$367.32

Please make checks payable to:
 Nampa & Meridian Irrigation District
 1503 First Street South
 Nampa, ID 83651-4395
 Phone:(208)466-7861 Fax:(208)463-0092

PLEASE WRITE THE ASSESSMENT NUMBER ON YOUR CHECK.

VISIT US AT WWW.NMID.ORG

**Central Accounts Payable
SPECIAL HANDLING**

Voucher # _____

☒ To be **PICKED UP** at
Disbursing on 15th Floor
Please Call Ext: 2- 0516

AP Note -

- Payment Method: CHK
- Handling Code: PM or PK

☐ **Mail Attachment
with Check**

AP Note -

- Payment Method: CHK
- Handling Code: AT

IRRIGATION DISTRICT (TAX NOTICE AND RECEIPT)

*****IMPORTANT*****

PLEASE READ BOTH FRONT AND BACK

KEEP TOP PORTION FOR YOUR RECORDS
YOUR CANCELLED CHECK IS YOUR RECEIPT

REAL ESTATE DIVISION
NATURAL RESOURCE SECTION

OCT 18 2010

S:

AD

NATURAL RESOURCES DEPT
12TH FLOOR

10

Prepared:
Assessment #:

30-Sep-2010
549 B -

Tax Roll 2010

Assessment Expense	\$12.00
District Drainage	\$6.86
Ridenbaugh Maintenance	\$304.18
Project Maintenance	\$0.00
Urban Irrigation	\$0.00

Ada County Tax Roll # 449306

Legal Description:

COM E QTR COR SEC 31 4N 1E, TH S 1599.95 FT TO RPB; TH CONT S 300 FT, TH W 661.69 FT,
TH N 300 FT, TH E 661.43 FT TO BEG

	Assessment	Penalty	Interest	Fee/Cost	Other Due	Total
Tax Roll 2010 1st Half	\$161.52	\$0.00	\$0.00	\$0.00	\$0.00 20-Dec-2010	\$161.52
Tax Roll 2010 2nd Half	\$161.52	\$0.00	\$0.00	\$0.00	\$0.00 20-Jun-2011	\$161.52
Total Due:						\$323.04

CPB019600441-5486-PFMTGH-5480450

GL BU	DEPT ID	ACCOUNT	PRODUCT	PROJECT
Project PC BU	Activity ID	Act Analysis Type		
CPB	NRWAT	M		
Resource Type	Resource Category	Resource Subcategory		
Authorized Requestor's Signature		OCT 26 2010		
Next Higher Level Supervisor for Payments over \$100,000				
Unit Controller's Signature				

CHECKS SUBJECT TO BANK CLEARANCE

TAX NOTICE

IF YOUR ADDRESS IS INCORRECTLY
SHOWN ON THIS PAYMENT STUB,
PLEASE SUPPLY THE CORRECT
INFORMATION ON THE REVERSE SIDE.

FAILURE TO RETURN THIS STUB WITH YOUR PAYMENT MAY RESULT IN
CREDIT TO THE WRONG LAND. SUCH PAYMENT CANNOT BE REFUNDED.

LDS CHURCH NATURAL RESOURCES DEPT
50 E NORTH TEMPLE ST 12TH FLOOR
SALT LAKE CITY UT 84150

Assessment #:

549 B -

Delinquent if not paid on or before 20-Dec-2010

Tax Roll 2010 1st Half

\$161.52

Total Due:

\$323.04

Please make checks payable to:
Nampa & Meridian Irrigation District
1503 First Street South
Nampa ID 83651-4395
Phone: (208)466-7861 Fax: (208)463-0092

entral Accounts Payable
SPECIAL HANDLING

oucher #

To be PICKED UP at
Disbursing on 15th Floor
Please Call Ext: 2- 0516

- AP Note -
▪ Payment Method: CHK
▪ Handling Code: PM or PK

Mail Attachment
with Check

- AP Note -
▪ Payment Method: CHK
▪ Handling Code: AT

IRRIGATION DISTRICT (TAX NOTICE AND RECEIPT)

REAL ESTATE DIVISION
NATURAL RESOURCE SECTION

IMPORTANT

PLEASE READ BOTH FRONT AND BACK

KEEP TOP PORTION FOR YOUR RECORDS
YOUR CANCELLED CHECK IS YOUR RECEIPT

OCT 18 2010 9/27 AM

Address:
NATE
AD

Prepared: 30-Sep-2010
Assessment #: 566 -1-1

Tax Roll 2010
Assessment Expense \$12.00
District Drainage \$8.74
Ridenbaugh Maintenance \$0.00
Project Maintenance \$0.00
Urban Irrigation \$0.00

86 NATURAL RESOURCES DEPT
12TH FLOOR
150

Ada County Parcel #: R0947850034

Legal Description:

LTS 1,2,3,4 AND BEG NE COR LT 11 BLK 1 BIG SKY SUB, SEC 34 4N 1E, TH W 70 FT, TH S 639.53 FT, TH E 70 FT, TH N 639.53 FT TO BEG

	Assessment	Penalty	Interest	Fee/Cost	Other Due	Total
Tax Roll 2010 1st Half	\$10.37	\$0.00	\$0.00	\$0.00	\$0.00 20-Dec-2010	\$10.37
Tax Roll 2010 2nd Half	\$10.37	\$0.00	\$0.00	\$0.00	\$0.00 20-Jun-2011	\$10.37
Total Due:						\$20.74

CPB01-960044-5486-17Fmtyh-5126150

GL BU	DEPT ID	ACCOUNT	PRODUCT	PROJECT
Project PC BU	Activity ID	Act Analysis Type		
Resource Type	Resource Category	Resource Subcategory		
Authorized Requester's Signature		OCT 26 2010		
Next Higher Level Supervisor for Payments over \$100,000				
Unit Controller's Signature				

CHECKS SUBJECT TO BANK CLEARANCE

IF YOUR ADDRESS IS INCORRECTLY
SHOWN ON THIS PAYMENT STUB,
PLEASE SUPPLY THE CORRECT
INFORMATION ON THE REVERSE SIDE.

TAX NOTICE

FAILURE TO RETURN THIS STUB WITH YOUR PAYMENT MAY RESULT IN
CREDIT TO THE WRONG LAND. SUCH PAYMENT CANNOT BE REFUNDED.

LDS CHURCH #512-6150, 86 NATURAL RESOURCES DEPT
50 E NORTH TEMPLE ST 12TH FLOOR
SALT LAKE CITY UT 84150

Assessment #: 566 -1-1

Delinquent if not paid on or before 20-Dec-2010

Tax Roll 2010 1st Half

\$10.37

Total Due:

\$20.74

Please make checks payable to:
Nampa & Meridian Irrigation District
1503 First Street South
Nampa ID 83651-4395
Phone: (208)466-7861 Fax: (208)463-0092

Central Accounts Payable
SPECIAL HANDLING

Voucher # _____

☒ To be **PICKED UP** at
Disbursing on 15th Floor
Please Call Ext: 2- 0516

AP Note -

- Payment Method: CHK
- Handling Code: PM or PK

☐ **Mail Attachment**
with Check

AP Note -

- Payment Method: CHK
- Handling Code: AT

IRRIGATION DISTRICT (TAX NOTICE AND RECEIPT)

STATE DIVISION
NATURAL RESOURCE SECTION

IMPORTANT

PLEASE READ BOTH FRONT AND BACK

KEEP TOP PORTION FOR YOUR RECORDS
YOUR CANCELLED CHECK IS YOUR RECEIPT

OCT 18 2010

SS:
DAY

Prepared: 30-Sep-2010
Assessment #: 796 A - 1 - 1

Tax Roll 2010	
Assessment Expense	\$12.00
District Drainage	\$7.83
Ridenbaugh Maintenance	\$174.86
Project Maintenance	\$18.15
Urban Irrigation	\$0.00

NATURAL RESOURCES DEPT
12TH FLOOR
50

Ada County Parcel #: R6993000011
Legal Description:
LT 1 BLK 1 PERKINS-BROWN SUB SEC 4 3N 1E

	Assessment	Penalty	Interest	Fee/Cost	Other Due	Total
Tax Roll 2010 1st Half	\$106.43	\$0.00	\$0.00	\$0.00	\$0.00 20-Dec-2010	\$106.43
Tax Roll 2010 2nd Half	\$106.41	\$0.00	\$0.00	\$0.00	\$0.00 20-Jun-2011	\$106.41
Total Due:						\$212.84

CPB01-960044-5186-PFMT94-5126215

GL BU	DEPT ID	ACCOUNT	PRODUCT	PROJECT
Project PC BU	Activity ID	Act Analysis Type		
Resource Type	Resource Category	Resource Subcategory		
Authorized Requestor's Signature		OCT 26 2010		
Next Higher Level Supervisor for Payments over \$100,000				
Unit Controller's Signature		10.27.10		

CHECKS SUBJECT TO BANK CLEARANCE

TAX NOTICE

IF YOUR ADDRESS IS INCORRECTLY
SHOWN ON THIS PAYMENT STUB,
PLEASE SUPPLY THE CORRECT
INFORMATION ON THE REVERSE SIDE.

FAILURE TO RETURN THIS STUB WITH YOUR PAYMENT MAY RESULT IN
CREDIT TO THE WRONG LAND. SUCH PAYMENT CANNOT BE REFUNDED.

LDS CHURCH #512-6215 NATURAL RESOURCES DEPT
50 E NORTH TEMPLE ST 12TH FLOOR
SALT LAKE CITY UT 84150

Assessment #: 796 A - 1 - 1

Delinquent if not paid on or before 20-Dec-2010

Tax Roll 2010 1st Half \$106.43

Total Due: \$212.84

Please make checks payable to:
Nampa & Meridian Irrigation District
1503 First Street South
Nampa ID 83651-4395
Phone: (208)466-7861 Fax: (208)463-0092

Central Accounts Payable
SPECIAL HANDLING

Voucher # _____

☒ To be **PICKED UP** at
Disbursing on 15th Floor
Please Call Ext: 2- 0516

AP Note -

- Payment Method: CHK
- Handling Code: PM or PK

☐ **Mail Attachment**
with Check

AP Note -

- Payment Method: CHK
- Handling Code: AT

IRRIGATION DISTRICT (TAX NOTICE AND RECEIPT)

*****IMPORTANT*****

PLEASE READ BOTH FRONT AND BACK

KEEP TOP PORTION FOR YOUR RECORDS
YOUR CANCELLED CHECK IS YOUR RECEIPT

REAL ESTATE DIVISION
NATURAL RESOURCE SECTION

OCT 18 2010

S:
DS

Prepared: 30-Sep-2010
Assessment #: 796 E - -

NATURAL RESOURCES DEPT
12TH FLOOR

Tax Roll 2010	
Assessment Expense	\$12.00
District Drainage	\$3.62
Ridenbaugh Maintenance	\$80.95
Project Maintenance	\$8.25
Urban Irrigation	\$0.00

Ada County Parcel #: S1104212625

Legal Description:

COM NE COR LT 3 SEC 4 3N 1E, TH W 689.92 FT TO RPB; TH CONT W 319.97 FT, TH S 0*W 311.2 FT, TH E 319.97 FT, TH N 0*E 311.2 FT TO BEG

	Assessment	Penalty	Interest	Fee/Cost	Other Due	Total
Tax Roll 2010 1st Half	\$52.42	\$0.00	\$0.00	\$0.00	\$0.00 20-Dec-2010	\$52.42
Tax Roll 2010 2nd Half	\$52.40	\$0.00	\$0.00	\$0.00	\$0.00 20-Jun-2011	\$52.40
					Total Due:	\$104.82

CPB019600441 5486-PFREC7-5128633

GL BU	DEPT ID	ACCOUNT	PRODUCT	PROJECT
Project PC BU	Activity ID	Act Analysis Type		
Resource Type	Resource Category	Resource Subcategory		
Authorized Requestor's Signature		OCT 26 2010		
Next Higher Level Supervisor for Payments over \$100,000				
Unit Controller's Signature		10.27.10		

CHECKS SUBJECT TO BANK CLEARANCE

TAX NOTICE

IF YOUR ADDRESS IS INCORRECTLY
SHOWN ON THIS PAYMENT STUB,
PLEASE SUPPLY THE CORRECT
INFORMATION ON THE REVERSE SIDE.

FAILURE TO RETURN THIS STUB WITH YOUR PAYMENT MAY RESULT IN
CREDIT TO THE WRONG LAND. SUCH PAYMENT CANNOT BE REFUNDED.

LDS CHURCH #512-8633 NATURAL RESOURCES DEPT
50 E NORTH TEMPLE ST 12TH FLOOR
SALT LAKE CITY UT 84150

Assessment #: 796 E - -

Delinquent if not paid on or before 20-Dec-2010

Tax Roll 2010 1st Half \$52.42
Total Due: \$104.82

Please make checks payable to:
Nampa & Meridian Irrigation District
1503 First Street South
Nampa ID 83651-4395
Phone: (208)466-7861 Fax: (208)463-0092

Central Accounts Payable
SPECIAL HANDLING

Voucher # _____

To be **PICKED UP** at
Disbursing on 15th Floor
Please Call Ext: 2- 0516
AP Note -
Payment Method: CHK
Handling Code: PM or PK

Mail Attachment
with Check
AP Note -
Payment Method: CHK
Handling Code: AT

Ada County Parcel # _____ \$57430550
Legal Description:
LT 2 BLK 3 MAPLE HILL SUB SEC 14 3N 1E

IRRIGATION DISTRICT (TAX NOTICE AND RECEIPT) STATE DIVISION
NATURAL RESOURCE SECTION

IMPORTANT

PLEASE READ BOTH FRONT AND BACK

KEEP TOP PORTION FOR YOUR RECORDS
YOUR CANCELLED CHECK IS YOUR RECEIPT

OCT 18 2010

ess:
C

Prepared: 30-Sep-2010
Assessment #: 989 - 3 - 2 ✓

Tax Roll 2010
Assessment Expense \$12.00
District Drainage \$0.45
Ridenbaugh Maintenance \$9.10
Project Maintenance \$1.92
Urban Irrigation \$0.00

NATURAL RESOURCES DEPT
12TH FLOOR
150

	Assessment	Penalty	Interest	Fee/Cost	Other Due	Total
Tax Roll 2010 1st Half	\$11.74	\$0.00	\$0.00	\$0.00	\$0.00 20-Dec-2010	\$11.74
Tax Roll 2010 2nd Half	\$11.73	\$0.00	\$0.00	\$0.00	\$0.00 20-Jun-2011	\$11.73
					Total Due:	\$23.47

IPB01-960044-5486-7FVAC-5271592

GL BU	DEPT ID	ACCOUNT	PRODUCT	PROJECT
Project PC BU	099	Activity ID	Act Analysis Type	
CPB	CNRWAT	Resource Type	Resource Category	Resource Subcategory
Authorized Requestor's Signature <i>[Signature]</i> OCT 20 2010				
Next Higher Level Supervisor for Payments over \$100,000				
Unit Controller's Signature <i>[Signature]</i> 10.27.10				

CHECKS SUBJECT TO BANK CLEARANCE

IF YOUR ADDRESS IS INCORRECTLY
SHOWN ON THIS PAYMENT STUB,
PLEASE SUPPLY THE CORRECT
INFORMATION ON THE REVERSE SIDE.

TAX NOTICE

FAILURE TO RETURN THIS STUB WITH YOUR PAYMENT MAY RESULT IN
CREDIT TO THE WRONG LAND. SUCH PAYMENT CANNOT BE REFUNDED.

LDS CHURCH #527-1592 NATURAL RESOURCES DEPT
50 E NORTH TEMPLE ST 12TH FLOOR
SALT LAKE CITY UT 84150

Assessment #: 989 - 3 - 2

Delinquent if not paid on or before 20-Dec-2010

Tax Roll 2010 1st Half

\$11.74

Total Due:

\$23.47

Please make checks payable to:
Nampa & Meridian Irrigation District
1503 First Street South
Nampa ID 83651-4395
Phone: (208)466-7861 Fax: (208)463-0092

Central Accounts Payable
SPECIAL HANDLING

Voucher #

Sheila

☒ To be **PICKED UP** at
Disbursing on 15th Floor
Please Call Ext: 2- 0516

AP Note -

- Payment Method: CHK
- Handling Code: PM or PK

☐ **Mail Attachment**
with Check

AP Note -

- Payment Method: CHK
- Handling Code: AT

IRRIGATION DISTRICT (TAX NOTICE AND RECEIPT)

REAL ESTATE DIVISION
NATURAL RESOURCE SECTION

IMPORTANT

PLEASE READ BOTH FRONT AND BACK

KEEP TOP PORTION FOR YOUR RECORDS
YOUR CANCELLED CHECK IS YOUR RECEIPT

OCT 18 2010

SS:

ID

Prepared: 30-Sep-2010
Assessment #: 1034 A - ✓

555-0041

NATURAL RESOURCES DEPT
12TH FLOOR
50

Tax Roll 2010
Assessment Expense \$12.00
District Drainage \$1.54
Ridenbaugh Maintenance \$45.89
Project Maintenance \$3.28
Urban Irrigation \$0.00

Ada County Parcel #: S1117223391, PT OF
Legal Description:
COM NW COR NW QTR SEC 17 3N 1E, TH S 479.99 FT TO RPB; TH N 89*32' 15"E 382.88 FT, TH S 113.74 FT, TH S 89*32'15"W 382.88 FT, TH N 113.74 FT TO BEG

	Assessment	Penalty	Interest	Fee/Cost	Other Due	Total
Tax Roll 2010 1st Half	\$31.36	\$0.00	\$0.00	\$0.00	\$0.00 20-Dec-2010	\$31.36
Tax Roll 2010 2nd Half	\$31.35	\$0.00	\$0.00	\$0.00	\$0.00 20-Jun-2011	\$31.35
Total Due:						\$62.71

CPB01-960044-5486-PFndgh-5550041

GL BU	DEPT ID	ACCOUNT	PRODUCT	PROJECT
Project PC BU	299	Activity ID	Act Analysis Type	
CPB	NRWAT	Resource Type	Resource Category	Resource Subcategory
Authorized Representative Signature <i>[Signature]</i> OCT 26 2010				
Next Higher Level Supervisor for Payments over \$100,000				
Unit Controller's Signature <i>[Signature]</i> 10.27.10				

CHECKS SUBJECT TO BANK CLEARANCE

TAX NOTICE

IF YOUR ADDRESS IS INCORRECTLY
SHOWN ON THIS PAYMENT STUB,
PLEASE SUPPLY THE CORRECT
INFORMATION ON THE REVERSE SIDE.

FAILURE TO RETURN THIS STUB WITH YOUR PAYMENT MAY RESULT IN
CREDIT TO THE WRONG LAND. SUCH PAYMENT CANNOT BE REFUNDED.

LDS CHURCH NATURAL RESOURCES DEPT
50 E NORTH TEMPLE ST 12TH FLOOR
SALT LAKE CITY UT 84150

Assessment #: 1034 A - -

Delinquent if not paid on or before 20-Dec-2010

Tax Roll 2010 1st Half \$31.36

Total Due: \$62.71

Please make checks payable to:
Nampa & Meridian Irrigation District
1503 First Street South
Nampa ID 83651-4395
Phone: (208)466-7861 Fax: (208)463-0092

Central Accounts Payable
SPECIAL HANDLING

Voucher #

Sheila

☒ To be **PICKED UP** at
Disbursing on 15th Floor
Please Call Ext: 2- 0516

AP Note -

- Payment Method: CHK
- Handling Code: PM or PK

☐ **Mail Attachment**
with Check

AP Note -

- Payment Method: CHK
- Handling Code: AT

RIG/ION DISTRICT (TAX NOTICE AND RECEIPT) REAL ESTATE DIVISION
NATURAL RESOURCE SECTION

IMPORTANT

PLEASE READ BOTH FRONT AND BACK

KEEP TOP PORTION FOR YOUR RECORDS
YOUR CANCELLED CHECK IS YOUR RECEIPT

OCT 18 2010

SS:

Prepared:
Assessment #:

30-Sep-2010
1034 H - -

555-0041

RESOURCES DEPT
2TH FLOOR

Tax Roll 2010	
Assessment Expense	\$12.00
District Drainage	\$5.60
Ridenbaugh Maintenance	\$166.98
Project Maintenance	\$11.97
Urban Irrigation	\$0.00

Ada County Parcel #: PT OF, S1117223391

Legal Description:

COM NW COR SEC 17 3N 1E, TH S 593.73 FT, TH E 25 FT RPB; TH E 520 FT, TH S 296.62 FT,
TH W 520 FT, TH N 296.81 FT TO BEG

	Assessment	Penalty	Interest	Fee/Cost	Other Due	Total
Tax Roll 2010 1st Half	\$98.28	\$0.00	\$0.00	\$0.00	\$0.00 20-Dec-2010	\$98.28
Tax Roll 2010 2nd Half	\$98.27	\$0.00	\$0.00	\$0.00	\$0.00 20-Jun-2011	\$98.27
					Total Due:	\$196.55

CPB01-9600441-5486-PF Matqn-5550041

GL BU	DEPT ID	ACCOUNT	PRODUCT	PROJECT
Project PC BU	Activity ID	Act Analysis Type		
Resource Type	Resource Category	Resource Subcategory		
Authorized Requestor's Signature				
Next Higher Level Supervisor for Payments over \$100,000				
Unit Controller's Signature				

10.27.10

OCT 26 2010

CHECKS SUBJECT TO BANK CLEARANCE

IF YOUR ADDRESS IS INCORRECTLY
SHOWN ON THIS PAYMENT STUB,
PLEASE SUPPLY THE CORRECT
INFORMATION ON THE REVERSE SIDE.

TAX NOTICE

FAILURE TO RETURN THIS STUB WITH YOUR PAYMENT MAY RESULT IN
CREDIT TO THE WRONG LAND. SUCH PAYMENT CANNOT BE REFUNDED.

LDS CHURCH NATURAL RESOURCES DEPT
50 E NORTH TEMPLE ST 12TH FLOOR
SALT LAKE CITY UT 84150

Assessment #:

1034 H - -

Delinquent if not paid on or before 20-Dec-2010

Tax Roll 2010 1st Half

\$98.28

Total Due:

\$196.55

Please make checks payable to:
Nampa & Meridian Irrigation District
1503 First Street South
Nampa ID 83651-4395
Phone: (208)466-7861 Fax: (208)463-0092

Central Accounts Payable
SPECIAL HANDLING

Voucher # _____

☒ To be **PICKED UP** at
Disbursing on 15th Floor
Please Call Ext: 2- 0516
AP Note -
▪ Payment Method: CHK
▪ Handling Code: PM or PK

☐ **Mail Attachment**
with Check
AP Note -
▪ Payment Method: CHK
▪ Handling Code: AT

IRIGA ON DISTRICT (TAX NOTICE AND RECEIPT) REAL ESTATE DIVISION
NATURAL RESOURCE SECTION

IMPORTANT

PLEASE READ BOTH FRONT AND BACK

KEEP TOP PORTION FOR YOUR RECORDS
YOUR CANCELLED CHECK IS YOUR RECEIPT

OCT 18 2010

S:
DS

Prepared: 30-Sep-2010
Assessment #: 1034 K - -

554-5609

RESOURCES DEPT
12TH FLOOR

Tax Roll 2010
Assessment Expense \$12.00
District Drainage \$2.75
Ridenbaugh Maintenance \$81.95
Project Maintenance \$5.88
Urban Irrigation \$0.00

Ada County Parcel #: S1117223440

Legal Description:

COM NW COR SEC 17 3N 1E, TH S 890.50 FT, TH E 545 FT TO RPB; TH N 296.62 FT, TH E 228.98 FT, TH S 16*E 30.50 FT, TH S 10*E 126.28 FT, TH S 19*E 151.46 FT, TH W 312.74 FT TO BEG

	Assessment	Penalty	Interest	Fee/Cost	Other Due	Total
Tax Roll 2010 1st Half	\$51.30	\$0.00	\$0.00	\$0.00	\$0.00 20-Dec-2010	\$51.30
Tax Roll 2010 2nd Half	\$51.28	\$0.00	\$0.00	\$0.00	\$0.00 20-Jun-2011	\$51.28
Total Due:						\$102.58

CPB01-9600441-5486-PFFUSI-5545609

GL BU	DEPT ID	ACCOUNT	PRODUCT	PROJECT
Project PC BU	Activity ID	Act Analysis Type		
CPB	NRWAT	m		
Resource Type	Resource Category	Resource Subcategory		
Authorized Requester's Signature				
Next Higher Level Supervisor for Payments over \$100,000				
Unit Controller's Signature				

OCT 20 2010

10-27-10

CHECKS SUBJECT TO BANK CLEARANCE

TAX NOTICE

IF YOUR ADDRESS IS INCORRECTLY
SHOWN ON THIS PAYMENT STUB,
PLEASE SUPPLY THE CORRECT
INFORMATION ON THE REVERSE SIDE.

FAILURE TO RETURN THIS STUB WITH YOUR PAYMENT MAY RESULT IN
CREDIT TO THE WRONG LAND. SUCH PAYMENT CANNOT BE REFUNDED.

LDS CHURCH NATURAL RESOURCES DEPT
50 E NORTH TEMPLE ST 12TH FLOOR
SALT LAKE CITY UT 84150

Assessment #: 1034 K - -

Delinquent if not paid on or before 20-Dec-2010

Tax Roll 2010 1st Half \$51.30
Total Due: \$102.58

Please make checks payable to:
Nampa & Meridian Irrigation District
1503 First Street South
Nampa ID 83651-4395
Phone: (208)466-7861 Fax: (208)463-0092

Visosky, Steven

From: Visosky, Steven
Sent: Tuesday, August 11, 2015 11:14 AM
To: 'Matthew Paul Davidson'
Subject: RE: LDS Church 63-33698 And the Irrigation Districts
Attachments: 63-199A scan of Farm Credit info.pdf; 63-199A Scan of notes.pdf; Proof Report of permit 63-33698.rtf

Dear Matthew,

I have attached information from our conversation yesterday regarding Water Right 63-199A. The second attachment shows sticky notes that were attached to page number 2 of the first scan. The third attachment is a proof of the permit for our reference in conversation.

This permit was issued as supplemental to surface water. Conditions of Approval #4 and #5 on the permit specifically address the surface water. It also was stated in the application that Rob Buchanan submitted to the Department on 2/11/13 that "The proposed well will be used to supplement the existing surface irrigation water right #63-199A Farm Credit Service....". The permit itself was issued without specific mention of water right 63-199A however it does refer to the surface water rights in the conditions.

Unfortunately I am not in a position with the Department to make a decision regarding your question as I am left with a few questions regarding Water Right 63-199A and how it applies to the permit. We are having a water right meeting tomorrow with the department supervisor and I will present the questions and information. I will keep you informed with the feedback from the meeting.

Steven Visosky
Water Resource Agent
Idaho Department of Water Resources
322 E Front St
PO Box 83720
Boise ID 83720-0098
Phone (208) 287-4933
Fax (208) 287-6700
steven.visosky@idwr.idaho.gov

From: Matthew Paul Davidson [<mailto:mpdavidson@ldschurch.org>]
Sent: Tuesday, August 11, 2015 9:48 AM
To: Visosky, Steven
Subject: LDS Church 63-33698 And the Irrigation Districts

Steve,

I've gone through the entire hardfile we have on this property which contains all of the transactions for this property. I was able to find a bunch of receipts for assessments we have been paying Nampa and Meridian but nothing for Settlers – see attached.

Also, in talking with Nampa, it sounds like if water is still flowing and is accessible to our property there is no way we will be able to dispose of it and I'm told there is a state law that prohibits the sell or disposal of this type of water when it is available.

I believe I've convinced the FM that what really needs to happen is to start using the surface water again and supplement with the ground water. If he does this will the ground water right be in good standing?

Matthew Davidson | P.E., Water Resources - Natural Resource Services
REAL ESTATE SERVICES DIVISION - SPECIAL PROJECTS DEPARTMENT
THE CHURCH OF JESUS CHRIST OF LATTER-DAY SAINTS | CORP. OF PRESIDING BISHOP
50 East North Temple Street, 12th Floor | Salt Lake City, UT 84150-0012
Phone: 801-240-3263 | Cell: 801-835-2547 | E-mail: mpdavidson@ldschurch.org

From: Visosky, Steven [<mailto:Steven.Visosky@idwr.idaho.gov>]
Sent: Friday, August 07, 2015 3:33 PM
To: Matthew Paul Davidson; Mathews, Kerrie
Subject: Letter regarding Water Right 25-14404

Dear Matt,

I believe the water right you were inquiring about is 25-14404. Kerrie Mathews works out of our Eastern Regional office and I believe she wrote the letter that you were trying to find. As I mentioned, she is in the field today and I'm not sure what her field exam schedule looks like for next week but her email is kerrie.mathews@idwr.idaho.gov and phone number is (208) 525-7161.

Steven Visosky
Water Resource Agent
Idaho Department of Water Resources
322 E Front St
PO Box 83720
Boise ID 83720-0098
Phone (208) 287-4933
Fax (208) 287-6700
steven.visosky@idwr.idaho.gov



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

August 3, 2015

CORP OF PRESIDING BISHOP OF THE
CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS
50 EAST NORTH TEMPLE STREET 12TH FLOOR
SALT LAKE CITY UT 84150-0012

Notice of Intent to Void Permit

RE: Water Appropriation Permit No. 63-33698

Ladies and Gentlemen,

The Department of Water Resources (IDWR) issued the above permit for irrigation of 2.5 acres with a diversion rate of 0.30 cfs from ground water. This permit was issued with the following conditions:

The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.

And

If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.

On July 28, 2015, IDWR staff met with Rob Buchanan at the property described in the permit. During the field visit, IDWR staff discovered that surface water use was no longer being used on the property. Therefore, this permit cannot be licensed per the conditions shown above.

The surface water right for this property is a portion of 63-199A, which appears to be a private surface water right that is delivered from the Boise River through the Settlers Irrigation District conveyance system. You have not changed this private water right into your name, so we have included a change of ownership form for you to change this portion of water right 63-199A into your name.

There may be a chance to continue with the licensing of this permit if you can provide proof that you own a portion of water right 63-199A and can provide written documentation that you can leave this water right in the Boise River to mitigate the ground water use for this permit. You will need to make a formal request to the IDWR to change your portion of the water right 63-199A with confirmation from Settlers Irrigation District that you have full authority to leave this right in the river and no longer diverted it through the conveyance system.

The final step in the water appropriation process is the issuance of a Water Right License. By issuing a license, IDWR recognizes that you have met the requirements for establishing a water right. A water appropriation permit authorizes development of a water right within a specific time frame. Under Permit 63-33698, development of the well required to continue to use your portion of water right 63-199A to irrigate the property.

Unless you supply information within thirty days demonstrating that you have irrigated the property using surface water between March 22, 2013 and February 6, 2014 in conjunction with the ground water, or you provide the needed written documentation to change your portion of 63-199A to a mitigation right, **I will take action to void your permit within 30 days or by September 2, 2015.** If you are no longer interested in your permit, you can shorten the voiding process by signing and returning the enclosed relinquishment form.

If you have any questions in regard to this matter, please do not hesitate to contact me.

Sincerely,



Steven Visosky
Water Resource Agent
Idaho Department of Water Resources
Telephone # (208) 287-4933
Fax (208) 287-6700 (C/O Steven Visosky)
Email steven.visosky@idwr.idaho.gov

Enclosure – Relinquishment of Permit Form
Change of Ownership Form
Computer Generated Copy of Water Right 63-199A

Copy –

EAGLE FM GROUP CPB OF THE LDS CHURCH
ATTN ROB BUCHANAN
PO BOX 609
EAGLE ID 83616



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

July 15, 2015

EAGLE FM GROUP CPB OF THE LDS CHURCH
ATTN ROB BUCHANAN
PO BOX 609
EAGLE ID 83616

RE: Scheduling Field Exam for Water Right Permit No. 63-33698

Dear Rob Buchanan:

We would like to schedule a time to conduct a water right licensing examination of the above-referenced permit as soon as possible. An examination is needed to verify the water use in order to issue a water right license. The above-referenced permit authorizes the irrigation of 2.5 acres in Ada County.

Our records indicate that the current water right permit owner is Eagle FM Group CPB of the LDS Church. We have left messages on two occasions at the telephone number listed (208-939-2108) on the Proof of Beneficial Use that was submitted on 2/20/2014.

A water right permit is personal property of the permit owner. It remains personal property unless it is assigned to a new owner or it is licensed to the property. **Please call me within 14 days at 208-287-4933 to schedule an exam appointment.** If there is a problem with scheduling, conducting the examination, or if you have any questions please call and other arrangements can be made. I appreciate your attention to this matter and I look forward to hearing from you.

Sincerely,

Steven Visosky
Water Resource Agent