

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 1-10637

Priority: July 23, 2015

Maximum Diversion Rate: 4.00 CFS

This is to certify, that CITY OF IDAHO FALLS
C/O HOLDEN KIDWELL HAHN CRAPO
PO BOX 50130
IDAHO FALLS ID 83405

has applied for a permit to appropriate water from:

Source: SNAKE RIVER

Tributary: COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
RECREATION STORAGE	01/01 to 12/31		21.0 AF
AESTHETIC STORAGE	01/01 to 12/31		21.0 AF
WILDLIFE STORAGE	01/01 to 12/31		21.0 AF
RECREATION	01/01 to 12/31	4.00 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SNAKE RIVER Lot 8 Sec. 35 Twp 02N Rge 37E, B.M. BONNEVILLE County

PLACE OF USE: RECREATION STORAGE, AESTHETIC STORAGE, WILDLIFE STORAGE and RECREATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 37E 35		X															

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **November 01, 2020**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 1.
5. Use of water under this right shall be non-consumptive.
6. The ponds established by the storage of water under this right shall not exceed a total capacity of 21 acre-feet or a total surface area of 3.2 acres.
7. The right holder shall install and maintain an impermeable liner in the ponds to eliminate seepage losses.

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 1-10637

8. The 21 acre-feet to be used for the initial filling or carryover storage of the ponds and 6.1 acre-feet for the replacement of losses caused by evaporation must be supplied by other water rights.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 9th day of October, 2015.


for GARY SPACKMAN
Director

