

IDAHO DEPARTMENT OF WATER RESOURCES
Water Right 75-14812

10/14/2015

Owner Type **Name and Address**
 Current Owner JOIE LYNN MALPASS
 1549 E NAPA ST
 SONOMA, CA 95476

Original Owner BILL GATTUNG
 88 LOIS LN
 SALMON, ID 83467
 (208)756-3704

Priority Date: 5/30/1992

Basis: License

Status: Active

Source
 GATTUNG SLOUGH

Tributary
 SALMON RIVER

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	04/01	10/31	0.400 CFS	
	<u>Total Diversion</u>		0.400 CFS	

Source and Point(s) of Diversion

GATTUNG SLOUGH L1(SESE) Sec. 12, Twp 20N, Rge 21E, LEMHI County

Place Of Use

IRRIGATION within LEMHI County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
20N	21E	12													1.0				1.0
20N	22E	7									2.1	15.0							17.1
											L9	L3							

POU Total Acres: 18.1

Conditions of Approval:

1. 198 When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
2. R63 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
3. X35 Rights 75-14809 and 75-14812 when combined shall not exceed a total diversion rate of 0.75 cfs, a total annual maximum diversion volume of 131.3 af at the field headgate, and the irrigation of 37.5 acres.
4. U42 Place of use does not include federal public lands.
5. 196 The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit

IDAHO DEPARTMENT OF WATER RESOURCES
Water Right 75-14812

10/14/2015

- shall be at least fifteen times the diameter of the conduit and shall be above ground or otherwise easily accessible.
6. 197 Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
7. X35 Rights 75-4062, 75-7588 and 75-14812 when combined shall not exceed the irrigation of 473 acres.

Comments:

1. jhersley 10/14/2015 split right
This right is the result of split from 75-7588 due to change in ownership.
2. jhersley 10/14/2015 POD
Updated Shape
3. jhersley 10/14/2015 POU
Updated Shape

Dates and Other Information

Licensed Date: 10/13/2015
Generic Max Rate Per Acre: 0.020
Generic Max Volume Per Acre: 3.5
Mitigation Plan: False

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A