

RECEIVED

AUG 21 2015

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. 63-34136

RECEIVED *

SEP 23 2015

WATER RESOURCES
WESTERN REGION *

1. Name of applicant(s)
- Riverstone International School

Name connector (check one): ☐ and ☐ or ☐ and/orMailing address 5521 E. Warm Springs AveCity BoiseState ID Zip 83716Email bcarignan@riverstoneschool.org

2. Source of water supply
- ground water

which is a tributary of n/a

3. Location of point(s) of diversion:

*CONTACT SCOTT PETERSON (347) 200-0494 WITH ANY QUESTIONS

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
03N	03E	29		NE	SE		Ada	ground water well	tbd
					NE	SE	<u>MAC</u>		

4. Water will be used for the following purposes:

Amount 0.09 for Irrigation purposes from 03/01 to 11/15 (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

5. Total quantity to be appropriated is (a)
- 0.09
- cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. Ground Water Well cased with .250 steel and sealed with Bentonite; The proposed water bearing zone is 60 to 100 feet.b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ Noc. Proposed well diameter is 8 in. inches; proposed depth of well is 100 feet.d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? _____; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; complete and attach the Municipal Water Right Application Checklist.

d. Domestic; show number of households _____

e. Other; describe fully. _____

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.
See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	03E	29				3.6									3.6				3.6
03N	03E	29															GL1	2.2	2.2
03N	03E	28							0.2				0.2						0.2

Total number of acres to be irrigated: 6.0

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

No other water rights

10. a. Who owns the property at the point of diversion? Riverstone international School
- b. Who owns the land to be irrigated or place of use? Riverstone International School
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Riverstone International School hereby applies for a permit to develop a source of water for irrigation of grass landscaping and playing fields. The source would be a ground water well. Concomitant with this application we have received approval from the Boise City Canal Company to purchase 6 shares of the company's stock which will allow for the irrigation of 6 acres of land. Attached hereto is a Mitigation Plan submitted by the BCCC which provides for the idling of 6 acres of land and leaving of 0.09 cfs of water un-diverted in the Boise River.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Signature of Applicant

Bob Carignan, Head of School, Riverstone Int'l School

Print Name (and title, if applicable)

Print Name (and title, if applicable)

Received by

Date

For Department Use:

Time


Preliminary check by

Fee \$

Receipted by

Receipt No.

Date



RECEIVED**AUG 21 2015**WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of IdahoSUPERCEDED BY
AMENDED APPLICATION
RELIEVED 9-23-2015

1. Name of applicant(s) Riverstone International School Phone 208-424-5000 *
- Name connector (check one): ☐ and ☐ or ☐ and/or
- Mailing address 5521 E. Warm Springs Ave City Boise
- State ID Zip 83716 Email bcarignan@riverstoneschool.org
2. Source of water supply ground water which is a tributary of n/a
3. Location of point(s) of diversion: CONTACT SCOTT PETERSON (347) 2010-0494 WITH ANY QUESTIONS

TWP	RGE	SEC	Govt Lot	¼	¼	¼	County	Source	Local name or tag #
03N	03E	29		NE	SE		Ada	ground water well	tbd
					NE	SE			

4. Water will be used for the following purposes:
- Amount 0.09 for Irrigation purposes from 03/01 to 11/15 (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) 0.09 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Ground Water Well cased with .250 steel and sealed with Bentonite; The proposed water bearing zone is 60 to 100 feet.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 8 in. inches; proposed depth of well is 100 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? _____; drilling firm _____;
well was drilled for (well owner) _____; Drilling Permit No. _____.
7. Description of proposed uses (if irrigation only, go to item 8):
- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households _____
- e. Other; describe fully. _____

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.
See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	03E	29				3.6													3.6
03N	03E	29															GL1	2.2	2.2
03N	03E	28							0.2										0.2

Total number of acres to be irrigated: 6.0

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

No other water rights

10. a. Who owns the property at the point of diversion? Riverstone international School
- b. Who owns the land to be irrigated or place of use? Riverstone International School
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Riverstone International School hereby applies for a permit to develop a source of water for irrigation of grass landscaping and playing fields. The source would be a ground water well. Concomitant with this application we have received approval from the Boise City Canal Company to purchase 6 shares of the company's stock which will allow for the irrigation of 6 acres of land. Attached hereto is a Mitigation Plan submitted by the BCCC which provides for the idling of 6 acres of land and leaving of 0.09 cfs of water un-diverted in the Boise River.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Signature of Applicant

Bob Carignan, Head of School, Riverstone Int'l School

Print Name (and title, if applicable)

Print Name (and title, if applicable)

For Department Use:

Received by [Signature] Date 8/21/15 Time 2:20 Preliminary check by [Signature]
Fee \$ 100.00 Received by [Signature] Receipt No. W043429 Date 8/21/15

**PROPOSED MITIGATION PLAN FOR THE WATER RIGHT PERMIT APPLICATION TO BE
SUBMITTED BY THE RIVERSTONE INTERNATIONAL SCHOOL**

To the Idaho Department of Water Resources (IDWR):

The Boise City Canal Company ("Company") agrees to provide 6 shares under its 1866 Water Right No. 63-20041 to mitigate use of the above referenced application. One share of the Company water right equals $\frac{1}{4}$ of a miner's inch, or 0.015 cfs, per acre.

The Company agrees to this mitigation plan as follows:

The 6 mitigation shares that will irrigate the proposed place of use in the Permit Application submitted herewith by the Riverstone International School ("Riverstone Application") will remain un-diverted in the Boise River.

The 1866 Water Right No. 63-20041 held by the Company provides water to the Company's place of use. Mitigation will be provided by idling 6 acres under that right and will be recorded as such.

The applicant and any successors in interest for the application place of use will pay the Company for the mitigation shares every year.

IF IDWR approves the Riverstone Application and this mitigation plan, the Company understands IDWR will change the description of the unused shares from irrigation to mitigation for water right 63-20041. This will protect the unused shares from forfeiture according to I. C. §42-223(10).

To the extent development proposed in the Riverstone Application is not developed, the Company understands this process is reversible by contacting IDWR with appropriate information for water and acres set aside for mitigation to be restored to irrigation use.

Signature: _____

Alan Heimbach

Title: _____

President

Date: _____

Aug 20, 2015

Close

IDAHO DEPARTMENT OF WATER RESOURCES
Water Right Report

5/29/2015

WATER RIGHT NO. 63-20041

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	BOISE CITY CANAL CO PO BOX 2157 BOISE, ID 83701-2157 (208)342-6872

Priority Date: 06/01/1866

Basis: Decreed

Status: Active

<u>Source</u>	<u>Tributary</u>
BOISE RIVER	SNAKE RIVER

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	03/01	11/15	29.34 CFS	
STOCKWATER	03/01	11/15	0.17 CFS	
MUNICIPAL	03/01	11/15	0.68 CFS	
AESTHETIC	03/01	11/15	6.35 CFS	
AESTHETIC STORAGE	03/01	11/15		46.44 AFA
DIVERSION TO STORAGE	03/01	11/15	6.35 CFS	
Total Diversion			36.37 CFS	

Location of Point(s) of Diversion:

BOISE RIVER	SENE	Sec. 14	Township 03N	Range 02E	ADA County
BOISE RIVER	NWNE Lt 1	Sec. 24	Township 03N	Range 02E	ADA County

Place(s) of use: Large POU Info

Conditions of Approval:

1. S45 Diversion for irrigation, stockwater, and municipal under this water right prior to April 1 and after October 31 shall occur only as authorized by the Water District 63 Water Master and only when water is being released for flood control by the United States from the Lucky Peak Dam outlet under procedures and requirements for the Memorandum of Agreement between the U.S. Department of the Army and the U.S. Department of the Interior for Flood Control Operations of the Boise River Reservoirs, dated November 20, 1953, the Water Control Manual for Boise River Reservoir dated April 1985 and any future amendments or revisions made thereto pursuant to state or federal procedures or law; provided that any such use of this water right prior to April 1 and after October 31 shall be subordinated to water rights for storage in Lucky Peak Reservoir, Lake Lowell, Arrowrock Reservoir, and/or Anderson Ranch Reservoir, as decreed in SRBA Case No. 39576.
2. RIGHT 63-31937 IS ALSO DIVERTED THROUGH THE POINT OF DIVERSION DESCRIBED ABOVE AS T03N, R02E, S24, NWNE, LOT 1.
3. THE STOCKWATER COMPONENT IS INCIDENTAL TO THE IRRIGATION COMPONENT
4. C04 RIGHT INCLUDES ACCOMPLISHED CHANGE IN PURPOSE OF USE PURSUANT TO SECTION 42-1425, IDAHO CODE.
5. K06 THIS RIGHT IS LIMITED TO THE IRRIGATION OF 1467 ACRES WITHIN THE BOUNDARY OF THE BOISE CITY CANAL COMPANY
6. P29 THIS RIGHT IS A COMBINATION OF OLD RIGHT NOS. 63-165K AND 63-165L
The boundary encompassing the place of use for this water right is described with a digital boundary as defined by I.C. Section 42-202B(2) and authorized pursuant to I.C. Section 42-1411(2)(h). The data comprising the digital boundary are incorporated herein by reference and are stored on a CD-ROM disk issued in duplicate originals on file with the SRBA District Court and the Idaho Department of Water Resources. A map depicting the irrigation place of use is attached hereto to illustrate the place of use described by the digital boundary.
7. 135
8. F01 WATER IS DELIVERED THROUGH THE BOISE CITY CANAL
This right shall receive 100 percent of its decreed quantity until the natural flow of the waters of the Boise River shall decrease so that all rights containing this condition cannot receive 100 percent of their decreed quantities, at which time this right and the other rights containing this condition shall first be cut to 75 percent of their decreed quantities, as the natural flow of the river decreases, beginning with the latest rights containing this condition and preceding to the earliest rights containing this condition in the order of their priority dates, and after all of the rights containing this condition shall have been reduced to 75 percent of their decreed quantities, should the natural flow of the waters of the river decrease below the amount necessary to supply 75 percent of those decreed quantities, then this right and the other rights containing this condition, beginning with the latest and preceding to the earliest, shall be reduced to 60 percent of their decreed quantities.
9. 155
10. THE AESTHETIC COMPONENTS OF THIS RIGHT ARE LIMITED TO AND CONDITIONED UPON THE CONTINUED EXISTENCE OF THE PONDS AT WARM SPRINGS GOLF COURSE LOCATED IN T03N, R02E, SEC 13, SWNW, SESW; THE POND AT JULIA DAVIS PARK LOCATED IN T03N, R02E, SEC 10, SESE, NWSE, SWSE, SESW; THE VETERANS PARK SLOUGH POND LOCATED IN T04N, R02E, SEC 32, NESE, SESE, SWSE. THE AESTHETIC COMPONENT DIVERSION RATE OF 6.35 CFS IS FOR THE FLOW OF WATER THROUGH THE PONDS DESCRIBED ABOVE WHEN THE PONDS ARE FULL AND THIS COMPONENT IS CONDITIONED UPON THE EXISTENCE OF

- THE PONDS DESCRIBED ABOVE.
11. THE MUNICIPAL COMPONENT IS USED WITHIN THE SERVICE AREA OF UNITED WATER
12. C18 This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.
13. During March and November 1 through November 15 water may be diverted for aesthetic use at Julia Davis Pond or into storage for later use at the Pond. If during those periods measured or calculated Boise River Flows at the point of diversion are less than 240 cfs, (1) diversion of water under this right shall be limited to 1 cfs and (2) the total volume diverted shall be limited to 25 acre feet during March, and 12.5 acre feet from November 1 through November 15. Measured or calculated Boise River flows at the point of diversion shall be based on gauged Lucky Peak Dam discharge minus the gauged diversion to the New York Canal.
14. SD1 This right originated as all or part of right no. 33 in the Stewart Decree and the historic Boise River Water Masters records.

Dates:

Licensed Date:

Decreed Date: 05/01/2012

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

Water Supply Bank Enrollment Date Accepted:

Water Supply Bank Enrollment Date Removed:

Application Received Date:

Protest Deadline Date:

Number of Protests: 0

Other Information:

State or Federal: S

Owner Name Connector: Or

Water District Number: 63

Generic Max Rate per Acre:

Generic Max Volume per Acre:

Civil Case Number:

Old Case Number:

Decree Plaintiff:

Decree Defendant:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Cary Act Number:

Mitigation Plan: False

Close

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

854711

1. WELL TAG NO. D 0053463

Drilling Permit No. 907137-854711

Water right or injection well # 63-2566

2. OWNER

Name Independent School District of Boise City

Address 400 West Fort Street

City Boise State ID Zip 83702

3. WELL LOCATION:

Twp. 3 North ☒ or South ☐ Rge. 3 East ☒ or West ☐

Sec. 28 SW 1/4 NW 1/4 SW 1/4
10 acres 40 acres 160 acres

Gov't Lot County Ada

Lat. 43° 33.893' (Deg. and Decimal minutes)

Long. 116° 06.759' (Deg. and Decimal minutes)

Address of Well Site New East Jr. High School on E. Warm Springs

Ave. (East Hwy 21) Across from City Boise

State of Idaho name of road Distance to Road or Landmark Harris Ranch Sub.

Lot. Blk. Sub. Name

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation ☐ Thermal ☐ Injection
☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Replacement well ☐ Modify existing well

☐ Abandonment ☐ Other

6. DRILL METHOD:

☐ Air Rotary ☒ Mud Rotary ☐ Cable ☐ Other

7. SEALING PROCEDURES

Seal material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method/procedure
Bentonite	0	40	2 1/4 CY	Overbore
Bentonite	95	100	.25 CY	Overbore

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
8"	+2'	60'	.322	Steel	☒	☐	☐	☒

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s)

9. PERFORATIONS/SCREENS:

Perforations ☐ Y ☒ N Method

Manufactured screen ☒ Y ☐ N Type Stainless Steel

Method of installation

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
60'	90'	.040		8"	SS	

Length of Headpipe Length of Tailpipe

Packer ☐ Y ☒ N Type

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method
-----------------	-----------	---------	-----------------------	------------------

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG)

Describe control device

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 20 ft. Static water level (ft) 20 ft.

Water temp. (°F) Bottom hole temp. (°F)

Describe access port 1/4" Steel Plate

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)
187 ft.	180 gpm	6 Hrs.
160 ft.	150 gpm	8 Hrs.
180 ft.	100 gpm	5 Hrs.

Test method:

Pump	Bailer	Air	Flowing artesian
☒	☐	☐	☐

Water Quality test or comments:

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water Y	N
16"	0	2	Top Soil		X
16"	2	7	Hard Pan		X
16"	7	32	Gravel	X	
16"	32	38	Sandy Gravel	X	
16"	38	42	Cemented Gravel	X	
16"	42	48	Granite Boulder	X	
16"	48	58	Cemented Gravel	X	
12"	58	91	Cemented Gravel	X	
12"	91	127	Reddish Clay imbedded Fine Brown Sand		X
12"	127	150	Grayish Clay w/ Some Fine Brown Sand		X

RECEIVED

SCANNED

MAR 02 2009

MAR 04 2009

WATER RESOURCES
WESTERN REGION

Completed Depth (Measurable) 92 ft.

Date: Started 1-26-09 Completed 2-19-09

14. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Treasure Valley Drilling Co. No. 560

*Principal Driller Date 2-26-09


*Driller Date

*Operator II Date

Operator I Date

* Signature of Principal Driller and rig operator are required.

NEW WELL WILL BE SIMILAR CONSTRUCTION (IN SIMILAR FORMATION).



Adamson Pump & Drilling, Inc.

Pumps • *Dave Adamson* • Wells

1320 Smith Avenue • Nampa, ID 83651

208-466-6439 • Fax 208-466-0008

Date: 6/4/15

Name: **Scott Peterson** Address: **Riverstone International School**
 Phone: **347-206-0494** Cell: Email: **scott.peterson@mac.com**
 Legal Description: T: R: S: 1/4 1/4 Fax:

Water Well:
 Feet 100 @ \$ 48.00
 Feet 100 @ \$ 34.00
 Drive Shoe
 Stainless Steel Screen 10' of 5"
 Liner Blank
Screen

Well Cap:
 Bentonite Surface Seal
 Drill Permit
 Misc. Supplies
Total Water Well

6" Well	8" Well
\$ 3,400.00	\$ 4,800.00
\$ 75.00	\$ 150.00
\$ 1,500.00	\$ 1,500.00
\$ 60.00	\$ 135.00
\$ 1,500.00	\$ 2,000.00
\$ 200.00	\$ 200.00
\$ 150.00	\$ 225.00
\$ 6,885.00	\$ 9,010.00

Pump: Standard Pump
 Fire Suppression: None
 Motor: Franklin Warranty: 5 Years - Pump/Motor
 Controller: Control Box Deluxe 5 3 Years - Controls
 G.P.M. 50-65 H.P. 1.5
 Underwater Splice
 Drop Pipe 63 \$ 4.29 2" Galvanized Drop Pipe
 Water Line None \$ 1.00 1-1/4" #160 Poly
 Pump Cable 75 \$ 2.49 #8-3 w/ground
 Underground Cable None \$ 1.65 #10-3 w/ground
 Well Seal - 6 x 2 or 8 x 2
 Pitless Adaptor
 Pressure Tank
 Fittings
 Bury Hydrant
 Casing Size: 6" & 8"
 Well Depth: 100'
 Static Water: 20'

None
 None
 Check Valve & PRV Top Fittings


ELE Permit:
 PLM Permit:
 Drilling Permit:


Parts (taxable)	\$ 3,949.00
Labor	\$ 550.00
Winch Truck	\$ 65.00
Mileage	\$ 45.00
Plumbing Permit	
Electrical Permit	
Misc. Supplies	\$ 236.00
Total Pump System:	\$ 4,845.00


Notes:
 Discharge out the top of the well. Leave the control box for the electrician. Sprinkler hook-up to top of well.


Estimate good for 30 days. Thank-you for your business!

Please Note: Well depth and material quantities are estimated. Billing will reflect actual quantities installed.









Neely, Rachel

From: Neely, Rachel
Sent: Friday, October 09, 2015 11:23 AM
To: 'LEGALS@IDAHOSTATESMAN.COM'
Subject: Ada Legal Ad
Attachments: Ada Cover Letter.docx; Ada Legal Ad.docx

Good Afternoon Legal Clerk,

Please see the attached ads for publication on 10/15/15 & 10/22/15.

Please confirm these are okay to publish as shown.

Thank you,

Rachel Neely

Administrative Assistant I
IDWR-Western Region
2735 Airport Way Boise, ID 83705
Rachel.Neely@idwr.idaho.gov

October 9, 2015

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application for Permit No. 63-34130
 Application for Permit No. 63-34055
 Application for Permit No. 63-34131
 Application for Permit No. 63-34136
 Application for Permit No. 63-34036
 Application for Permit No. 63-34126
 Application for Permit No. 63-34135

Dear Legal Notice Department:

Please publish the enclosed legal notices on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notices on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 11/2/2015. Your cooperation is appreciated.

Sincerely,

Rachel Neely
Administrative Assistant

Enclosure(s)

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-34130

EAGLE MF PARTNERS LLC
6016 S RUBY RIDGE COVE
SALT LAKE CITY, UT 84121
Point of Diversion NWSE S7 T04N R01E ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 0.14 CFS
Total Diversion: 0.14 CFS
Date Filed: 8/12/2015
Place of Use: IRRIGATION
T04N R01E S7 NESE NWSE
Total Acres: 4.8
Water bearing zone to be appropriated is from 230 to 350 feet.

63-34055

MICHAEL CAMMANN
GWENDOLYN CAMMANN
1945 S CANONERO WAY
BOISE, ID 83709
Point of Diversion SENW S22 T03N R01E ADA County Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.02 CFS
Use: IRRIGATION 03/01 to 11/15 0.03 CFS
Total Diversion: 0.05 CFS
Date Filed: 3/9/2015
Place of Use: IRRIGATION, DOMESTIC
T03N R01E S22 SENW
Total Acres: 1.1
Water bearing zone to be appropriated is from 20 to 89 feet.

63-34131

MICHAEL CAMMANN
GWENDOLYN CAMMANN
1945 S CANONERO WAY
BOISE, ID 83709
Point of Diversion SENW S22 T03N R01E ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 0.12 CFS
Total Diversion: 0.12 CFS
Date Filed: 8/12/2015
Place of Use: IRRIGATION
T03N R01E S22 SENW
Total Acres: 4
Water bearing zone to be appropriated is from 75 to 200 feet.

63-34136

RIVERSTONE INTERNATIONAL SCHOOL
5521 E WARM SPRINGS AVE
BOISE, ID 83716
Point of Diversion NESE S29 T03N R03E ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 0.09 CFS
Total Diversion: 0.09 CFS
Date Filed: 8/21/2015
Place of Use: IRRIGATION
T03N R03E S28 NWSW
T03N R03E S29 NESE L1(SESE)
Total Acres: 6
Mitigation is proposed for consumptive use.
Water bearing zone to be appropriated is from 60 to 100 feet.

63-34036

LILY COLLIAS
JAMES GATZIOLIS
STEPHANOS COLLIAS
3811 W CLEMENT RD
BOISE, ID 83704
(2) Points of Diversion SENE S1 T01N R01E ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 1.56 CFS
Total Diversion: 1.56 CFS
Date Filed: 2/5/2015
Place of Use: IRRIGATION

T01N R01E S1 L2(NWNE) SESE

Total Acres: 78

Water bearing zone to be appropriated is from 300 to 600 feet.

63-34126

CITY OF MERIDIAN

33 E BROADWAY AVE

MERIDIAN, ID 83642

Point of Diversion SENW S33 T03N R01E ADA County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 0.44 CFS

Total Diversion: 0.44 CFS

Date Filed: 8/3/2015

Place of Use: IRRIGATION

T03N R01E S33 NENW SENW

Total Acres: 24

Water bearing zone to be appropriated is from 100 to 300 feet.

Applicant proposes irrigation of 22 acres within the place of use described.

63-34135

BRIGHTON DEVELOPMENT INC

12601 W EXPLORER DR STE 220

BOISE, ID 83713

Point of Diversion SWNW S33 T03N R01E ADA County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 1.6 CFS

Total Diversion: 1.6 CFS

Date Filed: 8/17/2015

Place of Use: IRRIGATION

T03N R01E S33 SWNW SENW NESW NWSW NWSE

Total Acres: 172

Water bearing zone to be appropriated is from 50 to 425 feet.

Applicant proposes irrigation of 80 acres within the place of use described.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), please see www.idwr.idaho.gov/WaterManagement/WaterRights. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 11/02/2015. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 10/15/2015 and 10/22/2015



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

October 9, 2015

RIVERSIDE INTERNATIONAL SCHOOL
BOB CARIGNAN
5521 E WARMSPRINGS AVE
BOISE, ID 83716

Application for Permit No. 63-34136

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN on 10/15/2015 and 10/22/2015. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in black ink, appearing to read 'Rachel Neely', is written over a horizontal line.

Rachel Neely
Administrative Assistant



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

September 16, 2015

RIVERSTONE INTERNATIONAL SCHOOL
BOB CARIGNAN
5521 E WARM SPRINGS AVE
BOISE ID 83716

COPY

RE: Amendment Required for Application for Permit 63-34136

Dear Applicant,

On August 21, 2015, you filed an application for permit to appropriate water for irrigation use in Section 29 and 28, Township 3 North, Range 3 East of Ada County. After review of the application, errors were found in the legal descriptions for Place of Use and Point of Diversion. It appears that the Quarter-Quarter descriptions were recorded in reverse. For your convenience, I have printed an amended application for permit with the accurate legal description of the proposed irrigation use on school property. Carefully review the information I have provided. If you concur with these changes, initial each change acknowledging you concur with the changes and return the application to my office.

Please initial and return the application for the application to be processed. You may seek additional time to provide the information by making a written request to interrupt processing for up to six months. The application will be voided without a timely written reply within the next thirty (30) days. Refunds are not issued for voided applications.

IDWR forms and other information are available on the Internet at www.idwr.idaho.gov.

Please contact me at 208-334-2190 if you need more information. Thank you for your attention to these matters.

Respectfully,

Patrick Kelly
Water Resource Agent

Enclosure(s): Amended water right application 63-34136, map of property



RIVERSTONE
INTERNATIONAL SCHOOL

Inspiring the Journey



RECEIVED

SEP 08 2015

WATER RESOURCES
WESTERN REGION

Ms. Angie Grimm
Idaho Department of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705

September 1, 2015

Dear Ms. Grimm,

Riverstone International School recently submitted an Application for Permit to obtain irrigation water through a Mitigation Plan submitted by Boise City Canal Company. Once the application is approved, we plan to purchase shares from BCCC related to their Water Right No. 63-20041. I am writing today to request that our application process be expedited.

The reason for this request is for that it is essential that we begin to water our playing fields prior to the start of the Spring sports season to provide the safest possible environment for our students (Pre-School through grade 12). Without our irrigation water source (proposed well) in place, it would be cost prohibitive to irrigate the fields properly using domestic water.

The Water Rights underlying the shares we have agreed to purchase from BCCC allow for irrigation to begin on March 1st. We have spoken with our well-driller and tentatively booked space on their drilling schedule (subject to Permit Approval). They have said that in order to meet our timeframe, it would be best if our Application for Permit was approved by January 31, 2016, at the latest.

The reason we have found ourselves in this position when, as you know we intended to submit our Application in June, is that the approval process at BCCC took much longer than we were led to believe. The Mitigation Plan and Sale of BCCC shares requires board approval and although the board approved our request in principle at their June meeting, certain members had technical questions they wanted answered prior to formal approval. The BCCC board only meets once a month and with questions and follow-up questions it unexpectedly took until the end of August to receive the required approvals.

I thank you for your consideration in advance. Please do not hesitate to call me if you have any questions.

Bob Carignan, M.Ed.

Head of School
College Counseling
(208) 473-0056
bcarignan@riverstoneschool.org