

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 11-07813

Priority: June 25, 2015

Maximum Diversion Rate: 0.04 CFS

This is to certify, that DARYL WOOLSTENHULME And/Or
RUTH WOOLSTENHULME
725 SAWMILL ROAD
OVID ID 83254

has applied for a permit to appropriate water from:

Source: SPRING

Tributary: SNYDER CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

SPRING L1 (NW¼NW¼) Sec. 30 Twp 12S Rge 43E, B.M. BEAR LAKE County

PLACE OF USE: DOMESTIC and STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
12S 43E 30						X											
						L1											

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **November 01, 2016**.
2. Subject to all prior water rights.
3. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
4. The domestic use authorized under this right shall not exceed 13,000 gallons per day.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 7th day of October, 2015.



for GARY SPACKMAN

Director