

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 22-13448

RECEIVED
SEP 14 2015
Department of Water Resources
Eastern Region

Date of Priority: November 25, 2005

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume: 1.2 AF

Comes now MATT GERMINO
1114 N 21ST ST
BOISE ID 83702

and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 22-13448, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.05 CFS	1.2 AF


LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER L2 (NW1/4NE1/4) Sec. 2, Twp 06N, Rge 45E, B.M.
TETON County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N	45E	2			X														
					L2														

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 11 day of Sept, 2005.


(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 22-13448

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 100 Received by SC # ED41443 Date _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, GARY SPACKMAN, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 22-13448 with the following:


CONDITIONS OF APPROVAL

1. Domestic use is for 1 home.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
3. The domestic use authorized under this right shall not exceed 13,000 gallons per day.


Witness my hand this 25th day of September, 2015.


for GARY SPACKMAN
Director

State of Idaho
Department of Water Resources
Water Right License
22-13448



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters





State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region • 900 North Skyline Drive, Suite A • Idaho Falls, ID 83402-1718
Phone: (208) 525-7161 • Fax: (208) 525-7177 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

09/1/2015

MATT GERMINO
1114 N 21ST ST
BOISE ID 83702

RE: Water Right Permit No. 22-13448 Final Notice

Dear Permit Holder(s):

On June 24, 2015 the Department of Water Resources sent you an Amendment of Permit for water right 22-13488 and requested that the amendment be signed and returned within 14 days. The Department has not received the amendment and, therefore cannot move forward and issue a license for the water right. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

☒ **Point(s) of Diversion**

☒ **Place(s) of Use**

☐ **Other**

Enclosed please find another Application for Amendment form which depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$100.00 filing fee by September 15, 2015. If we do not receive the Amendment of Permit by the date mentioned above, then we will take the steps needed to void the permit.

If you have any questions, please call me at (208) 525-7161.

Sincerely,

Blake Jordan
Sr. Water Resource Agent

Enclosure(s)