

RECEIVED

JUL 16 2015

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of IdahoIdent. No. 103-34115

1. Name of applicant(s) Davia Scaggs Phone 208-371-4039
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 9408 W. Burnett Dr. City Boise
 State ID Zip 83709 Email dscaggs@cableone.net
2. Source of water supply Ground Water which is a tributary of N/A
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
3N	1E	26			NW	NE	Ada	Ground Water	New Well

4. Water will be used for the following purposes:
 Amount .05 for Irrigation purposes from 3/1 to 11/15 (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) .05 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. 5 HP in new well
- b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total reservoir capacity N/A acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No
- c. Proposed well diameter is 4-8 inches; proposed depth of well is 300 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? N/A; drilling firm N/A;
 well was drilled for (well owner) N/A; Drilling Permit No. N/A
7. Description of proposed uses (if irrigation only, go to item 8):
- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households _____
- e. Other; describe fully. _____

8. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.
See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	1E	26		1.5															1.5

Total number of acres to be irrigated: 1.5

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

New York Irrigation District. We currently do not have any way to use this water from NYID

10. a. Who owns the property at the point of diversion? DAVID Scaggs

b. Who owns the land to be irrigated or place of use? DAVID Scaggs

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:
N/A

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

We would like to drill a new well and Pressurize with a pump system to sprinkle our property.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Signature of Applicant

David Scaggs
Print Name (and title, if applicable)

Print Name (and title, if applicable)

Received by [Signature] Date 7/16/15 Time 3:30 Preliminary check by [Signature]
Fee \$ 100.00 Received by [Signature] Receipt No. W043309 Date 7/16/15

Scaggs
9408 W Burnett Dr



63-34115

Neely, Rachel

From: Neely, Rachel
Sent: Wednesday, September 23, 2015 4:08 PM
To: 'LEGALS@IDAHOSTATESMAN.COM'
Subject: Ada Legal Ad
Attachments: Ada Cover Letter.docx; Ada Legal Ad (Autosaved).docx

Good Afternoon Legal Clerk,

Please see the attached ads for publication on 10/1/15 & 10/8/15.

Please confirm these are okay to publish as shown.

Thank you,

Rachel Neely

Administrative Assistant I
IDWR-Western Region
2735 Airport Way Boise, ID 83705
Rachel.Neely@idwr.idaho.gov

September 23, 2015

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application for Permit No. 63-34095
 Application for Permit No. 63-34141
 Application for Permit No. 63-34113
 Application for Permit No. 63-34112
 Application for Permit No. 63-34111
 Application for Permit No. 63-34110
 Application for Permit No. 63-34046
 Application for Permit No. 63-34115
 Application for Amendment of Permit No. 63-33845

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 10/19/2015. Your cooperation is appreciated.

Sincerely,

Rachel Neely
Administrative Assistant

Enclosure(s)

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-34095

STEVE WOODARD
ELLEN WOODARD
4795 N HARTLEY RD
EAGLE, ID 83616
(2) Points of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 0.18 CFS
Total Diversion: 0.18 CFS
Date Filed: 6/4/2015
Place of Use: IRRIGATION
T05N R01W S34 NWNE
Total Acres: 9
Water bearing zone to be appropriated is from 275 to 375 feet.

63-34141

TES FARMS LLC
7551 S FLAT LN
KUNA, ID 83634
Point of Diversion NWSE S16 T01N R01E ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 1.6 CFS
Total Diversion: 1.6 CFS
Date Filed: 9/17/2015
Place of Use: IRRIGATION
T01N R01E S16 NESE NWSE
Total Acres: 80
Water bearing zone to be appropriated is from 250 to 400 feet.

63-34113

M3 EAGLE LLC
4222 E CAMELBACK RD STE H100
PHOENIX, AZ 85018
Point of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 03/01 to 11/15 0.12 CFS
Total Diversion: 0.16 CFS
Date Filed: 7/14/2015
Places of Use: DOMESTIC, IRRIGATION
T05N R01W S34 NWNE
Total Acres: 6
Water bearing zone to be appropriated is from 200 to 600 feet.

63-34112

M3 EAGLE LLC
4222 E CAMELBACK RD STE H100
PHOENIX, AZ 85018
Point of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 03/01 to 11/15 0.1 CFS
Total Diversion: 0.14 CFS
Date Filed: 7/14/2015
Places of Use: DOMESTIC, IRRIGATION
T05N R01W S34 NWNE
Total Acres: 5.2
Water bearing zone to be appropriated is from 200 to 600 feet.

63-34111

ROBERT J HANSON
ELSIE V HANSON
4151 N HARTLEY RD
EAGLE, ID 83616
Point of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 03/01 to 11/15 0.11 CFS
Total Diversion: 0.15 CFS
Date Filed: 7/14/2015
Places of Use: DOMESTIC, IRRIGATION
T05N R01W S34 NWNE
Total Acres: 5.4

Water bearing zone to be appropriated is from 200 to 600 feet

63-34110

ROBERT J HANSON
ELSIE V HANSON
4151 N HARTLEY RD
EAGLE, ID 83616
Point of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 03/01 to 11/15 0.12 CFS
Total Diversion: 0.16 CFS
Date Filed: 7/14/2015
Places of Use: DOMESTIC IRRIGATION
T05N R01W S34 NWNE
Total Acres: 6
Water bearing zone to be appropriated is from 200 to 600 feet.

63-34046

MELLIN PROPERTIES LTD PARTNERSHIP
10100 W FRANKLIN RD
BOISE, ID 83709-0333
Point of Diversion NESE S24 T01N R01E ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 1.6 CFS
Total Diversion: 1.6 CFS
Date Filed: 2/25/2015
Place of Use: IRRIGATION
T01N R01E S24 NESE NWSE
Total Acres: 80
Water bearing zone to be appropriated is from 225 to 600 feet.

63-34115

DAVID SCAGGS
9408 W BURNETT DR
BOISE, ID 83709
Point of Diversion NWNE S26 T03N R01E ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 0.05 CFS
Total Diversion: 0.05 CFS
Date Filed: 7/16/2015
Place of Use: IRRIGATION
T03N R01E S26 NWNE
Total Acres: 1.5
Water bearing zone to be appropriated is from 100 to 150 feet.

PROPOSED AMENDMENT OF WATER PERMIT

City of Boise, Department of Parks and Recreation of 1104 Royal Blvd, Boise, ID, 83706 filed Application No. 80390 on August 18, 2015 to amend a water permit no. 63-33845 with a 2013 priority from groundwater totaling 0.14 cfs for municipal use. The permit provides municipal water for property located at Boise Hills Park on East Club View Drive in the Boise Foothills. The applicant proposes to amend the permit to change the water bearing zone from 225-250 feet to 200-400 feet.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s) or proposed amendment(s), please see www.idwr.idaho.gov/WaterManagement/WaterRights. Protests may be submitted based on the criteria of Idaho Code §§ 42-203A and 42-211. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 10-19-15. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 10/1/2015 and 10/8/2015



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

September 23, 2015

DAVID SCAGGS
9408 W BURNETT DR
BOISE, ID 83709

Application for Permit No. 63-34115

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN on 10/1/2015 and 10/8/2015. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in black ink, appearing to read 'Rachel Neely', with a long horizontal line extending to the right.

Rachel Neely
Administrative Assistant

Sommer, Rachel

From: Dave Scaggs [dscaggs@cableone.net]
Sent: Friday, July 17, 2015 3:26 PM
To: Sommer, Rachel
Subject: Scaggs water bearing zone at 9408 w Burnett in Boise

Rachel, the water bearing zone for 9408 w Burnett drive is 100-150 feet

Dave

Sent from my iPhone