

RECEIVED

JUL 14 2015

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

**Please direct all inquiries to Ed Squires at (208) 342-8369 or ed@hydrologicinc.net.*

1. Name of applicant(s) M3 Eagle, LLC Phone Ed S. at (208) 342-8369
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 4222 E. Camelback Road, Suite H100 City Phoenix
 State AZ Zip 85018 Email Please contact Ed Squires at hli@hydrologicinc.net

2. Source of water supply Ground Water which is a tributary of N/A

3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
05N	01W	34	-	SW	NW	NE	Ada	Ground Water	Lot 2 Block 1 Well

4. Water will be used for the following purposes:

Amount 0.04 cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)

Amount 0.12 cfs for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) 0.16 cfs cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. Ground water well with installed turbine pump to charge domestic and irrigation systems.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is 8 inches; proposed depth of well is 200-to-600 feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? No.; drilling firm _____ to be determined _____;
 well was drilled for (well owner) _____; Drilling Permit No. N/A.

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; complete and attach the Municipal Water Right Application Checklist.

d. Domestic; show number of households one

e. Other; describe fully. Irrigation of Lot 2 Block 1 in the M-3 Hanson subdivision. The requested amount is based on a diversion rate of 0.02 cfs/ac for 6.0 acres.

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.
See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	01W	34		6.0															6.0
		34		D															

Total number of acres to be irrigated: 6.0

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

No other water rights apply to this property. A portion of the water (0.04 cfs) will be used for domestic household uses. The other portion (0.12 cfs) will be used to irrigate the landscaping and pasture(s).

10. a. Who owns the property at the point of diversion? M3 Eagle, LLC
- b. Who owns the land to be irrigated or place of use? M3 Eagle, LLC
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

An 8-inch well will be drilled to provide ground water for a single home subdivision lot that includes uses of water for a household and the surrounding landscaping and pasture.

Attachments include: 1) a map showing the proposed point of diversion and place of use on a 7.5-minute topographic series base map and 2) an aerial photo of the proposed point of diversion and the place of use, and 3) a subdivision plat map of the place of use and point of diversion.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

William I Brown Lee

Print Name (and title, if applicable)

Signature of Applicant


Print Name (and title, if applicable)

Received by [Signature] Date 7/14/15 Time 2:25 Preliminary check by [Signature]
Fee \$ 100⁰⁰ Received by [Signature] Receipt No. W043295 Date 7/14/15

**Vicinity Map of the Place of Use
Map (POU) and Well (POD) for
M-3 Hanson Sub. Lot 2 Block 1
7015 W. Goodale Trail Ln.**

Eagle, Idaho 83616

T. 5 N. R. 1 W. Section 34, SW¼, NW¼, NE¼



U.S. Geological Survey
7.5-min. series quads
scale 1:24,000


Hydro Logic, Inc.

Boise, Idaho
December 18, 2014

©2008 National Geographic

Figure 1.

63-34113



Situated in the northwest quarter of the northeast quarter of Section 34, Township 5 North, Range 1 West, Boise Meridian City of Eagle, Ada County, Idaho
2013

**Subdivision Plat Map for
7015 W. Goodale Trail Ln.
Eagle, Idaho 83616
T.5N, R.1W, Section 34, SW $\frac{1}{4}$, NW $\frac{1}{4}$, NE $\frac{1}{4}$**




- # Legend
- | | |
|---|---|
|  | - Boundary Line |
|  | - Lot Line |
|  | - Sectional Line |
|  | - Center Line |
|  | - Right-of-way Line |
|  | - Utility Easement Line |
|  | - Existing Canal Easement Line |
|  | - Existing Pipeline Easement Line |
|  | - Building Set Back Line |
|  | - Section Corner, Found 8/8" Rabor |
|  | - Quarter-Section Corner, Found Aluminum Cap |
|  | - Found 8/8" Rabor PLS 4998 |
|  | - Found 8/8" Rabor |
|  | - Found 8/8" Rabor, Added
Plastic Cap located "JIB 11334" |
|  | - Set 1/2"x24" Rabor, with
Plastic Cap located "JIB 11334" |
|  | - Point Not Set or Found |
|  | - Curve Number (Typical) |
|  | - Curve Number (Typical) |
|  | - Lot Number (Typical) |
|  | - PLS Number Found on Monument |

Sanitary restrictions as required by Idaho Code, Title 50, Chapter 13 have not been satisfied and are in force for the following lots:

No owner shall construct any building, dwelling, or shelter which necessitates the supplying of water or sewage facilities for persons using such premises until sanitary restriction requirements are satisfied and lifted.

Date 11/25/13



J-U-B ENGINEERS, INC.

250 South Beechwood Avenue, Suite 201, Boise, ID 83709-0944
P 208 376 7330 / 208 323 9336 W www.jub.com

Figure 3.

603-34113



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

September 28, 2015

CITY OF EAGLE
660 E CIVIC LN
PO BOX 1520
EAGLE ID 83616

Re: Application for Permits No's: 63-34113, 63-34112, 63-34111 & 63-34110

Dear Interested Party:

The above referenced applications may be of interest to you. I would like to inform you that the applications have been submitted to the *Idaho Statesman* for advertising. I have enclosed copies of the applications for your convenience. This information is also available on our website www.idwr.idaho.gov.

If you desire to file a formal protest against the approval of the any of the applications, a written protest along with the \$25.00 protest fee must be received in this office by October 19, 2015. A copy of the protest must also be sent to the applicant.

If you have any questions regarding the applications, please contact this office at 208-334-2190.

Sincerely,

Rachel Neely
Administrative Assistant
Western Regional Office

Enclosures

Neely, Rachel

From: Neely, Rachel
Sent: Wednesday, September 23, 2015 4:08 PM
To: 'LEGALS@IDAHOSTATESMAN.COM'
Subject: Ada Legal Ad
Attachments: Ada Cover Letter.docx; Ada Legal Ad (Autosaved).docx

Good Afternoon Legal Clerk,

Please see the attached ads for publication on 10/1/15 & 10/8/15.

Please confirm these are okay to publish as shown.

Thank you,

Rachel Neely

Administrative Assistant I
IDWR-Western Region
2735 Airport Way Boise, ID 83705
Rachel.Neely@idwr.idaho.gov

September 23, 2015

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application for Permit No. 63-34095
 Application for Permit No. 63-34141
 Application for Permit No. 63-34113
 Application for Permit No. 63-34112
 Application for Permit No. 63-34111
 Application for Permit No. 63-34110
 Application for Permit No. 63-34046
 Application for Permit No. 63-34115
 Application for Amendment of Permit No. 63-33845

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 10/19/2015. Your cooperation is appreciated.

Sincerely,

Rachel Neely
Administrative Assistant

Enclosure(s)

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-34095

STEVE WOODARD
ELLEN WOODARD
4795 N HARTLEY RD
EAGLE, ID 83616
(2) Points of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 0.18 CFS
Total Diversion: 0.18 CFS
Date Filed: 6/4/2015
Place of Use: IRRIGATION
T05N R01W S34 NWNE
Total Acres: 9
Water bearing zone to be appropriated is from 275 to 375 feet.

63-34141

TES FARMS LLC
7551 S FLAT LN
KUNA, ID 83634
Point of Diversion NWSE S16 T01N R01E ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 1.6 CFS
Total Diversion: 1.6 CFS
Date Filed: 9/17/2015
Place of Use: IRRIGATION
T01N R01E S16 NESE NWSE
Total Acres: 80
Water bearing zone to be appropriated is from 250 to 400 feet.

63-34113

M3 EAGLE LLC
4222 E CAMELBACK RD STE H100
PHOENIX, AZ 85018
Point of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 03/01 to 11/15 0.12 CFS
Total Diversion: 0.16 CFS
Date Filed: 7/14/2015
Places of Use: DOMESTIC, IRRIGATION
T05N R01W S34 NWNE
Total Acres: 6
Water bearing zone to be appropriated is from 200 to 600 feet.

63-34112

M3 EAGLE LLC
4222 E CAMELBACK RD STE H100
PHOENIX, AZ 85018
Point of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 03/01 to 11/15 0.1 CFS
Total Diversion: 0.14 CFS
Date Filed: 7/14/2015
Places of Use: DOMESTIC, IRRIGATION
T05N R01W S34 NWNE
Total Acres: 5.2
Water bearing zone to be appropriated is from 200 to 600 feet.

63-34111

ROBERT J HANSON
ELSIE V HANSON
4151 N HARTLEY RD
EAGLE, ID 83616
Point of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 03/01 to 11/15 0.11 CFS
Total Diversion: 0.15 CFS
Date Filed: 7/14/2015
Places of Use: DOMESTIC, IRRIGATION
T05N R01W S34 NWNE
Total Acres: 5.4

Water bearing zone to be appropriated is from 200 to 600 feet

63-34110

ROBERT J HANSON

ELSIE V HANSON

4151 N HARTLEY RD

EAGLE, ID 83616

Point of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.12 CFS

Total Diversion: 0.16 CFS

Date Filed: 7/14/2015

Places of Use: DOMESTIC IRRIGATION

T05N R01W S34 NWNE

Total Acres: 6

Water bearing zone to be appropriated is from 200 to 600 feet.

63-34046

MELLIN PROPERTIES LTD PARTNERSHIP

10100 W FRANKLIN RD

BOISE, ID 83709-0333

Point of Diversion NESE S24 T01N R01E ADA County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 1.6 CFS

Total Diversion: 1.6 CFS

Date Filed: 2/25/2015

Place of Use: IRRIGATION

T01N R01E S24 NESE NWSE

Total Acres: 80

Water bearing zone to be appropriated is from 225 to 600 feet.

63-34115

DAVID SCAGGS

9408 W BURNETT DR

BOISE, ID 83709

Point of Diversion NWNE S26 T03N R01E ADA County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 0.05 CFS

Total Diversion: 0.05 CFS

Date Filed: 7/16/2015

Place of Use: IRRIGATION

T03N R01E S26 NWNE

Total Acres: 1.5

Water bearing zone to be appropriated is from 100 to 150 feet.

PROPOSED AMENDMENT OF WATER PERMIT

City of Boise, Department of Parks and Recreation of 1104 Royal Blvd, Boise, ID, 83706 filed Application No. 80390 on August 18, 2015 to amend a water permit no. 63-33845 with a 2013 priority from groundwater totaling 0.14 cfs for municipal use. The permit provides municipal water for property located at Boise Hills Park on East Club View Drive in the Boise Foothills. The applicant proposes to amend the permit to change the water bearing zone from 225-250 feet to 200-400 feet.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s) or proposed amendment(s), please see www.idwr.idaho.gov/WaterManagement/WaterRights. Protests may be submitted based on the criteria of Idaho Code §§ 42-203A and 42-211. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 10-19-15. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 10/1/2015 and 10/8/2015



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

September 23, 2015

M3 EAGLE LLC
4222 E CAMELBACK RD STE H100
PHOENIX, AZ 85018

Application for Permit No's: 63-34113 & 63-34112

Dear Applicant(s):

The Department of Water Resources has received your water right applications. Please refer to the numbers referenced above in all future correspondence regarding this application.

Legal notices of the applications have been prepared and are scheduled for publication in the IDAHO STATESMAN on 10/1/2015 and 10/8/2015. Protests to these applications may be submitted for a period ending ten (10) days after the second publication.

If either application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If either application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding either application.

Sincerely,

Rachel Neely
Administrative Assistant

CC:

HYDRO LOGIC INC
C/O ED SQUIRES
1002 W FRANKLIN ST
BOISE, ID 83702

Hummer, Phill

From: Ed Squires [ed@hydrologicinc.net]
Sent: Monday, September 14, 2015 11:50 AM
To: Hummer, Phill
Subject: 9-14-2015 Hartley Road Water Right Applications Nos. 63-34110, 63-34111, 63-34112, and 63-341-13 - IDWR RE: Request for more information

Importance: High

Hydro Logic, Inc.

1002 W. Franklin St. Boise, ID 83702 (208) 342-8369 Fax: (208) 342-3100 Cell: (208) 631-6781

Dear Phill,

Thank you for getting in touch. Previously, my indication of well depth on the water right application, in the cases of these four referenced water rights; 200-to-600 feet below land surface, has been meant (and taken) to be the "water-bearing zone to be appropriated". From our conversation this morning, it appears the Department would like an added statement indicating the water-bearing zone for the water right for Basin 63 applications. I think this is an excellent idea because we would not want the ultimate depth of the well to restrict the applicant's ability to replace or deepen a well to a different depth in the future.

The sought water-bearing zone for water right Applications Nos. 63-34110, 63-34111, 63-34112, and 63-341-13 is, as listed on the individual applications under proposed well depth, is 200-600 feet below land surface. This is based on good hydrogeologic information we have for the subsurface at this location and is not an arbitrary depth interval.

Please call with any additional questions you may have and thank you for processing these applications.

All for now.
Ed

Ed Squires

Hydro Logic, Inc.

1002 W. Franklin St.

Boise, ID 83702

Office: (208) 342-8369

Cell: (208) 631-6781

Fax: (208) 342-3100

ed@hydrologicinc.net

From: Hummer, Phill [<mailto:Phill.Hummer@idwr.idaho.gov>]

Sent: Thursday, September 10, 2015 8:39 AM

To: Ed Squires

Subject: Request for more information

Re: Application For Permit No. 63-34110, 63-34111, 63-34112, 63-34113

Dear Ed Squires:

The applications submitted in the care of Robert and Elsie Hanson and M3 Eagle, LLC are for ground water use in IDWR administration basin 63. IDWR requests that applicants applying to appropriate water in this basin provide an estimate of the water bearing zone in their well. Please submit a water bearing zone for the proposed well of each application for permit to IDWR within thirty (30) days. The applicant may seek additional time to provide the information by making a written request to delay or interrupt processing. The application will be voided without a timely written reply.

Please let me know if you need more information. Thank you for your attention to these matters.

Sincerely,

Phill Hummer

Water Resource Agent

Idaho Department of Water Resources

Phone: (208) 334-2190

Fax: (208) 334-2348

Email: phill.hummer@idwr.idaho.gov