

**RECEIVED****JUN 04 2015**WATER RESOURCES  
WESTERN REGIONSTATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES**APPLICATION FOR PERMIT**

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Steve and Ellen Woodard Phone (208) 286-9700  
 Name connector (check one): ☒ and ☐ or ☐ and/or

Mailing address 4795 N. Hartley Rd. City EagleState ID Zip 83616 Email \_\_\_\_\_

2. Source of water supply groundwater which is a tributary of \_\_\_\_\_  
 3. Location of point(s) of diversion:

| TWP | RGE | SEC | Govt Lot | 1/4 | 1/4 | 1/4 | County | Source      | Local name or tag # |
|-----|-----|-----|----------|-----|-----|-----|--------|-------------|---------------------|
| 5N  | 1W  | 34  |          |     | NW  | NE  | Ada    | groundwater | existing well       |
| 5N  | 1W  | 34  |          |     | NW  | NE  | Ada    | groundwater | proposed well       |
|     |     |     |          |     |     |     |        |             |                     |
|     |     |     |          |     |     |     |        |             |                     |

4. Water will be used for the following purposes:  
 Amount 0.18 for irrigation purposes from 3/1 to 11/15 (both dates inclusive)  
 (cfs or acre-feet per year)  
 Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per year)  
 Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per year)  
 Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) 0.18 cubic feet per second (cfs) and/or (b) \_\_\_\_\_ acre feet per year (af).
6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. existing well and proposed new well to sprinkler delivery system

b. Height of storage dam \_\_\_\_\_ feet; active reservoir capacity \_\_\_\_\_ acre-feet; total reservoir capacity \_\_\_\_\_ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is 6/6 inches; proposed depth of well is 351/375 feet. Existing/Proposed

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? 1996; drilling firm Phipps (well was originally drilled in 1976); well was drilled for (well owner) Steve Woodard; Drilling Permit No. 63-96-W-301-000

7. Description of proposed uses (if irrigation only, go to item 8):
- Hydropower; show total feet of head and proposed capacity in kW. \_\_\_\_\_
  - Stockwatering; list number and kind of livestock. \_\_\_\_\_
  - Municipal; complete and attach the Municipal Water Right Application Checklist.
  - Domestic; show number of households \_\_\_\_\_
  - Other; describe fully. \_\_\_\_\_

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.  
See instructions for standard symbols.

| TWP | RGE | SEC | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | TOTALS |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 5N  | 1W  | 34  |    | 9  |    |    |    |    |    |    |    |    |    |    |    |    |    |    | 9      |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |

Total number of acres to be irrigated: 9

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

None.

10. a. Who owns the property at the point of diversion? applicant
- b. Who owns the land to be irrigated or place of use? applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:  
not applicable


11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Applicant seeks to develop a water right for irrigation on a 10-acre parcel. The area around the applicant's home is currently irrigated from an existing domestic well. Up to 9 additional acres will be irrigated using a combination of the existing well and one new well to be drilled on the southern one-half of the property. This property is outside of the Basin 63 groundwater restricted area and the zone of groundwater appropriation is 275-375 feet.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).


13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

**The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.**

  
Signature of Applicant

Steve Woodard

Print Name (and title, if applicable)

  
Signature of Applicant


Ellen Woodard

Print Name (and title, if applicable)

For Department Use:

Received by  Date 6/4/15 Time 11:25 Preliminary check by WD43162

Fee \$ 100.00 Received by  Receipt No. WD43162 Date 6/4/15



**Legend**

-  Proposed Point of Diversion
-  Proposed Place of Use

Woodard Application for  
Water Right Permit

27

200

Feet



**SPF WATER**  
ENGINEERING

63-34095



## Merriman, Danielle

---

**From:** Roxanne Brown [RBrown@spfwater.com]  
**Sent:** Thursday, September 24, 2015 10:30 AM  
**To:** Merriman, Danielle  
**Subject:** RE: Application 63-34095 (Woodard)

Danie – The Woodard well is not shared.

Roxanne

---

**From:** Merriman, Danielle [<mailto:Danielle.Merriman@idwr.idaho.gov>]  
**Sent:** Thursday, September 24, 2015 9:41 AM  
**To:** Roxanne Brown  
**Subject:** RE: Application 63-34095 (Woodard)

Thanks Roxanne,

Do you know if anyone uses the existing well drilling in 1996? Anyone besides the Woodards?

Thanks!

Danie Merriman

*Water Resource Agent*

*Idaho Department of Water Resources*

*Phone: (208) 334-2190*

*Fax: (208) 334-2348*

*Email: [danie.merriman@idwr.idaho.gov](mailto:danie.merriman@idwr.idaho.gov)*

---

**From:** Roxanne Brown [<mailto:RBrown@spfwater.com>]  
**Sent:** Wednesday, September 23, 2015 1:05 PM  
**To:** Merriman, Danielle  
**Subject:** Application 63-34095 (Woodard)

Danie – I spoke to Mr. Woodard and he intends to pay the \$165 drilling permit upgrade fee directly.

Roxanne

---

Roxanne Brown | Sr. Water Right Specialist

SPF Water Engineering, LLC

300 E Mallard Drive, Suite 350 | Boise, ID 83706

p. 208.383.4140 | f. 208.383.4156 | d. 208.489.2136

e. [rbrown@spfwater.com](mailto:rbrown@spfwater.com) | w. [www.spfwater.com](http://www.spfwater.com)



**SPF WATER**  
ENGINEERING

**Neely, Rachel**

---

**From:** Neely, Rachel  
**Sent:** Wednesday, September 23, 2015 4:08 PM  
**To:** 'LEGALS@IDAHOSTATESMAN.COM'  
**Subject:** Ada Legal Ad  
**Attachments:** Ada Cover Letter.docx; Ada Legal Ad (Autosaved).docx

Good Afternoon Legal Clerk,

Please see the attached ads for publication on 10/1/15 & 10/8/15.

Please confirm these are okay to publish as shown.

Thank you,

---

*Rachel Neely*

Administrative Assistant I  
IDWR-Western Region  
2735 Airport Way Boise, ID 83705  
[Rachel.Neely@idwr.idaho.gov](mailto:Rachel.Neely@idwr.idaho.gov)

September 23, 2015

LEGAL NOTICE DEPARTMENT  
IDAHO STATESMAN  
PO BOX 40  
BOISE, ID 83707

RE:     Application for Permit No. 63-34095  
         Application for Permit No. 63-34141  
         Application for Permit No. 63-34113  
         Application for Permit No. 63-34112  
         Application for Permit No. 63-34111  
         Application for Permit No. 63-34110  
         Application for Permit No. 63-34046  
         Application for Permit No. 63-34115  
         Application for Amendment of Permit No. 63-33845

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 10/19/2015. Your cooperation is appreciated.

Sincerely,

Rachel Neely  
Administrative Assistant

Enclosure(s)

The following applications have been filed to appropriate the public waters of the State of Idaho:

**63-34095**

STEVE WOODARD  
ELLEN WOODARD  
4795 N HARTLEY RD  
EAGLE, ID 83616  
(2) Points of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER  
Use: IRRIGATION 03/01 to 11/15 0.18 CFS  
Total Diversion: 0.18 CFS  
Date Filed: 6/4/2015  
Place of Use: IRRIGATION  
T05N R01W S34 NWNE  
Total Acres: 9  
Water bearing zone to be appropriated is from 275 to 375 feet.

**63-34141**

TES FARMS LLC  
7551 S FLAT LN  
KUNA, ID 83634  
Point of Diversion NWSE S16 T01N R01E ADA County Source GROUND WATER  
Use: IRRIGATION 03/01 to 11/15 1.6 CFS  
Total Diversion: 1.6 CFS  
Date Filed: 9/17/2015  
Place of Use: IRRIGATION  
T01N R01E S16 NESE NWSE  
Total Acres: 80  
Water bearing zone to be appropriated is from 250 to 400 feet.

**63-34113**

M3 EAGLE LLC  
4222 E CAMELBACK RD STE H100  
PHOENIX, AZ 85018  
Point of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER  
Use: DOMESTIC 01/01 to 12/31 0.04 CFS  
Use: IRRIGATION 03/01 to 11/15 0.12 CFS  
Total Diversion: 0.16 CFS  
Date Filed: 7/14/2015  
Places of Use: DOMESTIC, IRRIGATION  
T05N R01W S34 NWNE  
Total Acres: 6  
Water bearing zone to be appropriated is from 200 to 600 feet.

**63-34112**

M3 EAGLE LLC  
4222 E CAMELBACK RD STE H100  
PHOENIX, AZ 85018  
Point of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER  
Use: DOMESTIC 01/01 to 12/31 0.04 CFS  
Use: IRRIGATION 03/01 to 11/15 0.1 CFS  
Total Diversion: 0.14 CFS  
Date Filed: 7/14/2015  
Places of Use: DOMESTIC, IRRIGATION  
T05N R01W S34 NWNE  
Total Acres: 5.2  
Water bearing zone to be appropriated is from 200 to 600 feet.

**63-34111**

ROBERT J HANSON  
ELSIE V HANSON  
4151 N HARTLEY RD  
EAGLE, ID 83616  
Point of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER  
Use: DOMESTIC 01/01 to 12/31 0.04 CFS  
Use: IRRIGATION 03/01 to 11/15 0.11 CFS  
Total Diversion: 0.15 CFS  
Date Filed: 7/14/2015  
Places of Use: DOMESTIC, IRRIGATION  
T05N R01W S34 NWNE  
Total Acres: 5.4

Water bearing zone to be appropriated is from 200 to 600 feet

**63-34110**

ROBERT J HANSON  
ELSIE V HANSON  
4151 N HARTLEY RD  
EAGLE, ID 83616  
Point of Diversion NWNE S34 T05N R01W ADA County Source GROUND WATER  
Use: DOMESTIC 01/01 to 12/31 0.04 CFS  
Use: IRRIGATION 03/01 to 11/15 0.12 CFS  
Total Diversion: 0.16 CFS  
Date Filed: 7/14/2015  
Places of Use: DOMESTIC IRRIGATION  
T05N R01W S34 NWNE  
Total Acres: 6  
Water bearing zone to be appropriated is from 200 to 600 feet.

**63-34046**

MELLIN PROPERTIES LTD PARTNERSHIP  
10100 W FRANKLIN RD  
BOISE, ID 83709-0333  
Point of Diversion NESE S24 T01N R01E ADA County Source GROUND WATER  
Use: IRRIGATION 03/01 to 11/15 1.6 CFS  
Total Diversion: 1.6 CFS  
Date Filed: 2/25/2015  
Place of Use: IRRIGATION  
T01N R01E S24 NESE NWSE  
Total Acres: 80  
Water bearing zone to be appropriated is from 225 to 600 feet.

**63-34115**

DAVID SCAGGS  
9408 W BURNETT DR  
BOISE, ID 83709  
Point of Diversion NWNE S26 T03N R01E ADA County Source GROUND WATER  
Use: IRRIGATION 03/01 to 11/15 0.05 CFS  
Total Diversion: 0.05 CFS  
Date Filed: 7/16/2015  
Place of Use: IRRIGATION  
T03N R01E S26 NWNE  
Total Acres: 1.5  
Water bearing zone to be appropriated is from 100 to 150 feet.

**PROPOSED AMENDMENT OF WATER PERMIT**

City of Boise, Department of Parks and Recreation of 1104 Royal Blvd, Boise, ID, 83706 filed Application No. 80390 on August 18, 2015 to amend a water permit no. 63-33845 with a 2013 priority from groundwater totaling 0.14 cfs for municipal use. The permit provides municipal water for property located at Boise Hills Park on East Club View Drive in the Boise Foothills. The applicant proposes to amend the permit to change the water bearing zone from 225-250 feet to 200-400 feet.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s) or proposed amendment(s), please see [www.idwr.idaho.gov/WaterManagement/WaterRights](http://www.idwr.idaho.gov/WaterManagement/WaterRights). Protests may be submitted based on the criteria of Idaho Code §§ 42-203A and 42-211. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 10-19-15. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 10/1/2015 and 10/8/2015



**State of Idaho**

**DEPARTMENT OF WATER RESOURCES**

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

**C. L. "BUTCH" OTTER**  
Governor

**GARY SPACKMAN**  
Director

September 23, 2015

STEVE WOODARD  
ELLEN WOODARD  
4795 N HARTLEY RD  
EAGLE, ID 83616

Application for Permit No. 63-34095

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN on 10/1/2015 and 10/8/2015. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit. Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in black ink, appearing to read 'Rachel Neely', is written over a horizontal line.

Rachel Neely  
Administrative Assistant

CC:

SPF WATER ENGINEERING LLC  
C/O ROXANNE BROWN  
300 E MALLARD DR STE 350  
BOISE, ID 83706



State of Idaho

## DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

C.L. "BUTCH" OTTER  
Governor

GARY SPACKMAN  
Director

September 21, 2015

COPY

STEVE AND ELLEN WOODARD  
4795 N HARTLEY RD  
EAGLE, ID 83616

Re: Water Right Application 63-34095 and Well Drilling Fee Upgrade

Dear Applicants:

The Department of Water Resources received your Application for Permit submitted on June 4, 2015. Your application requests two points of diversion; one from a proposed well to be drilled and one from an existing well drilled in 1996. Do any others use this existing well besides the Woodards?

All wells drilled in Idaho after June 30, 1987, require well drilling permits. A well might need a water right along with the drilling permit, depending on the intended use of the well.

According to the records of Idaho Department of Water Resources (IDWR), your existing well was drilled in 1996 under a \$35 domestic well drilling permit. A \$35 drilling permit covers a well that does not require water right approval from IDWR. This is typically a single-family domestic well.

Proposed use from your well does require water right approval, and your water right application seeks that approval. The well drilling fee for a well requiring a water right is \$200 instead of \$35. Per Well Construction Standards Rules (IDAPA 37.03.09.045.05.b), IDWR must collect the unpaid balance of \$165 for a well drilled under those circumstances.

**Please remit the remaining \$165 to upgrade your well drilling permit within the next thirty days to facilitate processing of your water right application.**

IDWR forms and other information are available on the Internet at [www.idwr.idaho.gov](http://www.idwr.idaho.gov). Please contact me at 208-334-2190 if you have any questions. You may call the Western office and provide the needed information over the phone or you may email me at [danie.merriman@idwr.idaho.gov](mailto:danie.merriman@idwr.idaho.gov). Thank you for your attention to this matter.

Sincerely,

Danie Merriman  
Water Resource Agent  
IDWR, Western Region

CC: Roxanne Brown



**SPF WATER**  
ENGINEERING

---

RECEIVED

JUN 04 2015

WATER RESOURCES  
WESTERN REGION

June 4, 2015

Angela Grimm  
Idaho Department of Water Resources  
Western Region Office  
2735 Airport Way  
Boise, ID 83705-5082

Re: *Application for Permit*

Dear Angie,

On behalf of Steve and Ellen Woodard, we are pleased to submit the enclosed *Application for Permit*. The application seeks authorization to irrigate up to 9 acres using an existing domestic well and one additional well on property north of Eagle, Idaho.

We understand the filing fee for this application is \$100.00. You will find a check for that amount enclosed. Please contact me with any questions.

Best Regards,

Roxanne Brown  
Sr. Water Rights Specialist

CC: Steve and Ellen Woodard

Enclosures

SPF Job No. 1179.0010