

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 15-07406

Priority: April 03, 2015

Maximum Diversion Rate: 1.72 CFS

This is to certify, that SHAYNA WALDRON
LUKE WALDRON
4450 W 4500 S
MALAD CITY ID 83252

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	1.70 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE¼NE¼ Sec. 22 Twp 15S Rge 35E, B.M. ONEIDA County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15S 35E 22				9.0									1.0	37.0		8.0	55.0
15S 35E 23							29.5				.5						30.0

Total Acres: 85

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15S 35E 22				X										X			X
15S 35E 23							X										

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 01, 2020**.
2. Subject to all prior water rights.
3. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
4. Stockwater use is for 100 range cattle.

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 15-07406

5. The quantity of water under this right for stockwater use shall not exceed 13,000 gallons per day.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 9th day of July, 2015.



for GARY SPACKMAN
Director

