

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 25-07669

RECEIVED
JUN 16 2015
Department of Water Resources
Eastern Region

Date of Priority: February 23, 1999

Maximum Diversion Rate: 1.05 CFS
Maximum Diversion Volume: 113.8 AF

Comes now **BLACKHAWK HOMEOWNERS ASSOC INC**
8070 BLACKHAWK DR
IDAHO FALLS ID 83406

And

IRON RIM RANCH HOME OWNERS ASSN INC
9936 HENRY CREEK RD
IDAHO FALLS ID 83406

and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 25-07669, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	1.05 CFS	113.8 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NE1/4SE1/4	Sec. 11, Twp 01N, Rge 38E, B.M.
BONNEVILLE County		
GROUND WATER	NE1/4SE1/4	Sec. 11, Twp 01N, Rge 38E, B.M.
BONNEVILLE County		

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N 38E 11													X		X	X	
01N 38E 12									X	X							
01N 38E 13					X	X	X	X	X	X	X	X					
01N 38E 14																X	
01N 38E 23	X			X													
01N 38E 24					X	X	X	X	X	X							

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 25-07669

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 16th day of June, 2015


(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-07669

.....
FOR DEPARTMENT USE ONLY
Preliminary check by SC Fee = 100- Received by SC # ED41147 Date 6/16/15


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, GARY SPACKMAN, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 25-07669 with the following:

CONDITIONS OF APPROVAL

1. Place of use is located within Blackhawk and Iron Rim Ranch Subdivisions.
2. Domestic use is for 65 homes.
3. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
4. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.
5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
6. This right does not grant any right-of-way or easement across the land of another.

Witness my hand this 1st day of July, 2015.


for GARY SPACKMAN
Director



Idaho Department of Water Resources

Water Right

25-7669

(DOMESTIC)

● Point of Diversion

□ Place of Use


□ State Outline

□ Townships

□ PLS Sections

□ Quarter Quarters

Taxlots




Bonneville County

IDWR Basin 25

Prepared by Jordan, Blake

Background: 2009 Aerial Photography





State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region • 900 North Skyline Drive, Suite A • Idaho Falls, ID 83402-1718
Phone: (208) 525-7161 • Fax: (208) 525-7177 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

06/08/2015

BLACKHAWK HOMEOWNERS ASSOC INC
8070 BLACKHAWK DR
IDAHO FALLS ID 83406

IRON RIM RANCH HOME OWNERS ASSN INC
9936 HENRY CREEK RD
IDAHO FALLS ID 83406

RE: Water Right Permit No. 25-07669

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

☒ **Point(s) of Diversion**

☒ **Place(s) of Use**

☐ **Other**

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$100.00 filing fee within 14 days.

If you have any questions, please call me at (208) 525-7161.

Sincerely,

Blake Jordan
Sr. Water Resource Agent
Enclosure(s)