

RECEIVED

FORM 202 11/13

MAY 27 2015

DEPT OF WATER RESOURCES
SOUTHERN REGION

AMENDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of IdahoIdent. No. 37-22951

1. Name of applicant(s) Rotarun Ski Club INC Phone 208-788-6204
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address P.O. Box 2083 City Hailey
 State ID Zip 83333 Email _____
2. Source of water supply Ground Water which is a tributary of N/A
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
2N	18E	19			NW	NE	Blaine	Ground Water	Existing Well
2N	18E	19			NW	NE	Blaine	Ground Water	Existing Well

4. Water will be used for the following purposes:
- Amount 0.09 cfs for Diversion to Storage purposes from 11/1 to 2/28 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 8.0 AF for Commercial from Storage purposes from 11/1 to 2/28 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 8.0 AF for Commercial Storage purposes from 11/1 to 2/28 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 2.4 AF for Fire Protection Storage purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) 0.09 cubic feet per second (cfs) and/or (b) 8.0 acre feet per year (af).
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Diversion to storage using existing wells described under 37-8673, 37-8900. Diversion from storage for commercial use and fire protection at applicant's facility.
- b. Height of storage dam 3 feet; active reservoir capacity 2.4 acre-feet; total reservoir capacity 2.4 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No
- c. Proposed well diameter is N/A. inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? 1990; drilling firm Wood River Drilling and Pump; well was drilled for (well owner) G.M.M.K. Group; Drilling Permit No. 37-90-S-133-200.
7. Description of proposed uses (if irrigation only, go to item 8):
- a. Hydropower; show total feet of head and proposed capacity in kW. N/A.
- b. Stockwatering; list number and kind of livestock. N/A.
- c. Municipal; complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households N/A.
- e. Other; describe fully. Applicant seeks to divert 0.09 cfs for commercial, fire protection storage. Diversion from storage at 0.30 cfs for commercial use (snowmaking) while retiring all of 37-4332 to account for consumptive use.

AMENDED

AMENDED

*Cs = Commercial Storage
*Fs = Fire Protection
Storage

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	17E	24	CCs																
2N	18E	19						C	C										
2N	17E	24	Fs																

Total number of acres to be irrigated: _____

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

None.

10. a. Who owns the property at the point of diversion? Sage Springs Homeowners Association INC.
- b. Who owns the land to be irrigated or place of use? Applicant.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:
See attached well sharing agreement and associated narrative.

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Applicant seeks to divert water into a storage reservoir and pump out of the reservoir for snowmaking (commercial) at the applicant's facility. Storage reservoir will also serve as a year round fire suppression reservoir for the Sage Springs HOA. Storage reservoir will be kept full during non-commercial period of use through utilization of domestic exemption under 42-111b. Please see attached narrative.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8 1/2" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Jesse Foster
Signature of Applicant


Signature of Applicant

Jesse Foster
Print Name (and title, if applicable)

Print Name (and title, if applicable)

Received by JB Date 5-27-2015 Time _____ Preliminary check by _____
Fee \$ See Receipted by _____ Receipt No. _____ Date _____

original



0 225 450 900 Feet

**ROTARUN SKI CLUB INC
APPLICATION FOR PERMIT
NAIP 2013 AERIAL PHOTOGRAPH**

Legend

-  Sage Springs HOA Wells
-  Commercial POU = 29.8 ac
-  Section Lines
-  CQ lines

RECEIVED

MAY 11 2015

DEPT OF WATER RESOURCES
SOUTHERN REGION



Narrative in Support of Application for Water Right Permit with Mitigation for Rotarun Ski Club Inc.

To: Allen Merritt, IDWR Southern Regional Manager
From: Zach Latham, Charles G. Brockway, P.E.
Cc: Rotarun Ski Club Inc.
Date: May 6th, 2015

This memo serves as a narrative in support of a newly proposed water right permit filed by Brockway Engineering PLLC on behalf of the Rotarun Ski Club Inc. ("Club") which proposes to divert 0.09 cfs to a lined storage pond at the Club's facility with an associated diversion from the pond of up to 0.3 cfs for commercial (snowmaking) use during select wintertime months. The pond will also serve as a fire protection pond for the surrounding Sage Springs Subdivision. The consumptive use associated with the snowmaking will be mitigated by permanently retiring the 1.0 acre of irrigation associated with decreed water right 37-4332. During a March 11th 2014 meeting with Allen Merritt, Charles G. Brockway and Zach Latham, details of the proposed permit with mitigation were agreed upon and Mr. Merritt indicated that after speaking with the State Office, IDWR would not be adverse to processing the proposed permit application with accompanying mitigation.

The Club's facility is located in T.2N R.17E SEC. 24 NE ¼ NE ¼ and in T.2N R.18E SEC.19 NW ¼ NW ¼ LOT 1 and SW ¼ NW ¼ LOT 2. Currently, domestic use at the facility is served by the Sage Springs Homeowners Assn Inc.'s domestic well located in T.2N R.18E SEC. 19 NW ¼ NE ¼. Snowmaking infrastructure does not currently exist at the Club's facility. An existing un-lined storage pond is able to provide approximately 2.4 acre-feet of storage for a future snowmaking use on site.

The Club is proposing to divert 0.09 cfs from the Sage Springs Homeowners Assn's wells through the existing infrastructure that ties the wells to a line servicing the Club's facility and into the storage pond from November 1st through February 28th. The pond will be lined with an impermeable PVC or HDPE liner to eliminate seepage losses. Water would be diverted from the lined storage pond at a rate up to 0.3 cfs for snowmaking at the facility over the same time period.

Additionally, the pond would be used for year round fire protection storage for the Sage Springs HOA. Make up water needed to maintain a full pool in the pond during non-snowmaking times of the year will be provided through a domestic exemption as the Club has been determined to be an organization under 42-111a by IDWR in a 2008 order. An agreement with Sage Springs Homeowners Association for use of their wells described under the proposed permit application has been executed.

In January of 2014, the Club acquired water right 37-4332. Water right 37-4332 is authorized to divert 0.03 cfs and 7.0 acre-feet for irrigation use from 4/1 through 11/1 yearly and 0.04 cfs for domestic use year round from one groundwater well in T.4N R.18E SEC.13 SE ¼ SE ¼. 37-4332 was decreed in July of 2010 and has been leased repeatedly to the Water Supply Bank as recently as this year. Historically, the grass turf-lawn (irrigated) grown at the place of use has

an associated annual Pdf of 597mm or 1.96 acre-feet per acre using Hailey Ranger Station data from Allen and Robison 2012¹.

The Club is proposing to permanently retire the ground water use associated with 37-4332 so that it may be used as mitigation for a new commercial (snowmaking) use at the Club's facility. Recognizing that the historic consumptive use of 1.96 acre-feet associated with 37-4332 cannot be exceeded, water requirement calculations were performed to determine the area over which snowmaking could occur without exceeding 1.96 acre-feet.

The water requirement and consumptive losses associated with the proposed snowmaking use were calculated in multiple steps. An initial snow water content of 6.0 acre feet was calculated by multiplying a constant average snow density (0.4), snow thickness (1ft) and aerial coverage (15.0 acres). An additional 25% or 1.5 acre-feet was added to the initial snow water content of 6.0 acre feet to account for thawing in the snowpack over the duration of the snowmaking use. The water volume requirement to the hill of 7.98 acre feet was calculated by adding the sum of the initial snow water content and replenishment due to thaw losses (6.0 ac-ft + 1.5 ac-ft), divided by the efficiency of the application method or 1.0 minus the initial loss fraction of 6% (0.06)². Therefore, the water requirement to the hill is $(6.0 \text{ ac-ft} + 1.5 \text{ ac-ft}) / (1 - 0.06) = 7.98$ acre-feet. Of the water applied to the hill as snow, only a percentage is actually consumptive due to sublimation. These pack losses or watershed losses are estimated to be 18%.³ Therefore, 24% of the water applied to the hill is actually consumptive. Compared with previous applications approved by IDWR, this value is conservatively high. Using this value, 24% of the water requirement to the hill equates to 1.91 acre-feet lost to sublimation/consumption, which is less than the historic consumptive use of 1.96 acre-feet associated with irrigation of grass-turf irrigated under 37-4332. Consumptive use calculations and snowmaking water requirements are attached.

The volume of water needed during the first fill of the pond (2.4 acre feet) will be provided by up to 13,000 gallons per day under 42-111a, of which, the Club has been determined to qualify by IDWR.

Wintertime peak hourly demand for the subdivision at full build-out plus the proposed 40 gpm peak demand for snowmaking at Rotarun is estimated to be 103 gpm. Existing domestic water rights 37-8673 and 37-8900 when combined are limited to 0.60 cfs or 269 gpm. No irrigation within the subdivision will be occurring during the snowmaking period, so the only demands will be in-house usage in the subdivision and the 40 gpm peak demand for Rotarun. Estimated usage from the well during the period of use from 11/1 through 2/28 including the proposed diversion for commercial use is less than the existing authorized diversion rate under these two water rights.

¹ Allen, Richard G. and Clarence W. Robison, 2012. Evapotranspiration and Consumptive Irrigation Water Requirements for Idaho: Supplement updating the Time Series through December 2008, Research Technical Completion Report, Kimberly Research and Extension Center, University of Idaho, Moscow, ID.

² Eisel, L. M., Mills, K. D., and Leaf, C. F. (1988), Estimated consumptive loss from man-made snow. JAWRA 24:815-820; Eisel, L. M., Bradley, K. M. and Leaf, C. F. (1990), Estimated runoff from man-made snow. JAWRA 26: 519-526. These studies are extensive and have been cited and relied upon by the New Mexico State Engineer, the U. S. Geological Survey, and U. S. Bureau of Reclamation, among others.

³ Ibid

Rotarun Ski Club, Inc. **Snow Making Water Requirements - 2014**

Brockway Engineering, PLLC 11/6/2014

ENTER DATA IN BLUE

Volume Requirement to Hill:

Total snow coverage (vary to meet historic CU of 37-4332)	15 acres
Average snow depth	1 foot
Average snow density	0.4
Initial loss fraction* (due to application method of blowing)	0.06
Watershed loss fraction* (sublimation)	0.18
Total consumptive loss fraction*	0.24
Snow water content - initial pack	6.00 acre-feet
Snow water content - replenish thaw losses (25% additional)	1.50 acre-feet
Volume requirement to hill (due to application method and replentishment)	7.98 acre-feet
Annual consumptive losses	1.91 acre-feet

Daily demand:

Initial snowmaking period (Nov 1st -Feb 28th)	120 days
Estimated daily snowmaking hours per day	8 hrs/day
Average daily snowmaking volume requirement	21664 gpd
Average daily (24-hr) snowmaking demand	15.0 gpm
Average daily (8-hr) snowmaking demand	45.1 gpm

Peak demand from storage or supply:

Typical flow rate per snowmaking gun	60 gpm
Number of guns	2
Peak demand from storage	120 gpm
Max. daily demand from storage (8 hours)	57600 gpd

Storage analysis based on continuous peak demand for specified period: (see related spreadsheet for storage requirement as a function of supply)

Actual supply capacity - to pond	40.0 gpm
No. days until storage depletion at peak demand (user specify)	2.0 days on
Volume supplied during 8-hr snowmaking period	19200 gallons
Deficit during 8-hr snowmaking period	-38400 gallons
24-hour supply from new right	57600 gpd
24-hour deficit (supply - demand)	0 gpd
Required storage pond usable volume (average daily analysis only)	0 gallons
Required storage pond usable volume (accts for intra-day fluctuations)	38400 gallons
No. days to refill after depletion	0.7 days off
Max. 8-hr demand without depleting storage	120 gpm

Consumptive use and mitigation analysis:

Total annual diversion volume requirement for snowmaking:	7.98 acre-feet
Total annual proposed snowmaking consumptive use:	1.91 ac-ft/year
Crop consumptive use from groundwater (separate analysis):	23.50 inches (597mm annually- Grass Turf Irrigated Pdef)
Crop consumptive use from groundwater (separate analysis):	1.96 ac-ft/year
Mitigation: Actual Consumptive Use	0.98 acres required

* Eisel and Leaf, et al. (1986, 1989, 1990) initial + watershed losses, average year

No. C 34810		Due no later than Sep 30, 2014 Annual Report Form		2. Registered Agent and Address (NO PO BOX)	
Return to: SECRETARY OF STATE 700 WEST JEFFERSON PO BOX 83720 BOISE, ID 83720-0080		1. Mailing Address: Correct in this box if needed. ROTARUN SKI CLUB, INC. (THE) PENNY COOK BOX 2083 HAILEY ID 83333 USA		FRITZ HAEMMERLE 400 S MAIN STE 102 HAILEY ID 83333	
NO FILING FEE IF RECEIVED BY DUE DATE				3. New Registered Agent Signature: *	
4. Corporations: Enter Names and Business Addresses of President, Secretary, and Directors. Treasurer (optional).					
Office Held	Name	Street or PO Address	City	State	Postal Code
DIRECTOR	TROY THAYER	P.O. BOX 1664	SUN VALLEY	ID	83353
PRESIDENT	JESSE FOSTER	PO BOX 156	HAILEY	ID	83333
VICE PRESIDENT	CRAIG JOHNSON	PO BOX 579	HAILEY	ID	83333
TREASURER	DONNY MCQUARY	202 W. CROY STREET	HAILEY	ID	83333
SECRETARY	MIKE LANDES	215 N. MAIN STREET	HAILEY	ID	83333
DIRECTOR	JOAN DAVIES	214 2ND AVE. N.	HAILEY	ID	83333
5. Organized Under the Laws of:					
ID	Signature: Penny Cook		Date: 09/22/2014		
C 34810	Name (type or print): Penny Cook		Title: Bookkeeper		
Processed 09/22/2014 * Electronically provided signatures are accepted as original signatures.					

FORM 202 11/13
RECEIVED**MAY 11 2015**DEPT OF WATER RESOURCES
SOUTHERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. _____

37-22951

1. Name of applicant(s) Rotarun Ski Club INC Phone 208-788-6204
Name connector (check one): ☒ and ☐ or ☐ and/or
Mailing address P.O. Box 2083 City Hailey
State ID Zip 83333 Email _____
2. Source of water supply Ground Water which is a tributary of N/A
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
2N	18E	19			NW	NE	Blaine	Ground Water	Existing Well
2N	18E	19			NW	NE	Blaine	Ground Water	Existing Well

4. Water will be used for the following purposes:
- Amount 0.09 cfs for Diversion to Storage purposes from 11/1 to 2/28 (both dates inclusive)
(cfs or acre-feet per year)
- Amount 0.3 cfs for Commercial purposes from 11/1 to 2/28 (both dates inclusive)
(cfs or acre-feet per year)
- Amount 2.4 AF for Commercial Storage purposes from 11/1 to 2/28 (both dates inclusive)
(cfs or acre-feet per year)
- Amount 2.4 AF for Fire Protection Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) 0.39 cubic feet per second (cfs) and/or (b) 2.4 acre feet per year (af).
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Diversion to storage using existing wells described under 37-8673, 37-8900. Diversion from storage for commercial use and fire protection at applicant's facility.
- b. Height of storage dam 3 feet; active reservoir capacity 2.4 acre-feet; total reservoir capacity 2.4 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No
- c. Proposed well diameter is N/A. inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? 1990; drilling firm Wood River Drilling and Pump; well was drilled for (well owner) G.M.M.K. Group; Drilling Permit No. 37-90-S-133-200
7. Description of proposed uses (if irrigation only, go to item 8):
- a. Hydropower; show total feet of head and proposed capacity in kW. N/A.
- b. Stockwatering; list number and kind of livestock. N/A.
- c. Municipal; complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households N/A.
- e. Other; describe fully. Applicant seeks to divert 0.09 cfs for commercial, fire protection storage. Diversion from storage at 0.30 cfs for commercial use (snowmaking) while retiring all of 37-4332 to account for consumptive use.

*Cs = Commercial Storage

*Fs = Fire Protection Storage

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	17E	24	CCs																
2N	18E	19						C	C										
2N	17E	24	Fs																

Total number of acres to be irrigated: _____

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?
None.

10. a. Who owns the property at the point of diversion? Sage Springs Homeowners Association INC.
- b. Who owns the land to be irrigated or place of use? Applicant.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:
See attached well sharing agreement and associated narrative.

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.
Applicant seeks to divert water into a storage reservoir and pump out of the reservoir for snowmaking (commercial) at the applicant's facility. Storage reservoir will also serve as a year round fire suppression reservoir for the Sage Springs HOA. Storage reservoir will be kept full during non-commercial period of use through utilization of domestic exemption under 42-111b. Please see attached narrative.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Jesse Foster
Signature of Applicant

Jesse Foster President
Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

For Department Use:

Received by DM Date 5.11.2015 Time 12:30pm Preliminary check by _____
Fee \$ 250- Received by DM Receipt No. 5034763 Date 5.11.2015



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5858
Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

May 29, 2015

ROTARUN SKI CLUB INC
PO BOX 2083
HAILEY, ID 83333

RE: Application For Permit No. 37-22951

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the **IDAHO MOUNTAIN EXPRESS** on **6/3/2015** and **6/10/2015**. Protests to this application may be submitted for a period ending ten (10) days after the second publication (**June 22, 2015**).

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in black ink that reads "Denise Maline".

Denise Maline
Administrative Assistant

cc:

BROCKWAY ENGINEERING PLLC
C/O ZACH LATHAM
2016 N WASHINGTON ST STE 4
TWIN FALLS, ID 83301

Maline, Denise

From: Maline, Denise
Sent: Friday, May 29, 2015 8:34 AM
To: 'Kevin Lakey'
Subject: Comment Letters for 37-22951 & transfer 79933
Attachments: Comment Letter to WM37 for 37-22951 & 79933.docx; Transfer 79933.pdf; 37-22951.pdf

Hi Kevin,

Attached is a cover letter, recommendation forms and copy of application for transfer for Don & Judy Atkinson; and application for permit for Rotarun Ski Club Inc. Please review the information and provide any necessary comments within 21 days. Feel free to contact our office if you have any questions.

Thank you in advance,

Denise Maline
Idaho Dept of Water Resources
Administrative Assistant, Southern Region
650 Addison Ave W, Ste 500
Twin Falls, ID 83301
(208) 736-3033
denise.maline@idwr.idaho.gov



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5858
Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

May 29, 2015

KEVIN LAKEY
WATER DISTRICT #37
107 W 1ST
SHOSHONE, ID 83352

Via E-mail

RE: Transfer No.: 79933
Water Right No(s): 37-337A, 37-8396

RE: Application for Permit No.: 37-22951

Dear Kevin:

A copy of the above referenced application is enclosed. Please review the application, then complete the enclosed recommendation form as necessary, and return it to this office within 21 days of the date of this letter.

If the application is approved, IDWR will include appropriate standard conditions of approval for a water right located within a water district, such as regulation by the watermaster, lockable controlling works, and/or measuring devices. Any special conditions or other concerns you have related to this application should be specifically addressed in your recommendation.

IDWR's regional offices can finish reviewing an unopposed application as soon as the protest period has past. Your prompt response to this request will ensure that your recommendation can be considered. If IDWR has not received your written recommendation within 21 days from the date of this letter, IDWR will presume that you do not oppose approval of the application and that you have no comments for IDWR to consider.

Sincerely,

Denise Maline
Administrative Assistant

Enclosure(s)

Maline, Denise

From: Maline, Denise
Sent: Thursday, May 28, 2015 3:20 PM
To: Idaho Mountain Express
Subject: LEGAL NOTICES
Attachments: Idaho Mtn Express Cover Letter.docx; Idaho Mtn Express Ad.doc; A&B Mitigation Plan Ad.docx

Attached please find (2) legal notice being submitted for publication on June 3rd & 10th, 2015. Please feel free to contact me if you have any questions, or if you are not able to run the ad on the dates requested.

Thank you in advance,

Denise Maline
Administrative Assistant
Idaho Dept of Water Resources, Southern Region
650 Addison Ave W, Ste 500
Twin Falls, ID 83301
(208) 736-3033
denise.maline@idwr.idaho.gov



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5858

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

May 28, 2015

LEGAL NOTICE DEPARTMENT
IDAHO MOUNTAIN EXPRESS
PO BOX 1013
KETCHUM, ID 83340

RE: Transfer No. 79688
Water Right No(s): 37-2515A

RE: Transfer No. 79933
Water Right No(s): 37-337A, 37-8396

RE: Application For Permit No.(s): 37-22951

RE: Notice of Mitigation Plan Submitted by A&B Irrigation District

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before June 22, 2015. Your cooperation is appreciated.

Sincerely,

Denise Maline
Administrative Assistant

Enclosure(s)

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-22951

ROTARUN SKI CLUB INC

PO BOX 2083

HAILEY, ID 83333

Point of Diversion NWNW S19 T02N R18E BLAINE County Source GROUND WATER Tributary

Point of Diversion NWNW S19 T02N R18E BLAINE County Source GROUND WATER Tributary

Use: COMMERCIAL FROM STORAGE 11/01 to 02/28 8 AF

Use: COMMERCIAL STORAGE 11/01 to 02/28 8 AF

Use: DIVERSION TO STORAGE 11/01 to 02/28 0.09 CFS

Use: FIRE PROTECTION STORAGE 01/01 to 12/31 2.4 AF

Total Diversion: 0.09 CFS 8 AF

Date Filed: 5/11/2015

Place Of Use: COMMERCIAL FROM STORAGE

T02N R17E S24 NENE

T02N R18E S19 L1(NWNW) L2(SWNW)

Place Of Use: COMMERCIAL STORAGE, FIRE PROTECTION STORAGE

T02N R17E S24 NENE

Application seeks to divert 0.09 cfs from November 1 to February 28, from two existing wells located approximately 2.0 miles west and 1.5 miles south of the intersection of Main and Bullion Streets in Hailey into an existing 2.4 acre-foot storage reservoir where the water will be pumped out for commercial use from November 1 through February 28. The application further seeks to maintain the 2.4 acre-feet of storage in the reservoir from January 1 through December 31 for fire protection. The commercial use of 8.0 acre-feet is for snow making at the Rotarun Ski Area, located approximately 2.4 to 2.6 miles west and 1.6 to 1.9 miles south of Hailey and allows for multiple fills and releases from the reservoir. The application will be mitigated by the non-use of right 37-4332 (irrigation, 0.03 cfs, 1.0 acre, 7.0 AF; domestic, 0.04 cfs), which is currently owned by Rotarun Ski Club, Inc. Right 37-4332 is currently appurtenant to ground and homes located approximately 0.3 miles west and 0.4 miles south of the intersection of Main Street and Sun Valley Road in Ketchum.

NOTICE OF PROPOSED CHANGE OF WATER RIGHT

TRANSFER NO. 79688

CREG HANSEN and LETA HANSEN, PO BOX 44, CAREY, ID 83320; has filed Application No. 79688 for changes to the following water rights within BLAINE County(s): Right No(s). 37-2515A. The purpose of the transfer is to change a portion of the above rights as follows: Transfer proposes to add a second, already existing, well to water right 37-2515A, a supplemental right for 1.6 cfs, 160 acre feet and for use on 80 acres. The well to be added is 0.75 miles north and west of Carey along Little Wood Reservoir Rd, located in SENE Sec 21, T01S, R21E.

NOTICE OF PROPOSED CHANGE OF WATER RIGHT


TRANSFER NO. 79933

JUDY H ATKINSON and DON R ATKINSON, PO BOX 190, KETCHUM, ID 83340; has filed Application No. 79933 for changes to the following water rights within BLAINE County(s): Right No(s). 37-337A, 37-8396. The purpose of the transfer is to change a portion of the above rights as follows: Application proposes changing the point of diversion of a 0.12 cfs and 3.6 acre irrigation water right from the East Fork of the Wood River to three existing wells located on Lot 6, East Fork #1 Subdivision, located approximately 5.0 miles south and 1.5 miles east of Ketchum. Transfer also proposes adding two existing wells to an irrigation ground water right to connect the common system.

Permits will be subject to all prior water rights. For additional information concerning the property locations, contact Southern Region office at (208) 736-3033; or for a full description of the rights &/or proposed transfer, please see www.idwr.idaho.gov/apps/wr/QueryNewTransfers/QueryNewTransfers.aspx. For additional information on new permits, please see www.idwr.idaho.gov/WaterManagement/WaterRights/#NewListings. Protests may be submitted based on the criteria of Sec 42-222 and 42-203A, Idaho Code. Any protest against the approval of this application(s) must be filed with the Director, Dept. of Water Resources, Southern Region, 650 Addison Ave W, Ste 500, Twin Falls, ID 83301 together with a protest fee of \$25.00 for each application on or before June 22, 2015. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on June 3rd & 10th, 2015



BROCKWAY
ENGINEERING
P.L.L.C.

Hydraulics

Hydrology

Water Resources

RECEIVED

MAY 11 2015

DEPT OF WATER RESOURCES
SOUTHERN REGION

May 6th, 2015

Mr. Allen Merritt
Idaho Department of Water Resources
650 Addison Ave W, Ste 500.
Twin Falls, ID 83301-3380

RE: Rotarun Ski Club Inc. - Water Right Permit Application.

Dear Allen,

Enclosed is a water right permit filed on behalf of the Rotarun Ski Club Inc. ("Club") which proposes to divert 0.09 cfs of groundwater to a lined storage pond at the Club's facility, with an associated diversion from the pond of up to 0.3 cfs for commercial (snowmaking) use during select wintertime months. The pond will also serve as a fire protection pond for the surrounding Sage Springs Subdivision. The consumptive use associated with the snowmaking will be mitigated by permanently retiring the 1.0 acre of irrigation associated with decreed water right 37-4332 owned by the Club. A well sharing agreement (attached) between the Sage Springs Subdivision HOA and the Club has been executed and will allow the diversion of 0.9 cfs from the HOA's existing wells during the season of use. Additional details relating to the permit including snowmaking water requirements and consumptive use calculations are detailed in the attached narrative in support of a water right permit document.

CHARLES E.
BROCKWAY,
PH.D., P.E.

CHARLES G.
BROCKWAY,
PH.D., P.E.

2016 NORTH
WASHINGTON
STREET • SUITE 4

TWIN FALLS,
IDAHO 83301

208•736•8543

FAX: 736•8506

During a March 11th 2014 meeting with yourself, Charles G. Brockway and myself, details of the proposed permit with mitigation were agreed upon. You indicated that after speaking with the State Office that IDWR would not be averse to processing the proposed permit application with accompanying mitigation.

Please copy our office on all correspondence regarding the enclosed water right permit application. Also included is a check for \$250.00 to cover the cost of the water right permit application. Don't hesitate to give me a call should you have any further questions or comments. Thanks for your time and assistance on this matter.

Regards,

Shirley Daniels on behalf of

Zach Latham, M.S., Hydrologist.

Enclosures: (1) Water Right Application for Permit, Map
(1) Narrative in Support of Application for Permit
(1) Snowmaking Water Requirements Analysis
(1) IDSOS Annual Report for Rotarun Ski Club Inc.
(1) Brockway Engineering Check # 12653

Cc: Rotarun Ski Club Inc.
Mr. Craig Johnson