

RECEIVED
APR 20 2015
WATER RESOURCES
WESTERN REGION
FEB 20 2015
WATER RESOURCES
WESTERN REGION

AMENDED ^{DM} 3-23-15

Ident. No. 63-34041

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Vincent Blommer Elisa Blommer Phone 208-713-7772
Name connector (check one): ☐ and ☒ or ☐ and/or

Mailing address PO Box 130 City Kuna
State Id Zip 83634 Email idahowest@yahoo.com

2. Source of water supply Ground Water which is a tributary of n/a

3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	¼	¼	¼	County	Source	Local name or tag #
2N	1W	33		SW	SW		Ada	ground water	

4. Water will be used for the following purposes:

Amount 0.26 cfs for Irrigation purposes from April 15 to Oct. 1 (both dates inclusive)
(cfs or acre-feet per year)

Amount 0.002 cfs for Domestic purposes from Dec. 31 to Jan. 1 (both dates inclusive)
(cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) 0.262 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. _____

see attached

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? _____; drilling firm _____;
well was drilled for (well owner) _____; Drilling Permit No. _____.

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; complete and attach the Municipal Water Right Application Checklist.

d. Domestic; show number of households 1

e. Other; describe fully. _____

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.
See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	1W	33											13						13
2N	1W	33											D						

Total number of acres to be irrigated: 13

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

Surface water. Boise-Kuna Irrigation District

10. a. Who owns the property at the point of diversion? Applicant-Vincent or Elisa Blommer
- b. Who owns the land to be irrigated or place of use? Applicant-Vincent or Elisa Blommer
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Purpose of proposed well is to be used as a supplement source to the surface water rights, and to provide service to a single dwelling due to the fact that current well is having problems and would need to be abandoned.

12. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred. *see attached*

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Vincent Blommer

Print Name (and title, if applicable)

Signature of Applicant

Elisa Blommer

Print Name (and title, if applicable)

For Department Use:

Received by CS Date 2/20/15 Time 11:59 AM Preliminary check by DM
 Fee \$ 250.00 Received by CS Receipt No. W042838 Date 2/20/15

$\text{TN}^{\star} \text{MN}$
 $14\frac{1}{2}^{\circ}$

Map created with TOPO!® ©2003 National Geographic (www.nationalgeographic.com/topo)

ADDRESS 4555 W GREEN LN
MINNAPOLIS MN 55410

T02N R01W
Sec 32 SENE

T02N R01W
Sec 33 SWNW

T02N R01W
Sec 33 SENW

T02N R01W
Sec 32 NWSE

T02N R01W
Sec 32 NESE

T02N R01W
Sec 33 NWSW

T02N R01W
Sec 33 NESW

T02N R01W
Sec 32 SESE

T02N R01W
Sec 33 SWSW

T02N R01W
Sec 33 SESW

T02N R01W
Sec 33 SWSE

T01N R01W
Sec 5 NENE

T01N R01W
Sec 4 NWNW

T01N R01W
Sec 4 NENW

T01N R01W
Sec 4 NWNW

T01N R01W
Sec 5 SENE

0 250 500 1,000 1,500 2,000 Feet

Legend


-  ESPA
-  GCDB Township/Range
-  GCDB Section
-  GCDB Quarter-Quarter
-  Counties

63-34041



PLAT SHOWING
MONA SUBDIVISION

BING A PORTION OF THE
SOUTH 1/2 OF THE SOUTHWEST 1/4 OF SECTION 33, T.2N., R.1W., B.M.
ADA COUNTY, IDAHO
1993



CURVE TABLE

CURVE	RADIUS	LENGTH	TANGENT	CHORD	BEARING	DEG. 1/4
C-1	20.00	31.32	19.00	17.46	N.67°01'20\"	E. 43°34'23\"
C-2	100.00	74.52	42.01	17.46	N.67°01'20\"	E. 43°34'23\"

LINE TABLE

LINE	BEARING	DISTANCE
1-2	N.00°05'06\"	799.36
2-3	S.28°18'23\"	560.17
3-4	S.51°43'41\"	473.74
4-5	S.51°43'41\"	473.74
5-6	S.51°43'41\"	473.74
6-7	S.51°43'41\"	473.74
7-8	S.51°43'41\"	473.74
8-9	S.51°43'41\"	473.74
9-10	S.51°43'41\"	473.74
10-11	S.51°43'41\"	473.74
11-12	S.51°43'41\"	473.74

NOTES

1. BUILDING SETBACKS AND DIMENSIONAL STANDARDS IN THIS SUBDIVISION SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS OF ADA COUNTY, IDAHO.
2. LOT LINES COMMON TO A PUBLIC RIGHT-OF-WAY HAVE A 10' WIDE PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT, AT THE TIME OF ISSUANCE OF BUILDING PERMITS.
3. EACH SIDE OF COMMON LOT LINES HAS A 5 FOOT WIDE PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT.
4. RESPONSIBILITY FOR ALL DRAINAGE FACILITIES LOCATED OUTSIDE THE PUBLIC ACCESS RIGHT-OF-WAY IS HELD WITH THE LOT OWNER(S) ON WHOSE LAND SAID DRAINAGE FACILITIES ARE CONSTRUCTED.
5. ANY RECONSTRUCTION OF THIS PLAT SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF RECONSTRUCTION.
6. DEVELOPER SHALL COMPLY WITH IDAHO CODE 31-3005 PERTAINING TO IRRIGATION WATER. IRRIGATION WATER IS AVAILABLE TO EACH LOT.
7. ALL BRIDGES, CULVERTS, RELOCATIONS OF, AND/OR PERMANENT IMPROVEMENTS WITHIN THE UNITED STATES CANAL RIGHTS-OF-WAY MUST BE PERMITTED BY THE BUREAU OF RECLAMATION.
8. THE SUBDIVISION BOUNDARY HAS A 10' WIDE PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT. LOT 3 HAS AN ADDITIONAL 10' WIDE PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT LING ADJACENT TO AND PARALLEL WITH THE EXCLUSIVE EASEMENT ALONG THE EAST SIDE OF SAID LOT 3.
9. THE BOSE PROJECT BOARD OF CONTROL HAS AN EXCLUSIVE 68' WIDE UNITED STATES CANAL RIGHT-OF-WAY CENTRAL TO THE BOSE PROJECT BOARD OF CONTROL. IS REQUIRED TO OPERATE AND MAINTAIN THE MORA CANAL AND VANDERLIER LATERAL WITHIN THEIR RIGHT-OF-WAY.
10. THE UNITED STATES ASSUMES THE FOLLOWING RIGHT-OF-WAY WIDTHS: MORA CANAL, ABOVE VANDERLIER LATERAL, = 68' NORTHERLY, 48' SOUTHERLY; BELOW VANDERLIER LATERAL = 64' NORTHERLY, 44' SOUTHERLY; VANDERLIER LATERAL = 24' WESTERLY, 12' EASTERLY.

LEGEND

- ▲ CALCULATED POINT-NOT SET
- SET 5/8" X 30" REBAR W/CAP MARKED LS 2471
- SET 1/2" REBAR W/CAP MARKED LS 2471
- FND. 5/8" REBAR W/CAP MARKED LS 946
- SUBDIVISION BOUNDARY
- WITNESS CORNER DATUM LINE
- LOT LINE
- WITNESS CORNER

DEVELOPER:
PAUL CARMON
23000 NW OAKLAND RD.
PORTLAND, OREGON 97231



RECEIVED

FEB 20 2015

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of IdahoIdent. No. 63-34041

ORIGINAL

1. Name of applicant(s) Vincent Blommer Elisa Blommer Phone 208-713-7772
 Name connector (check one): ☐ and ☒ or ☐ and/or
 Mailing address PO Box 130 City Kuna
 State Id Zip 83634 Email idahowest@yahoo.com
2. Source of water supply Ground Water which is a tributary of n/a
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
2N	1W	33		SW	SW		Ada	ground water	

4. Water will be used for the following purposes:
- Amount 0.26 cfs for Irrigation purposes from April 15 to Oct. 1 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 0.002 cfs for Domestic purposes from Dec. 31 to Jan. 1 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) 0.262 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. _____
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? _____; drilling firm _____;
 well was drilled for (well owner) _____; Drilling Permit No. _____
7. Description of proposed uses (if irrigation only, go to item 8):
- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households 1
- e. Other; describe fully. _____

Superseded by amended app received 4-20-15 -DM

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.
See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	1W	33											13						13
2N	1W	33											D						

Total number of acres to be irrigated: 13

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

Surface water. Boise-Kuna Irrigation District

10. a. Who owns the property at the point of diversion? Applicant-Vincent or Elisa Blommer
- b. Who owns the land to be irrigated or place of use? Applicant-Vincent or Elisa Blommer
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Purpose of proposed well is to be used as a supplement source to the surface water rights, and to provide service to a single dwelling due to the fact that current well is having problems and would need to be abandoned.

12. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

[Signature]
Signature of Applicant

Vincent Blommer

Print Name (and title, if applicable)

[Signature]
Signature of Applicant

Elisa Blommer

Print Name (and title, if applicable)


Received by [Signature] Date 2/20/15 Time 11:59 AM Preliminary check by [Signature]
Fee \$ 250⁰⁰ Received by [Signature] Receipt No. W042838 Date 2/20/15

TN★/MN
14½°

Map created with TOPO!2 ©2003 National Geographic (www.nationalgeographic.com/topo)


116-27.000 W
ADDRESS 63-34041
4555 W GREEN LN
KUNA ID 83.31

- Legend**
- ESPA
 - GCDB Township/Range
 - GCDB Section
 - GCDB Quarter-Quarter
 - Counties



Superseded by amended app received 63-34041 4-20-15-DM

PLAT SHOWING
MONA SUBDIVISION
BEING A PORTION OF THE
SOUTH 1/2 OF THE SOUTHWEST 1/4 OF SECTION 33, T.2N., R.1W., B.M.,
ADA COUNTY, IDAHO
1993



CURVE TABLE

CURVE	RADIUS	LENGTH	TANGENT	CHORD	BEARING	DELTA
C-1	20.00'	31.32'	19.40'	28.22'	N44°56'48" E	84°43'23"
C-2	100.00'	74.54'	42.01'	77.46'	N67°01'20" E	45°34'23"

LINE TABLE

LINE	BEARING	DISTANCE
1-1	N67°40'12" E	31.00'
1-2	S58°17'41" E	56.00'
1-3	S63°17'38" E	83.00'
1-4	S78°30'30" E	64.00'
1-5	S18°47'31" E	160.92'
1-6	S12°01'11" E	51.74'
1-7	S12°01'11" E	51.74'
1-8	S66°42'22" W	58.04'
1-9	S51°40'36" W	322.90'
1-10	S26°13'37" W	99.68'
1-11	S21°19'48" E	190.84'

- LEGEND**
- ▲ CALCULATED POINT-NOT SET
 - SET 5/8" X 30" REBAR W/CAP MARKED LS 2471
 - SET 1/2" REBAR W/CAP MARKED LS 2471
 - SET 5/8" REBAR W/CAP MARKED LS 946
 - SUBDIVISION BOUNDARY
 - LOT LINE
 - WITNESS CORNER DATUM LINE
 - WC WITNESS CORNER
- NOTES:**
1. BUILDING SETBACKS AND PERMITS STANDARDS IN THIS SUBDIVISION SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS OF ADA COUNTY, IDAHO.
 2. LOT LINES COMMON TO A PUBLIC RIGHT-OF-WAY HAVE A 10' WIDE PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT.
 3. SETBACKS TO CONFORM TO APPLICABLE STANDARDS IN EFFECT AT THE TIME OF ISSUANCE OF BUILDING PERMITS.
 4. EACH SIZE OF COMMON LOT LINES HAS A 5 FOOT WIDE PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT.
 5. RESPONSIBILITY FOR ALL DRAINAGE FACILITIES LOCATED OUTSIDE THE PUBLIC ACCESS RIGHT-OF-WAY IS HELD WITH THE LOT OWNERS ON WHOSE LAND SAID DRAINAGE FACILITIES ARE CONSTRUCTED.
 6. ANY RESUBDIVISION OF THIS PLAT SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF RESUBDIVISION.
 7. DEVELOPER SHALL COMPLY WITH IDAHO CODE 31-2805 REGARDING TO IRRIGATION WATER. IRRIGATION WATER IS AVAILABLE TO EACH LOT.
 8. ALL BRIDGES, CULVERTS, RELOCATIONS OF, AND/OR PERMANENT IMPROVEMENTS WITHIN THE UNITED STATES CANAL, RIGHTS-OF-WAY MUST BE PERMITTED BY THE BUREAU OF RECLAMATION.
 9. THE SUBDIVISION BOUNDARY HAS A 10' WIDE PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT. LOT 3 HAS AN ADDITIONAL 10' WIDE PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT LIVING ADJACENT TO AND PARALLEL WITH THE EXCLUSIVE MORA CANAL AND VANDERZUER LATERAL WITHIN THEIR RIGHTS-OF-WAY. ALONG THE EAST SIDE OF SAID LOT 3.
 10. THE BORER PROJECT BOARD OF CONTROL HAS AN EXCLUSIVE 60' WIDE UNITED STATES CANAL RIGHT-OF-WAY ALONG THE MORA CANAL. THE BOARD OF CONTROL IS REQUIRED TO OPERATE AND MAINTAIN THE MORA CANAL AND VANDERZUER LATERAL WITHIN THEIR RIGHTS-OF-WAY.
 11. THE UNITED STATES ASSURES THE FOLLOWING RIGHT-OF-WAY WIDTHS: MORA CANAL, ABOVE VANDERZUER LATERAL - 60' NORTHERLY 44' SOUTHERLY; BELOW VANDERZUER LATERAL - 24' WESTERLY, 12' EASTERLY.

DEVELOPER:
PAUL CARROTH
2200S N.W. CAMPSLAND RD.
PORTLAND, OREGON 97231



Superseded by amended app received 4-20-15 - DM

Neely, Rachel

From: Sommer, Rachel
Sent: Thursday, May 14, 2015 3:41 PM
To: LEGALS@IDAHOSTATESMAN.COM
Subject: Ada Legal Ad
Attachments: Ada Cover Letter.docx; Ada Legal Ad.docx

Categories: Legal Ad Confirmed

Good Afternoon Janice Hildreth,

Please see the attached ad for publication on 5/21/15 & 5/28/15.

Please confirm these are okay to publish as shown.

Thank you,

Rachel Sommer

Water Resource Agent
Dept. of Water Resources
Western Regional Office
2735 Airport Way, Boise ID 83705
Phone 208-334-2190 | Fax 208-334-2348
Email: rachel.sommer@idwr.idaho.gov

May 14, 2015

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application For Permit No's: 63-34021, 63-34041

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 6/8/2015. Your cooperation is appreciated.

Sincerely,

Rachel Sommer
Administrative Assistant

Enclosures

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-34021

KUNA CEMETERY MAINTENANCE DISTRICT

2390 N LOCUST GROVE RD

KUNA, ID 83634

Point of Diversion NWSW S23 T02N R01W ADA County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 0.26 CFS

Total Diversion: 0.26 CFS

Date Filed: 12/17/2014

Place of Use: IRRIGATION

T02N R01W S23 NESW NWSW

Total Acres: 13

Water bearing zone to be appropriated is from 240 to 260 feet.

63-34041

VINCENT BLOMMER

ELISA BLOMMER

PO BOX 130

KUNA, ID 83634

Point of Diversion SWSW S33 T02N R01W ADA County Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.26 CFS

Total Diversion: 0.3 CFS

Date Filed: 2/20/2015

Place of Use: IRRIGATION, DOMESTIC

T02N R01W S33 SWSW

Total Acres: 13

Water bearing zone to be appropriated is from 230 to 280 feet.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the rights, please see www.idwr.idaho.gov/WaterManagement/WaterRights/#New_Listings. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 6/8/2015. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 5/21/2015 and 5/28/2015

Merriman, Danielle

From: V B [idahowest@yahoo.com]
Sent: Thursday, May 14, 2015 11:33 AM
To: Merriman, Danielle
Subject: Re: application for permit 63-34041

Thanks. I understand.

From: "Merriman, Danielle" <Danielle.Merriman@idwr.idaho.gov>
To: V B <idahowest@yahoo.com>
Sent: Thursday, May 14, 2015 9:53 AM
Subject: RE: application for permit 63-34041

Mr. Blommer,

Changing the priority date will not affect the application process. We will still advertise your request for two weeks and have a two week period for citizens to respond. If the application is not protested, then we can submit the application to the manager of the office for approval. Water rights in Idaho are ranked by their priority date with the older rights having more seniority (first in use, first in right.) Changing the priority date would affect your position on this list. If there is ever a call for water by another user and others have to curtail water use, those at the back of the list will be limited first. That being said, you are applying for ground water which historically hasn't been curtailed in your area. Likewise, when water rights are subject to a water call, typically one or two months doesn't make a difference in who is curtailed, but rather it is the year of priority that matters.

Please let me know if this answer is unclear and I will try my best to clarify. Thank you for your response and question!

-Danie

From: V B [mailto:idahowest@yahoo.com]
Sent: Thursday, May 14, 2015 8:24 AM
To: Merriman, Danielle
Subject: Re: application for permit 63-34041

Miss. Merriman,

I do have a question about the priority date change. What affect does that have on the application process?

Thanks,

Vincent

From: "Merriman, Danielle" <Danielle.Merriman@idwr.idaho.gov>
To: "idahowest@yahoo.com" <idahowest@yahoo.com>
Sent: Wednesday, May 13, 2015 11:40 AM
Subject: application for permit 63-34041

4/18/2015

• • •

Vincent and Elisa Blommer
PO Box 130
Kuna, ID 83634

State of Idaho
Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082

RECEIVED

APR 20 2015

WATER RESOURCES
WESTERN REGION

Danie Merriman
Water Resource Agent
IDWR, Western Region

Dear Ms. Merriman:

The following statements are in response to your March 30, 2015, letter requesting additional information related to my Application for Permit 63-34041 that was originally submitted on February 20, 2015:

Section 6a. The proposed diversion configuration would consist of a separate, submersible pump below the domestic pump, and would be plumbed directly into the current pressurized irrigation main line to include all necessary valving to meet any code requirements. From our driller's estimate, the pumps proposed to be used are a 15-hp, 6-inch Franklin Electric Sub Motor and a 15-hp, Webtrol WS90150C 6-inch pump end.

Section 13. The copy of the original attached map has been amended to show the outlined area to be irrigated. Also, the approximate location of the proposed well is to be ± 80 feet west of current house. The domestic pump would provide all water for the residence and also a portion would be used for the landscape watering around the residence.


Existing Wells on Property. Regarding your note about other wells on the property. As far as we are aware, there is the current well we are using for domestic water (marked on the attached map with an attached well log with tag#) and an abandoned well adjacent to the existing well (also shown on the attached map with the Authorization to abandon form). We are the only ones using the existing domestic well.

Water for Domestic and Irrigation Use. The domestic use will be primarily for internal uses. We plan to use some of the water for irrigating a portion of our lawn.

Description of Water Bearing Zone. As requested, we have enclosed our amended application (with our initials). In talking with our proposed driller for the new well, we estimate the zone would be between 230 to 280 feet.

Please let us know if you require any additional information. Thank you.

Sincerely,



Vincent Blommer



Elisa Blommer

ID NUMBER _____

**State of Idaho Department of Water Resources
AUTHORIZATION TO ABANDON (DECOMMISSION) A WELL**

1. **WELL OWNER INFORMATION:** (The well owner is the person who legally owns the property.)

Name: VINCENT BLOMMER
Current Mailing Address: P O BOX 130
City: KUNA State: ID Zip Code: 83634
Telephone: (208) 288-2040

2. **WELL LOCATION:** (GPS required in Degrees Decimal Minutes.)

Twp. 2N, Rge. 1W, Sec. 33, (10) 1/4 SW (40) 1/4 SW (160) 1/4
Gov't Lot No. _____ County ADA Lat. 43 27.682 Long. 116 28.209
Street Address of Well Location: 4555 W GREEN LN
City: KUNA Lot, block and subdivision: _____

3. **TYPE OF WELL:**

☒ DOMESTIC ☐ MONITORING ☐ IRRIGATION ☐ OTHER _____ (Describe)

4. **WELL INFORMATION:** (*Casing size, well depth & static water level data are required.)

Well Tag Number: D000791 Previous Drilling Permit Number: _____
Water Right Number: _____
Well Log on File? (Provide if available) ☐ Yes ☒ No Temperature: ☒ less than 85°F ☐ greater than 85°F
*Casing Size: 6-IN *Material: STEEL *Well Depth 239 FT (measured)
*Current Static Water Level: 138 (measured) Flowing Artesian? ☐ Yes ☒ No

5. **REASON FOR ABANDONMENT OF WELL:**


NOT USING - NEW WELL WAS DRILLED YEARS AGO.

6. **PROPOSED METHOD OF ABANDONMENT:** (Must be consistent with IDAPA 37.03.09. This Application must be reviewed prior to commencement of abandonment.)

DRY POUR 3/4 BENTONITE CHIPS

7. **DRILLING COMPANY NAME:** COONSE WELL DRILLING **COMPANY LIC. NO.** 409

8. **DATE OF ABANDONMENT:** 4/17/14

9. **APPLICANTS SIGNATURE:** 

10. **TITLE:** OWNER/PRES **DATE:** Apr 17, 2014

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This application for abandonment has been reviewed by IDWR on ____/____/____

This review does not constitute an endorsement by IDWR of the proper abandonment of this well. Pursuant to Section 42-238(12), Idaho Code, all abandonments must meet the requirements of the Administrative Rules for Well Construction Standards. **Abandonment of this well will require the services of a well driller licensed in the State of Idaho unless a waiver has been granted.**

Signature of Authorized Department Representative

Title



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

March 30, 2015

Vincent and Elisa Blommer
PO Box 130
Kuna, ID 83634

Re: Application for permit 63-34041

Dear Mr. and Mrs. Blommer,

The purpose of this letter is to request additional information related to the application for permit 63-34041 submitted on February 20, 2015. There are a few points of clarification that need to be addressed in order to further process your application.

First, section 6a of the application requires a description of the proposed diverting works. This could include a list of the pump, motor, ditch, pipeline, diversion, etc. Please amend your application to include this description of how you will move the water from the source.

Second, section 13 of the application requires a map that clearly identifies the proposed point of diversion and place of use. Please amend your application to outline where you are planning on irrigating and using the domestic water and mark where you will drill the well.

Our records show two other potential wells and another domestic water right on the same land indicated on your map. Are there other wells on your property? Are others using these wells?

You are requesting water for both irrigation and domestic use. Is your domestic use going to be solely for internal uses? Are you planning on irrigating your lawn with surface water?

Finally, because the proposed irrigation area is in water basin 63, applicants are required to describe the water bearing zone for their wells. This is not on the original application, but is important to know for advertising the application later on.

I am returning a copy of your original application with notes showing the areas that need to be addressed. Please submit the amended application (with your initials) and requested information for the application to be processed. You may seek additional time to provide the information by making a written request to interrupt processing for up to six months. The application will be voided without a timely written reply within the next thirty (30) days. Refunds are not issued for voided applications.

IDWR forms and other information are available on the Internet at www.idwr.idaho.gov. Please contact me at 208-334-2190 if you need more information. Thank you for your attention to these matters.

Sincerely,

Danie Merriman
Water Resource Agent
IDWR, Western Region

Enclosed: Copy of original application for permit