

Hemenway, Sandy

From: Hemenway, Sandy
Sent: Thursday, April 10, 2014 11:17 AM
To: Hemenway, Sandy; jeffcook@rtci.net
Subject: RE: 2-7470 (surface water treatment plant) and 61-7679 (infiltration gallery)
61-7679

Just following up on this ☺

From: Hemenway, Sandy
Sent: Thursday, March 27, 2014 2:30 PM
To: jeffcook@rtci.net
Cc: Hemenway, Sandy
Subject: 2-7470 (surface water treatment plant) and 61-7679 (infiltration gallery)
Importance: High

Hi Jeff,

Can you scan and send me copies of your daily, and monthly flow records (send only 1 – 3 years during the following time periods) for:

- (1) 2000 forward for the infiltration gallery
- (2) 2008 forward from the surface water intake. Please try to send flows during your highest demand months.

Also, do you know what your peak demand flow is from your infiltration gallery intake, and from your surface water intake (gpm or cfs)?

I'm trying to make sure that your water rights are representative of your "highest demand," so the water rights are licensed for those amounts, to prevent violations.

Thanks,

Sandy Hemenway
Sr. Water Resource Agent
IDWR State Office, Boise
(208)287-4920
Sandy.hemenway@idwr.idaho.gov