

INVOICE № 3073

BUSINESS MAILING ADDRESS
Addison Ave. West Twin Falls, Idaho 83301 127 Bonny Drive
(208) 733-5002 • (208) 734-1523 • 1-800-852-4017

Customer's Order No. _____ Date Dec. 12, 1976

Name Dennis Henson

Address 3245 N. 2300 E.

TWIN FALLS, Idaho Zip Code 83301

[illegible]

OUR CREDIT IS FOR YOUR CONVENIENCE. Customer agrees, by signing this invoice, to pay for the goods and services itemized above at Twin Falls, Idaho, on or before the tenth day of the month following the date hereof. If not so paid, I agree that I will pay the principal amount together with a service charge from date hereof, until paid, at the rate of 1 1/2% PER MONTH, which is an ANNUAL PERCENTAGE RATE OF 18%, and a reasonable sum as attorney fee if collected by an attorney either with or without suit.

Signature _____

DESCRIPTION OF WORK				
14 GPM. 50 PSI.				
Had to set pump deeper				
because ^{unit} was deeper than anticipated				
3289 N 2300 E				
Twin Falls				
20P4G02H-02 1H96F				
2G96 24-3675				
I certify that the property which I have purchased will be used for mining, manufacturing, processing or for farming, or for repair thereof. I certify that all statements are true and correct.				
☐ CHECK IF EXEMPTION APPLIES.				
LABOR	HOURS	RATE	AMOUNT	
Install pump			500	cc
press. system				
Elect Plumb permits			70	cc
SC027566				
S057720				
TOTAL LABOR			570	cc
TOTAL MATERIALS			3200	cc
Thank You!	WELL			
	TAX			
	TOTAL		3770	cc

THIS IS AN ESTIMATE ONLY. BIDS VALID FOR 30 DAYS ONLY.

Form 238-7

11/97 JGE

IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

1. WELL TAG NO. D0043512

DRILLING PERMIT NO. 845501

Other IDWR No. 415584

2. OWNER:

Name City of Twin Falls


Address P.O. Box 1907

City Twin Falls

State ID Zip 83301-1907

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.



Twp. 11

Rge. 16

Sec. 13

Gov't Lot

Lat.

DEPT. OF WATER RESOURCES
SOUTHERN REGION
SW 1/4 SE 1/4 SE 1/4
County Twin Falls

Address of Well Site 2676 E 3200 N

City Twin Falls

(Give at least name of road + Distance to Road or Landmark)

Lt. Blk. Sub. Name

4. USE:

☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other Test

5. TYPE OF WORK: check all that apply

(Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD:

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES:

Seal/Filter Pack			AMOUNT		METHOD
Material	From	To	Sacks or Pounds		
Bentonite	0	219	600lbs		Dry pour

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s)Was drive shoe seal tested? ☐ Y ☒ N How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
14	+2	-19	.250	steel	☒	☐	☐	☐

Length of Headpipe Length of Tailpipe

9. PERFORATIONS/SCREENS:

☐ Perforations Method
☐ Screens Screen Type

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

380 ft. below ground Artesian pressure lb.

Depth flow encountered ft. Describe access port or control devices: steel plate

Office Use Only

Inspected by

Twp. Rge. Sec.
1/4 1/4 1/4
Lat. : : Long. : :

11. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time

Water Temp. <85 Bottom hole temp. <85

Water Quality test or comments:

Depth first Water Encounter 379

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Core Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water	Y	N
35'	to	190'	cemented and drilled out			
17.5	0	8	top soil			
17.5	8	14	medium lava			
17.5	14	15	cinders			
17.5	15	22	medium lava			
10	22	25	soft lava breaks & cinders			
10	25	48	medium soft lava			
10	48	80	soft broken lava & cinders			
10	80	84	medium lava			
10	84	91	soft lava cinders & breaks			
10	91	93	medium lava & breaks			
10	93	124	medium lava			
10	124	148	hard lava			
10	148	151	soft lava cinders & breaks			
10	151	152	medium			
10	152	162	broken cinders			
10	162	165	medium lava			
10	165	168	cinders			
10	168	197	medium lava			
10	197	200	soft lava cinders & breaks			
10	200	206	medium lava			
10	206	208	soft cinders			
10	208	235	medium lava			
10	235	237	cinders			
10	237	248	medium soft & breaks			
10	248	281	medium lava			
10	281	290	soft lava & cinders			
10	290	295	medium lava			
10	295	320	soft lava cinders & breaks			
10	320	330	medium soft			
10	330	365	soft lava breaks & cinders			
10	365	370	medium lava			
10	370	379	medium soft lava & breaks			
10	379	384	soft lava cinder pockets		X	
10	384	387	medium			

Continued on next page

Completed Depth 708 Measurable)
Date: Started 3/7/2007 Completed 3/14/2007

13. DRILLER'S CERTIFICATION:

We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Eaton Drilling & pump Service, Inc. Firm No. 26

Firm Official Date 4/11/2007

Driller or Operator Date 4/11/2007

(Sign once if Firm Official & Operator)

Class 1 Operator Jeremiah Carter 4-1-2007

Form 238-7
11/97 JSEIDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT**1. WELL TAG NO.** D0043512

DRILLING PERMIT NO. 845501

Other IDWR No. 415584

2. OWNER:Name City of Twin FallsAddress P.O. Box 1907City Twin Falls State ID Zip 83301-1907**3. LOCATION OF WELL by legal description:**

Sketch map location must agree with written location.

N		Twp. <u>11</u>		North ☐ or South ☒	
E		Rge. <u>18</u>		East ☒ or West ☐	
S		Sec. <u>13</u>		SW 1/4 SE 1/4 SE 1/4	
		Gov't Lot		County <u>Twin Falls</u>	
		Lat:		Long:	
		Address of Well Site <u>2876 E 3200 N</u>		City <u>Twin Falls</u>	

(Give at least name of road + Distance to Road or Landmark)
LL Blk. Sub. Name **4. USE:**
☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other
5. TYPE OF WORK: check all that apply(Replacement etc.)
☐ New Well ☐ Modify ☐ Abandonment ☐ Other**6. DRILL METHOD:**☐ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other**7. SEALING PROCEDURES:**

Seal/Filter Pack			AMOUNT		METHOD
Material	From	To	Sacks or Pounds		

Was drive shoe used? ☐ Y ☐ N Shoe Depth(s) Was drive shoe seal tested? ☐ Y ☐ N How? **8. CASING/LINER:**

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe Length of Tailpipe **9. PERFORATIONS/SCREENS:**
☐ Perforations Method
☐ Screens Screen Type

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:
 ft. below ground Artesian pressure lb.
 Depth flow encountered ft. Describe access port or control devices:

Page 2

11. WELL TESTS:
☐ Pump ☐ Bailor ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time

Water Temp. Bottom hole temp. Water Quality test or comments: Depth first Water Encounter **12. LITHOLOGIC LOG:** (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water	Y	N
10	387	398	soft lava cinders & talc	X		
10	398	420	hard lava & breaks			
10	420	428	soft lava breaks & cinders	X		
10	428	433	medium hard			
10	433	437	soft lava cinders	X		
10	437	452	hard lava			
10	452	454	soft lava breaks	X		
10	454	461	medium lava			
10	461	464	cinders	X		
10	464	467	medium soft			
10	467	480	medium hard lava			
10	480	481	soft cinders	X		
10	481	487	medium			
10	487	492	soft lava & breaks	X		
10	492	519	hard ryllite			
10	519	522	soft ryllite & talc	X		
10	522	566	hard ryllite			
10	566	578	hard ryllite & talc	X		
10	578	582	medium ryllite & talc			
10	582	613	soft red lava ash & talc	X		
10	613	628	medium hard ryllite & ash			
10	628	634	soft ryllite & breaks	X		
10	634	643	hard ryllite			
10	643	689	soft ryllite & talc	X		
10	689	708	medium hard ryllite & talc			

 RECEIVED
 APR 16 2007
 DEPT. OF WATER RESOURCES
 SOUTHERN REGION
Completed Depth 708

(Measurable)

Date: Started 3/7/2007Completed 3/14/2007**13. DRILLER'S CERTIFICATION:**

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Eaton Drilling & pump Service, Inc.Firm No. 26Firm Official Louis WilsonDate 4/11/2007

and

Driller or Operator J. H.Date 4/11/2007

(Sign once if Firm Official & Operator)

Class 1 Operator Jeramie Caster 4-12-07