

RECEIVED

JAN 29 2015

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of IdahoIdent. No. 63-34034

1. Name of applicant(s) City of Meridian Phone 208-888-3579
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address Parks & Recreation Dept., 33 East Broadway Ave., Ste. 206 City Meridian
 State ID Zip 83642 Email _____

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
3N	1E	7	4		SW	SW	Ada	Ground Water	

4. Water will be used for the following purposes:

Amount 0.90 cfs for Irrigation purposes from 3/1 to 11/15 (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) 0.90 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. Well, pump, pressurized irrigation

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is 24 inches; proposed depth of well is 80 feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? 1967; drilling firm Witt & Sons Drilling Co., License No. 55;
 well was drilled for (well owner) City of Meridian; Drilling Permit No. u/k

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; complete and attach the Municipal Water Right Application Checklist.

d. Domestic; show number of households _____

e. Other; describe fully. _____

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	1E	18					12.8	4		1.5									18.3
								L1											

Total number of acres to be irrigated: 16 acres irrigation within an 18.3-acre permissible place of use

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?
- Nampa and Meridian Irrigation District surface water

10. a. Who owns the property at the point of diversion? ACHD
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Access Agreement from ACHD for well located in public right-of-way owned by ACHD
11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

The place of use is known as Storey Park. Applicants propose using an existing well, originally constructed for drainage purposes, to provide irrigation water to the park grounds during times when surface water is unavailable or insufficient. An excessive diversion rate is proposed to allow irrigation within an eight-hour window in an effort to avoid public activities during daylight hours.

Water bearing zone to be appropriated is from 1 to 80 feet.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Signature of Applicant

Print Name (and title, if applicable)

Print Name (and title, if applicable)

Received by CS Date 1/29/15 Time 1:50pm Preliminary check by DM

Fee \$ 250⁰⁰ Receipted by CS Receipt No. W042772 Date 1/29/15



REPORT OF WELL DRILLER
State of Idaho

RECEIVED

FEB 28 1968

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name City of Meridian
Address Meridian, Idaho.

Owner's Permit No. none

NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Drainage

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐ (explain)

CASING SCHEDULE: Threaded ☐ Welded ☐
24" "Diam. from 0 ft. to 81'6" ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.

Thickness of casing: Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☒ No ☐ Type of
perforator used: Torch

Size of perforations: 1/4 " by 5 "
1/4 perforations from 9 ft. to 72 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒

Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☒
No ☐ size of gravel 3/8 to 3/4 Gravel
placed from 0 ft. to 72 ft. Surface seal
provided? Yes ☐ No ☐ To what depth?
 ft. Material used in seal:

Did any strata contain unusable water? Yes ☐
No ☒ Type of water:
Depth of strata ft. Method of sealing
strata off:

Surface casing used? Yes ☐ No ☒
Cemented in place? Yes ☐ No ☐

Locate well in section

	Sec.	

LOCATION OF WELL: County
SW * SW * Sec. 7 T. 3 N. 8 E. 1 W

Use other side for additional remarks

Size of drilled hole: 24" Total
depth of well: 80' 6" Standing water
level below ground: 5" Temp.
Fahr. Test delivery: 913 gpm
or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:
3" Turbine

Length of time of test: 16 Hrs. Min.
Drawdown: ft. Artesian pressure: ft.
above land surface Give flow cfs
or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☐ **31798**

DEPTH	MATERIAL	WATER
FROM TO		YES OR NO
FEET FEET		
0 15	Gravel fill	
15 39	Gravel	
39 50	Clay, sand layer	
50 55	clean sand	
55 74	Sand and clay layer	
74 77	Clay	
77 80	Sandy clay	

Work started: Nov. 17, 1967
Work finished: Dec. 27, 1967
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: Witt and Sons Drilling Co.
Address: Route 4, Caldwell, Idaho.
Signed by: Kenneth Witt
License No. 55 Date: Jan. 20, 1968

USGS

2 WRONG

Sommer, Rachel

From: Sommer, Rachel
Sent: Monday, March 16, 2015 9:15 AM
To: 'waterdistrict63@qwestoffice.net'
Subject: 63. Applications for Permit and Transfer
Attachments: Watermaster Recommendation Form.docx; 63-33973.pdf; 63-34002.pdf; 63-34034.pdf; 79654.pdf

March 16, 2015

REX BARRIE
WATER DISTRICT #63
PO BOX 767
10769 W STATE ST
STAR ID 83669-0767

**RE: Application for Permit No's: 63-33973, 63-34002, 63-34034
Application for Transfer No. 79654**

Dear Watermaster:

The Idaho Department of Water Resources (IDWR) is seeking written comment and/or recommendations from you regarding the above referenced water right application. A copy of the application is enclosed with this email for your reference. Please review the application, complete a recommendation form, and submit your reply, if any, to this office by April 6, 2015.

IDWR will assume you do not object to this application if a timely response is not received. Please contact me if you have any questions in this matter. Thank you for your help.

Sincerely,

Rachel Sommer

Administrative Assistant
Dept. of Water Resources
Western Regional Office
2735 Airport Way, Boise ID 83705
Phone 208-334-2190 | Fax 208-334-2348
Email: rachel.sommer@idwr.idaho.gov

Sommer, Rachel

From: Sommer, Rachel
Sent: Friday, March 13, 2015 11:28 AM
To: 'LEGALS@IDAHOSTATESMAN.COM'
Subject: Ada Legal Ad
Attachments: Ada Cover Letter.docx; Ada Legal Ad.docx

Categories: Legal Ad Confirmed

Good Morning Janice Hildreth,

Please see the attached ad for publication on 3/19/15 & 3/26/15.

Please confirm these are okay to publish as shown.

Thank you,

Rachel Sommer

Administrative Assistant
Dept. of Water Resources
Western Regional Office
2735 Airport Way, Boise ID 83705
Phone 208-334-2190 | Fax 208-334-2348
Email: rachel.sommer@idwr.idaho.gov

March 13, 2015

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application for Permit No's: 63-33977, 63-34002, 63-34005, 63-34033, 63-34034
Application for Transfer No. 79654

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 4/6/2015. Your cooperation is appreciated.

Sincerely,

Rachel Sommer
Administrative Assistant

Enclosures

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-33977

ANDREA LARSON
KYLE LARSON
1860 S CANONERO WAY
BOISE, ID 83709
Point of Diversion SENW S22 T03N R01E ADA County Source GROUND WATER
Use: AESTHETIC STORAGE 01/01 to 12/31 0.3 AF
Use: DIVERSION TO STORAGE 01/01 to 12/31 0.13 CFS
Use: IRRIGATION 03/01 to 11/15 0.13 CFS
Use: STOCKWATER STORAGE 01/01 to 12/31 0.1 AF
Total Diversion: 0.13 CFS
Date Filed: 8/8/2014
Place of Use: AESTHETIC STORAGE, IRRIGATION, STOCKWATER STORAGE
T03N R01E S22 NENW SENW
Total Acres: 4.2
Water bearing zone to be appropriated is from 150-160 feet.

63-34002

BANBURY MEADOWS LLC
C/O BRIAN HOFF
1840 N LAKES AVE
MERIDIAN, ID 83642
Points of Diversion SWNW NESE NESE L6(SENW) L7(SWNE) S20 T04N R01E ADA County Source GROUND WATER
(2)Points of Diversion L1(NENE) S19 T04N R01E ADA County Source GROUND WATER
Use: AESTHETIC STORAGE 01/01 to 12/31 238.5 AF
Total Diversion: 238.5 AF
Date Filed: 10/22/2014
Place of Use: AESTHETIC STORAGE
T04N R01E S19 L1(NENE) SENE
T04N R01E S20 L7(SWNE) L5(NWNW) SWNW L6(SENW) NESE NWSE
Water bearing zone to be appropriated is from 1 to 18 feet.

63-34005

M & C STANLEY LLC
2224 N RAM AVE
EAGLE, ID 83616
Point of Diversion NENW S35 T05N R01E ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 0.2 CFS
Total Diversion: 0.2 CFS
Date Filed: 10/31/2014
Place of Use: IRRIGATION
T05N R01E S35 NW(ALL) NESW NWSW
Total Acres: 132
Water bearing zone to be appropriated is from 200 to 500 feet. Applicant proposes irrigation of 20 acres within place of use.

63-34033

SCS BRIGHTON, LLC
12601 WEST EXPLORER DRIVE, SUITE 200
BOISE, ID 83713
Points of Diversion NWSW NESW S14 T03N R01W ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 0.76 CFS
Total Diversion: 0.76 CFS
Date Filed: 1/27/2015
Place of Use: IRRIGATION
T03N R01W S14 NESW NWSW
Total Acres: 76
Water bearing zone to be appropriated is from 50 to 300 feet. Applicant proposes irrigating 38 acres. Applicant proposes using a single well in either location.

Continued on page 2

63-34034

CITY OF MERIDIAN

33 E BROADWAY STE 206

MERIDIAN, ID 83642

Point of Diversion L4(SWSW) S7 T03N R01E ADA County Source GROUND WATER Tributary NINEMILE CREEK

Use: IRRIGATION 03/01 to 11/15 0.9 CFS

Total Diversion: 0.9 CFS

Date Filed: 1/29/2015

Place of Use: IRRIGATION

T03N R01E S18 NENW L1(NWNW) SENW

Total Acres: 19

Water bearing zone to be appropriated is from 1 to 80 feet. Applicant proposes supplemental irrigation of 16 acres within the proposed place of use.

PROPOSED CHANGE OF WATER RIGHTS

Warm Springs Ditch Co. of 1840 N. Lakes Ave., Meridian, ID, 83646, filed Application No. 79654 to transfer three water rights with 1876 to 1889 priority dates from the Boise River totaling 7.76 cfs. The purpose of the transfer is to change the nature of use for 3.5 acres, 0.07 cfs and 10.2 af to aesthetic storage and diversion to storage uses. The proposed change will mitigate for evaporative losses from the ponds in Banbury Meadows. An application for permit 63-34002 was filed for the Banbury pond system. Water will be used in the Warm Springs Ditch Co. service area in the Banbury Meadows subdivision located south of W. Colchester Drive, west of N. Locust Grove Road and east of S. Eagle Road.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at 208-334-2190; or for a full description of the rights &/or proposed transfer, please see www.idwr.idaho.gov/WaterManagement/WaterRights/#New_Listings. Protests may be submitted based on the criteria of Sec 42-222 and 42-203A, Idaho Code. Any protest against the approval of this application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705 together with a protest fee of \$25.00 for each application on or before 4/6/2015. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 3/19/2015 and 3/26/2015



SPF WATER
ENGINEERING

January 28, 2015

RECEIVED

JAN 29 2015

WATER RESOURCES
WESTERN REGION

Steve Lester
IDWR Western Region Office
2735 Airport Way
Boise, ID 83705

Subject: Application for Permit

Dear Steve,

Enclosed on behalf of the City of Meridian, is an *Application for Permit* seeking authorization to appropriate ground water from an existing well for supplemental irrigation of a park site.

Check No. 9024 for \$250 is enclosed for the filing fee. Could you please have Chad either mail or email me a copy of the receipt for the City's records? Thank you very much for your consideration and assistance in this matter. Please call me if you have any questions. 

Sincerely,



Lori Graves
Water Rights Specialist

Cc: Mike Barton

Enclosures

SPF file number: 790.0330