

RECEIVED
JAN 07 2015
Department of Water Resources
Eastern Region

Maximum Diversion Rate: 0.15 CFS
Maximum Diversion Volume: 8.2 AF

Comes now SAGEWILLOW INC
C/O KENT FOSTER
HOLDEN KIDWELL HAHN & CRAPO
PO BOX 50130
IDAHO FALLS ID 83405-0130

And

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
1405 HOLLIPARK DR
IDAHO FALLS ID 83401 and repr

IDAHO FALLS ID 83401 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 33-07220, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
WILDLIFE	01/01 to 12/31	0.01 CFS	1.0 AF
STOCKWATER	05/01 to 02/15	0.15 CFS	7.2 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER BUTTE County	NW1/4NE1/4NE1/4	Sec. 34, Twp 08N, Rge 27E, B.M.
------------------------------	-----------------	---------------------------------

PLACE OF USE: WILDLIFE

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	
08N	27E	21		X	X														
08N	27E	28		X															
08N	27E	33	X																

PLACE OF USE: STOCKWATER


[illegible]

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 33-07220

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 5th day of January, 2002015


(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)
WATER RIGHT NO. 33-07220

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 100 - Received by SC # ED40542 Date 1/7/15

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, GARY SPACKMAN, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 33-07220 with the following:

CONDITIONS OF APPROVAL

1. Stockwater use is for 675 range cattle.
2. Place of use is located within Cedarville Allotment (#02004).
3. This right, when considered with all other rights common to the same grazing allotment, is limited to the quantity of water beneficially used by the number of stock within the allotment.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.

Witness my hand this 8th day of January, 2015


for GARY SPACKMAN
Director



United States Department of the Interior
BUREAU OF LAND MANAGEMENT
Idaho Falls District Office
1405 Hollipark Drive
Idaho Falls, Idaho 83401
(208) 524-7500



In Reply Refer To:

RECEIVED

JAN 07 2015

Department of Water Resources
Eastern Region

January 5, 2015

RE: 7250

Blake Jordan
Sr. Water Resource Agent
Idaho Department of Water Resources
900 North Skyline Drive, Suite A
Idaho Falls, ID 83402-1718

RE: Water Right Permit No. 33-07220

Dear Mr. Jordan,

I am returning the application for amendment for 33-07220 with a check for the \$100 filing fee. I made a slight change to the place of use located at T.8N, R.27E, Section 21. The trough is actually located in the SWNE instead of NWNE. You should be able to confirm this change using Google Earth. You may reach me at 208-524-7533 or dteel@blm.gov if you have any questions.

Sincerely,

Deena Teel
Supervisory Natural Resource Specialist

Enclosure(s)



State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region • 900 North Skyline Drive, Suite A • Idaho Falls, ID 83402-1718

Phone: (208) 525-7161 • Fax: (208) 525-7177 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

12/31/2014

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
1405 HOLLIPARK DR
IDAHO FALLS ID 83401

RE: Water Right Permit No. 33-07220

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

☐ Point(s) of Diversion

☒ Place(s) of Use

☐ Other

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$100.00 filing fee within 14 days.

If you have any questions, please call me at (208) 525-7161.

Sincerely,

Blake Jordan
Sr. Water Resource Agent

Enclosure(s)