

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 15-07381

Priority: August 5, 2014

Maximum Diversion Rate: 0.48 CFS

This is to certify, that LACIE JENSEN and ANTON JENSEN
80 REYNOLDS ST
MALAD CITY ID 83252

have applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.48 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:GROUND WATER NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 14, Twp 15S, Rge 35E, B.M. ONEIDA County**PLACE OF USE:** IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15S 35E 13					10.6	1.4											12.0
15S 35E 14	12.0																12.0

Total Acres: 24

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15S 35E 14	X																


CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **February 01, 2017**.
2. Subject to all prior water rights.


State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 15-07381

3. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.
5. Domestic use is for 1 home.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 6th day of January, 2015.




GARY SPACKMAN, Director



Permit 15-7381



2013 Aerial Photo



0 500 1,000 Feet

