

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 74-15702

RECEIVED
NOV 25 2014
Department of Water Resources
Eastern Region

Date of Priority: January 13, 2012

Maximum Diversion Rate: 0.01 CFS

Maximum Diversion Volume: 1.1 AF

Comes now R TERRY LOFT

167 WIMPEY CREEK RD

SALMON ID 83467

and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 74-15702, and requests that the permit be changed as follows:

Source: WASTE WATER

Tributary: WIMPEY CREEK

BENEFICIAL USE

IRRIGATION

PERIOD OF USE

03/15 to 11/15

RATE OF DIVERSION

0.01 CFS

ANNUAL VOLUME

1.1 AF

LOCATION OF POINT(S) OF DIVERSION:

WASTE WATER NW1/4NW1/4 Sec. 36, Twp 21N, Rge 23E, B.M.


LEMHI County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
21N	23E	35	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	.3
			.3																

Total Acres: 0.3

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 24 day of November, 2014


(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = _____ Received by JJ # E040006 Date 7/03/2014

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 74-15702

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, GARY SPACKMAN, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 74-15702 with the following:

CONDITIONS OF APPROVAL

1. The waste water diverted under this right is subject to the right of the original appropriator, in good faith and in compliance with state laws governing changes in use and/or expansion of water rights, to cease wasting water, to change the place of use or manner of wasting it, or to recapture it.
2. Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.
3. After specific notification by the Department, the right holder shall install a suitable measuring device and shall annually report the information to the Department.


Witness my hand this 18th day of December, 2014.


for GARY SPACKMAN
Director



Field Exam - 74-15702 - June 18, 2014

- Distribution System 74-15702
- Place of Use 74-15702
- Township/Range
- Sections
- QQ



To whom it may concern,

Reference your letter November 20, 2014, (RE: Water Permit 74-15702).

The water pipe in question, which diverted the irrigation runoff, was put in with my knowledge and approval.

If you have any further questions regarding this matter, please contact me.

Respectfully,

Kurt Williams

A handwritten signature in dark ink, appearing to read "Kurt A. Williams", written over a horizontal line.

November 24, 2014