

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 29-14118

Priority: August 07, 2014

Maximum Diversion Rate: 0.03 CFS

This is to certify, that TYSON SCHWARTZ And
NICOLE SCHWARTZ
6782 S OLD HWY 91
MCCAMMON ID 83250

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 5 Twp 10S Rge 36E, B.M. BANNOCK County

PLACE OF USE: STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	36E	5																X	

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **November 01, 2015**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. The quantity of water under this right shall not exceed 13,000 gallons per day.
5. Stockwater use is for 100 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 20th day of October, 2014.



for GARY SPACKMAN

Director