

RECEIVED

OCT 03 2014

09/08/2014 IDWR / NORTH

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 21, 2014

Water right number: 91-7704

THOMAS C MORRIS  
910 HIGHLAND AVE  
SANIT MARIES ID 83861  
Telephone Number: (208) 245-2685

CLOIA A MORRIS  
910 HIGHLAND AVE  
ST MARIES ID 83861  
Telephone Number: (208) 245-2685

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

       I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10/1/14

SIGNATURE:

Thomas C. Morris  
Cloia A. Morris

Please print your name:

Thomas C. Morris, Cloia A. Morris

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800

SCANNED

OCT 06 2014