



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

9/29/2014

Dale Hurley
Gail Hurley
9048 HWY. 78
Melba, ID 83641

RE: Water Appropriation Permit 02-10496

Request for Information

Dear Permit Holders:

In 2013, IDWR issued permit 02-10496 authorizing the development of a right to divert 0.06 cfs of water from Snake River, tributary Columbia River, within SWSE and SESW of Section 36, Township 02N North, Range 04 West, B.M., for irrigation use.

The final step in the water appropriation process is the issuance of a Water Right License. By issuing a license, IDWR recognizes that water has been put to beneficial use in accordance with the permit. For your convenience, I am enclosing a copy of permit(s) listed above.

In an attempt to expedite the licensing process, IDWR would like for you to provide the following information regarding your permit:

Point of Diversion Information:	The permit is authorized for 2 points of diversion. Please indicate if only one or both pump locations are valid on the provided map. If the location(s) are not correct, please indicate the correct one(s) on the map. If possible, please provide GPS coordinates of pump location – latitude/longitude.	
Pump Information:	Make, Model, Serial Number, and Horse Power of Pump or a picture of the pump plate	
Sprinkler Information:	Size of water line. Size, type, number of nozzles and gallon per minute of sprinklers. Number of sprinklers used at one time.	

In addition, I have enclosed a map of the identified Place of Use for Permit 02-10496. Based on the map provided and the 2013 NAIP imagery, 1.0 acres of irrigation under this permit has been identified. If additional or different acreage is being irrigated, please indicate where on the provided map and photographs of the additional irrigated acres. Please note that impermeable surfaces such as homes, trailer pads, sheds, and driveways cannot be included in the irrigated acreage.

You can request that IDWR personnel go into the field to collect this information accompanied by yourself or your representative. For this to occur, please contact me by October 24, 2014. If you would like your representative to be present, please have the name, telephone number, and email of your representative. Be aware that you and the representative must be available to be contacted for scheduling of the required visit within a timely manner.

Please provide the requested information by October 24, 2014. If I have not been contacted or do not receive the requested information by you by October 2, 2014, I will take action to void your permit under the provision of Section 42-219(8) of the Idaho Code.

If you have any questions, please contact me at 208-287-4938. Thank you for your attention to this matter.

Respectfully,

A handwritten signature in cursive script, appearing to read "Danielle Favreau".

Danielle Favreau
GIS Analyst
Technical Services Bureau

Enclosures