

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit Nos: 67-7946,
67-7947, 67-7948, 67-7949,
67-7950*, 67-7951,
67-7952**

Exam Date: 5/5/1994

1. Current Owner: JERROLD D. PIPER
2288 STEPHEN AVENUE
BOISE ID 83706
(208) 343-8662
2. Accompanied by: PAUL SUTTON
Phone No: (208) 355-2488
Address: ROUTE 1 BOX 11 MIDVALE ID 83645
Relationship to Permit Holder: Was permit holder at time of field exam

* note 67-7950 was found to be one spring per pond, no connection between the two. Will be split in licensing (labeled parts A and B in this field report)

**** 67-7952 recommended
to be amended.**

3. SOURCE

TRIBUTARY

SPRINGS

DEEP CREEK

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. LOCATION OF POINT(S) OF DIVERSION:

Permit 67-7946:	SPRING	(SE¼NE¼NW¼)	Sec. 32, Twp 13N, Rge 03W, B.M.	WASHINGTON County
Permit 67-7947:	SPRINGS	(SW¼SE¼NW¼)	Sec. 32, Twp 13N, Rge 03W, B.M.	WASHINGTON County
	SPRINGS	(SE¼SE¼NW¼)	Sec 32, Twp 13N, Rge 03W, B.M.	WASHINGTON County
Permit 67-7948:	SPRINGS	(NW¼NW¼SE¼)	Sec. 32, Twp 13N, Rge 03W, B.M.	WASHINGTON County
	SPRINGS	(NW¼NW¼SE¼)	Sec. 32, Twp 13N, Rge 03W, B.M.	WASHINGTON County
Permit 67-7949:	SPRINGS	(SW¼NW¼SE¼)	Sec. 32, Twp 13N, Rge 03W, B.M.	WASHINGTON County
	SPRINGS	(SE¼NW¼SE¼)	Sec 32, Twp 13N, Rge 03W, B.M.	WASHINGTON County
Permit 67-7950(A):	SPRING	(NW¼SW¼SE¼)	Sec. 32, Twp 13N, Rge 03W, B.M.	WASHINGTON County
Permit 67-7950(B):	SPRING	(NE¼SW¼SE¼)	Sec. 32, Twp 13N, Rge 03W, B.M.	WASHINGTON County
Permit 67-7951:	SPRING	(SE¼SW¼SE¼)	Sec. 32, Twp 13N, Rge 03W, B.M.	WASHINGTON County
Permit 67-7952:	SPRING	(NE¼SW¼NE¼)	Sec. 5, Twp12N, Rge 03W, B.M.	WASHINGTON County

Method of Determination: Site Visit

2. **PLACE OF USE:** STOCKWATER for all permits

67-7946

[illegible]

67-7947

Twp	Rge	Sec	NE				NW				SW				SE				Totals
13N	03W	32	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
										X									

67-7948

Twp	Rge	Sec	NE				NW				SW				SE				Totals
13N	03W	32	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
																X			

67-7949

Twp	Rge	Sec	NE				NW				SW				SE				Totals
13N	03W	32	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
																X			

67-7950A

Twp	Rge	Sec	NE				NW				SW				SE				Totals
13N	03W	32	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
																	X		

67-7950B

Twp	Rge	Sec	NE				NW				SW				SE				Totals
13N	03W	32	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
																	X		

67-7951

Twp	Rge	Sec	NE				NW				SW				SE				Totals
13N	03W	32	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
																	X		

67-7952

Twp	Rge	Sec	NE				NW				SW				SE				Totals
12N	03W	5	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
					X														

Method of Determination: Aerial Photography w/ field verification.

3. ☒ Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.
- ☒ Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.
- ☒ Aerial Photo Attached (required for irrigation of 10+ acres).
- ☒ Photo of Diversion and System Attached

4. <u>Well or Diversion</u>						<u>Pump Serial No. or Discharge</u>
<u>ID No.*</u>	<u>Motor Make</u>	<u>Hp</u>	<u>Motor Serial No.</u>	<u>Pump Make</u>	<u>Size</u>	
<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	

D. FLOW MEASUREMENTS

1. <u>Measurement</u>	<u>Equipment</u>	<u>Type</u>	<u>Make</u>	<u>Model No.</u>	<u>Serial No.</u>	<u>Size</u>	<u>Calib. Date</u>
	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>

2. Measurements: Measurements not taken

E. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Method:

Permits 67-7946, 67-7947, 67-7948, 67-7949, 67-7950A, 67-7950B

Permitted Rate per each permit individually: **0.03 cfs**

Proof of Beneficial Use fee paid per permit individually: \$50.00 = up to **0.2 cfs**

Recommended Rate: 0.03 cfs for each permit individually

Permit 67-7951

Permitted Rate: **0.02 cfs**

Proof of Beneficial Use fee paid per permit individually: \$50.00 = up to **0.2 cfs**

Recommended Rate: 0.02 cfs

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses: Per attached notes dated 2/8/1994, each circular pit developed at each spring cannot store more than 0.1 acre-foot. This volume can be filled in less than 24-hours for each permit based on permitted rate.

G. NARRATIVE/REMARKS/COMMENTS**SYSTEM DESCRIPTION:**

67-7946: One spring feeds one pond in the SENENW Section 32 T13N R3W. Photo no. 7 attached.

67-7947: Two springs feed one pond in the S½ of the SENW " ". Photo no. 6 attached.

67-7948: Two springs, both within the NWNWSE " ". One spring per pond, connected by natural drainage. Flow thru was observed from the upper pond to the lower. Photo nos. 4 and 5 attached.

67-7949: Two springs feed one pond in the S½ of the NWSE " ". Photo no. 3 attached.

67-7950A: One spring feeds pond in the NWSWSE " ". No photo was taken.

67-7950B: One spring feeds pond in the NESWSE " ". No photo was taken.

67-7951: One spring feeds pond in the SESWSE " ". Photo no. 2 attached.

67-7952: No development found at permitted location: Photo no. 1 attached shows a spring/pond combination, similar to the others, that was found during the exam that is without a water right filing. It's proposed that this permit is amended thru the licensing process to cover this spring/location.

Have conditions of permit approval been met? ☒ Yes ☐ No

H. RECOMMENDATIONS

1. Recommended Amounts

67-7946	<u>BENEFICIAL USE</u> STOCKWATER	<u>PERIOD OF USE</u> 01/01 to 12/31	<u>DIVERSION RATE</u> 0.03 CFS	<u>ANNUAL VOLUME</u> N/A AF
67-7947	<u>BENEFICIAL USE</u> STOCKWATER	<u>PERIOD OF USE</u> 01/01 to 12/31	<u>DIVERSION RATE</u> 0.03 CFS	<u>ANNUAL VOLUME</u> N/A AF
67-7948	<u>BENEFICIAL USE</u> STOCKWATER	<u>PERIOD OF USE</u> 01/01 to 12/31	<u>DIVERSION RATE</u> 0.03 CFS	<u>ANNUAL VOLUME</u> N/A AF
67-7949	<u>BENEFICIAL USE</u> STOCKWATER	<u>PERIOD OF USE</u> 01/01 to 12/31	<u>DIVERSION RATE</u> 0.03 CFS	<u>ANNUAL VOLUME</u> N/A AF
67-7950A	<u>BENEFICIAL USE</u> STOCKWATER	<u>PERIOD OF USE</u> 01/01 to 12/31	<u>DIVERSION RATE</u> 0.03 CFS	<u>ANNUAL VOLUME</u> N/A AF
67-7950B	<u>BENEFICIAL USE</u> STOCKWATER	<u>PERIOD OF USE</u> 01/01 to 12/31	<u>DIVERSION RATE</u> 0.03 CFS	<u>ANNUAL VOLUME</u> N/A AF
67-7951	<u>BENEFICIAL USE</u> STOCKWATER	<u>PERIOD OF USE</u> 01/01 to 12/31	<u>DIVERSION RATE</u> 0.02 CFS	<u>ANNUAL VOLUME</u> N/A AF
67-7952	<u>BENEFICIAL USE</u> STOCKWATER	<u>PERIOD OF USE</u> 01/01 to 12/31	<u>DIVERSION RATE</u> 0.01 CFS	<u>ANNUAL VOLUME</u> N/A AF


2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

Recommend the split of permit no. 67-7950 into two parts based off the field observation that the two ponds were served by two separate springs not in any apparent connection to each other. Also recommend the change in point of diversion and place of use to 67-~~7592~~ 7952.

I. AUTHENTICATION

Field Examiner's Name Nicholas V. By Date 3/5/14
Reviewer _____ Date _____



BONNER LANE

Section CORNERS

Section CORNERS

T13N
T12N

NEW Right

Fence line

Cattle trails, this area

Instagram view only

NO gov't lots

R3w

67-7946 then

67-7952

STAR 16



30507

28497

30117

30227

713N

712N

x 34167

4

17977

31527

31427

33467

28497

29097

Deep

28137

29047

30367

30747

4113

Pole

31527

Creek

31527

36307


31027

35427

1630

67-07946 *Panel D*

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Field Notes


APR 20 1994

F. Paul Sutton
(Applicant)

67-07947

Pond 2
just 1
pond
says 2
pounds

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


APR 20 1994

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

F. Paul Sutton
(Applicant)

split into A & B,
2 ponds
67-07948
Ponds
3+4 e
barn

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

APR 20 1994

F. Paul Sutton
Applicant)

67-07999

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Paul [Signature]
(Applicant)

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


APR 26 1994

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

7. Paul Sutton
(Applicant)

67-07951 ✓

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

APR 20 1994

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

F. Paul Sutton
(Applicant)

275-7 279-7



EXAM PHOTOS 67-7946 thru 67-7952

5/5/94



①
- Need now right
spring & pond e
SEAWNE/NESEWNE 5.5
(on/NEAR line)
(use same coverage as others)
type of

② 67-7951
spring & pond
/




ps 144



(3)

- 67-7949

2 springs,
1 pond



(4)

67-7948

2 springs, 2
ponds

1 spring per
pond but
connected re
some drainage


Also see
photo (5)



(5)
 67.7948
 continued
 from
 photo (4)



(6)
~~67.7949~~
 67.7947
 2 springs,
 1 pool



⑦' 67.7946
1 spring, 1 pond

NOTE 67. 7950 unable to photograph
split to A+B 1 spring, 1 pond each,
not connected so
separate development.