

RECEIVED

AUG 05 2014

Department of Water Resources
Eastern RegionSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of IdahoIdent. No. 25-14414
Application ID 795081. Name of applicant(s) Dome Technology LLC Phone 208 529 0833
Name connector (check one): ☐ and ☐ or ☐ and/orMailing address 3007 E. 49th N. City Idaho Falls
State ID Zip 83401 Email reed.denning@dometechnology.com2. Source of water supply Well Groundwater which is a tributary of N/A

3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
<u>3N</u>	<u>38E</u>	<u>34</u>	<u>-</u>	<u>SE</u>	<u>SE</u>	<u>SW</u>	<u>Donnerville</u>	<u>Ground Water</u>	<u>D0049862</u>

4. Water will be used for the following purposes: cooling & ~~domestic~~
- Amount 0.19 cfs for nonconsumptive purposes from 4/1/14 to October 31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) 0.19 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. The water will be obtained from a well to a heat pump exchanger then will be redepicted through an injection well.b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ Noc. Proposed well diameter is 8" inches; proposed depth of well is 200 feet.d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ Noe. If well is already drilled, when? _____; drilling firm _____;
well was drilled for (well owner) _____; Drilling Permit No. _____.

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; complete and attach the Municipal Water Right Application Checklist.

d. Domestic; show number of households _____

e. Other; describe fully. Non consumptive injection well for geothermal heat pump open loop system.

25-14414

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	38E	34												X					

Total number of acres to be irrigated: _____

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

10. a. Who owns the property at the point of diversion? Dome Technology LLC Affiliated Company - South Lan
b. Who owns the land to be irrigated or place of use? Dome Technology LLC
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

Same Ownership among Entities

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Dome Technology is constructing a new office with a heat pump system for cooling purposes only. We will have an injection well drilled for the open loop system. The current water system is owned by the same ownership as Dome Technology.

12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

[Signature]
Signature of Applicant

Signature of Applicant

Reed Denney - Financial Controller
Print Name (and title, if applicable)


Print Name (and title, if applicable)

For Department Use:

Received by _____ Date _____ Time _____ Preliminary check by _____
Fee \$ 100.00 Received by [Signature] Receipt No. E040125 Date 8-5-2014



25-14414





34

03N38E

25-14414

FOD

POLL
25-14414

3

02N38E

25-14414



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

August 28, 2014

DOME TECHNOLOGY LLC
3007 E 49 N
IDAHO FALLS, ID 83401

Application For Permit No. 25-14414

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the POST REGISTER on September 4 and 11, 2014. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in blue ink that reads "Sharla Cox". The signature is written in a cursive, flowing style.

Sharla Cox
Administrative Assistant

Cox, Sharla

From: Cox, Sharla
Sent: Thursday, August 28, 2014 11:47 AM
To: 'Post Register (legalnotices@postregister.com)'
Subject: Legal notice for your paper
Attachments: Post Register E-Mail.doc

Contacts: Post Register

Sharla

*Sharla Cox
Administrative Assistant
Idaho Dept of Water Resources
900 N Skyline Dr. Ste A.
Idaho Falls ID 83402
sharla.cox@idwr.idaho.gov
208-525-7161 phone
208-525-7177 fax*

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-14414

DOME TECHNOLOGY LLC

3007 E 49 N

IDAHO FALLS, ID 83401

Point of Diversion

SESESW S34 T03N R38E

BONNEVILLE County

Source GROUND WATER Tributary

Use: COOLING

04/01 to 10/31 0.19 CFS

Total Diversion: 0.19 CFS

Date Filed: 8/5/2014

Place Of Use: COOLING

T03N R38E S34 SESW

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Eastern Region office at (208) 525-7161. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Eastern Region, 900 N Skyline Dr Ste A, Idaho Falls ID 83402 together with a protest fee of \$25.00 for each application on or before September 22, 2014. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on September 4 and 11, 2014