

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 96-09543

Priority: May 13, 2014

Maximum Diversion Rate: 1.34 CFS

This is to certify, that CITY OF DOVER
PO BOX 115
DOVER ID 83825

has applied for a permit to appropriate water from:

Source: PEND OREILLE RIVER **Tributary:** COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	1.34 CFS


LOCATION OF POINT(S) OF DIVERSION:

PEND OREILLE RIVER, NW1/4SW1/4, Sec. 32, Twp 57N, Rge 02W, B.M., BONNER County
PEND OREILLE RIVER, NE1/4SW1/4, Sec. 32, Twp 57N, Rge 02W, B.M., BONNER County
PEND OREILLE RIVER, NE1/4SE1/4, Sec. 31, Twp 57N, Rge 02W, B.M., BONNER County

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **July 01, 2019**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
5. Place of use is within the service area of the City of Dover municipal water supply system as provided for under Idaho Law.
6. Rights 96-8592 and 96-9543 when combined shall not exceed a total diversion rate of 1.57 cfs,
7. This right does not grant any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 9 day of July, 2014.


For, GARY SPACKMAN, Director

City Of Dover Service Area





State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

July 10, 2014

CITY OF DOVER
PO BOX 115
DOVER ID 83825

RE: Permit No.96-9543

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208 762-2800.

Sincerely,

A handwritten signature in black ink, appearing to read "Eric J. Davis". The signature is written in a cursive, flowing style.

Eric J. Davis

Sr. Water Right Agent

Enclosure(s)


CERTIFICATE OF SERVICE

I hereby certify that on July 10, 2014 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO.

96-9543

CITY OF DOVER
PO BOX 115
DOVER ID 83825

A handwritten signature in cursive script, reading "Carolyn S. Monitz", is written over a horizontal line.

Carolyn S. Monitz
Technical Records Clerk

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:


- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



RECEIVED
JUL - 2 2014
IDWR / NORTH

NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9543

CITY OF DOVER

PO BOX 115

DOVER, ID 83825

Point of Diversion NWSW S32 T57N R02W BONNER County

Point of Diversion NESW S32 T57N R02W BONNER County

Point of Diversion NESE S31 T57N R02W BONNER County

Source PEND OREILLE RIVER tributary COLUMBIA RIVER

Use: MUNICIPAL 01/01 to 12/31 1.34 CFS

Total Diversion: 1.34 CFS

Date Filed: 5/13/2014

Place of Use: MUNICIPAL

Municipal use is within the service area of the applicant.

96-9544

SEASONS AT SANDPOINT

424 SANDPOINT AVE

SANDPOINT, ID 83864

Point of Diversion L2(SWNW) S23 T57N R02W BONNER CO

Source LAKE PEND OREILLE tributary PEND OREILLE RIVER

Use: INDUSTRIAL 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 04/01 to 10/31 0.03 CFS

Total Diversion: 0.07 CFS

Date Filed: 5/23/2014

Place of Use: INDUSTRIAL T57N R02W S23

L1(NWNW) L2(SWNW)

Place of Use: IRRIGATION same as INDUSTRIAL

Total Acres: 1

Industrial use is for washing docks.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D'Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 7/7/2014. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

SNP Legal 2822

June 19, 26, 2014

**IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET**

W.R. # 96 - 9543

APPLICATION ID # 79326

ENT. E.D

BCA 6/4/14

OK to Publish 6/4/14

APPLICANT: City of Dover

INITIAL REVIEW

BY: E.D

DATE: 6/2/2014

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☐ Source
3. ☐ Point of Diversion & County
4. ☐ Quantity
5. ☐ Nature of Proposed Use
6. ☐ Period of Use
7. ☐ Total Quantity
8. ☐ Description of diverting works
9. ☐ Time required for b/u
10. ☐ Proposed use
11. ☐ Place of use or acres irrigated
12. ☐ Other water Rights
13. ☐ Ownership
14. ☐ Map
15. ☐ Signature
16. ☒ Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

(Yes)(No)

- ☒ **Shape File Created** Date 5/14 By: ED
- ☐ Field check: by _____
- ☐ Field report attached
- ☐ Analysis Supp. Attached (>5cfs/500af)

☐ Water delivered by water master? Water District # _____

PROCESSING

(Yes)(No)

PRIORITY DATE: 5/13/2014

☒

(Include Moratorium Remark)

Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN:

Newspaper: BONNER County

Dates scheduled for publication 6/19-26/14

Affidavit of Publication received: 7/2/14

Dates actually published: 6/19-26/14

Application published correctly. Yes ☒ No ☐

If not, action taken: _____

Final Date for Protest: 7/7/14

Protests Received: Yes ☐ No ☒

LETTERS SENT REQUESTING:

- ☐ Dam Information ☒ Fish Information IDFG
- ☐ Power Information ☒ Other: IDL

INFORMATION RECEIVED:

- ☐ Dam Information ☐ Fish Information
- ☐ Power Information ☐ Other: _____

GROUNDWATER SECTION

WD Permit No.'s:	Tag #	Type:	Fees	Receipt No.	Upgrade Needed?
_____	_____	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()
_____	_____	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()
_____	_____	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()

- ☐ Groundwater management area
- ☐ Critical ground water area
- ☐ Well Drilling Permit required
- ☐ Well Drilling Application and Fees received
- ☐ Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes)(No)

- ☐ Notice of pending void order issued.
- ☐ Further information required from applicant _____

Final order response date: ____/____/____

- ☐ Measuring device required
- ☐ Measuring port required
- ☐ Special conditions: _____
- ☐ Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: E.D

Date: 7/8/2014 Sr. Agent initial E.D