

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

RECEIVED

AUG 05 2014

Department of Water Resources
Eastern Region

1. Name: LACIE JENSEN
80 REYNOLDS ST
MALAD CITY ID 83252

AND

ANTON JENSEN
80 REYNOLDS ST
MALAD CITY ID 83252
(208) 479-6412

2. Source: GROUND WATER

3. Location of Point of Diversion:

#1 GROUND WATER

NE1/4NE1/4

Sec. 14, Twp 15S, Rge 35E, B.M.

ONEIDA County

4. Water will be used for the following purposes:

Purpose	From	To	RATE OF DIVERSION
IRRIGATION	04/01	to 10/31	0.48 CFS
DOMESTIC	01/01	to 12/31	0.04 CFS

5. Total quantity to be appropriated is: 0.48 CFS

6. Proposed diverting works:

POINT OF DIVERSION #1

a. Type and size of devices used to divert water from the source: 15 HP PUMP AT 215.5 GPM

b. Height of storage dam _____ feet;
Active reservoir capacity _____ acre-feet;
Total reservoir capacity _____ acre-feet.

c. Proposed well diameter is 8 inches;
Proposed depth of well is 120 feet.

d. Is ground water with a temperature of greater than 85F being sought? N

e. If well is already drilled, when? _____;
Drilling Firm _____;
Drilling Permit No. _____.

AMENDED

15-7381

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).

8.

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
15S 35E 13	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	12.0
					10.6	1.4											
15S 35E 14	12.0																12.0

Total Acres: 24

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
15S 35E 14	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	X

9a. Who owns the property at the point of diversion? If other than applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT

9b. Who owns the land to be irrigated or place of use? If other than applicant, describe the arrangement enabling the applicant to make this filing.


APPLICANT

10. Remarks:

Currently 12 acres are watered by Symaria shares, but those shares are proposed to be moved to different ground not covered by this permit. *upon permit approval.*



11. Map of proposed point of diversion and place of use attached? ☐

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.



Applicant

Jensen Permit Application



15-7381

RECEIVED

JUL 21 2014

Department of Water Resources
Eastern RegionSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of IdahoIdent. No. 79476/15-7381

1. Name of applicant(s) Anton Jensen, Lacie Jensen Phone 208-479-6412
 Name connector (check one): ☒ and ☐ or ☐ and/or
 Mailing address 80 Reynolds City Malad City
 State ID Zip 83252 Email anton1@atcnet.net
2. Source of water supply n/a which is a tributary of n/a
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #

4. Water will be used for the following purposes:
- Amount .48 cfs for irrigation purposes from April 01 to Oct. 31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount .04 cfs for domestic purposes from Jan 01 to Dec 31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) .52 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. 15 horsepower pump at 240 g per minute
- b. Height of storage dam n/a feet; active reservoir capacity n/a acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No
- c. Proposed well diameter is 8 inches; proposed depth of well is 120 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? _____; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____
7. Description of proposed uses (if irrigation only, go to item 8):
- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households one
- e. Other; describe fully. _____

SUPERCEDED

15-7381

8. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.
See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15	35	14	12																12
			D																
15	35	13						12											12

Total number of acres to be irrigated: 24

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

I use shares for Smaia Irrigation Company to water 12 acres of the 24 total acres.

10. a. Who owns the property at the point of diversion? Anton Jensen

b. Who owns the land to be irrigated or place of use? Anton Jensen

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

It will be a house well and irrigation well. I plan to irrigate the 24 acres with the well water. I will transfer the Samaria Irrigation Company shares to a separate piece of ground that is also a part of the district.

12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Anton Jensen
Signature of Applicant

Anton Jensen
Print Name (and title, if applicable)

Lacie Jensen
Signature of Applicant

Lacie Jensen
Print Name (and title, if applicable)

For Department Use:

Received by Date Time Preliminary check by
Fee \$ 250.00 Received by se Receipt No. E040061 Date 7/21/14

15-7381





State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

August 13, 2014

LACIE JENSEN
ANTON JENSEN
80 REYNOLDS ST
MALAD CITY, ID 83252

Application For Permit No. 15-7381

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO ENTERPRISE on August 21 and 28, 2014. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in blue ink that reads "Sharla Cox". The signature is written in a cursive style with a large, looping initial 'S'.

Sharla Cox
Administrative Assistant

Cox, Sharla

From: Cox, Sharla
Sent: Wednesday, August 13, 2014 3:52 PM
To: 'Idaho Enterprise (enterprisenews@atcnet.net)'
Subject: Legal Notice for your paper
Attachments: Idaho Enterprise E-Mail.doc

Contacts: Idaho Enterprise

Sharla

*Sharla Cox
Administrative Assistant
Idaho Dept of Water Resources
900 N Skyline Dr. Ste A.
Idaho Falls ID 83402
sharla.cox@idwr.idaho.gov
208-525-7161 phone
208-525-7177 fax*

The following application(s) have been filed to appropriate the public waters of the State of Idaho:
15-7381

LACIE JENSEN
ANTON JENSEN
80 REYNOLDS ST
MALAD CITY, ID 83252
Point of Diversion
NENE S14 T15S R35E
ONEIDA County
Source GROUND WATER Tributary
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: IRRIGATION
04/01 to 10/31 0.48 CFS
Total Diversion: 0.48 CFS
Date Filed: 7/21/2014
Place Of Use: IRRIGATION
T15S R35E S13 NWNW SWNW
T15S R35E S14 NENE
Place Of Use: DOMESTIC
T15S R35E S14 NENE
Total Acres: 24

15-7382
NORTH RIDGE FARMS LLC
PO BOX 122
MALAD CITY, ID 83452
Point of Diversion
SWSW S15 T16S R36E
ONEIDA County
Source GROUND WATER Tributary
Use: IRRIGATION
04/01 to 10/31 2.55 CFS
Total Diversion: 2.55 CFS
Date Filed: 8/6/2014
Place Of Use: IRRIGATION
T16S R36E S15 NWNE SWNE
T16S R36E S16 NENE SENE NESW NESE NWSE
Total Acres: 127.5

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Eastern Region office at (208) 525-7161. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Eastern Region, 900 N Skyline Dr Ste A, Idaho Falls ID 83402 together with a protest fee of \$25.00 for each application on or before September 8, 2014. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on August 21 and 28, 2014



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

August 13, 2014

Lacie and Anton Jensen
80 Reynolds St
Malad ID 83252

RE: Application for Permit 15-7381

Dear Applicant:

The Department has received the above application for permit to appropriate 0.86 cfs of ground water in the Malad River drainage. For new appropriations, under Idaho Code § 42-203A(5) IDWR has the responsibility to ensure there is a sufficient supply of water and that the appropriation will not result in injury to existing water rights

Historically, when issuing permits for new appropriations, IDWR viewed ground water and surface water as two separate sources. Often the impacts of new ground water appropriations on existing surface water rights were not evaluated. However, Idaho water law now recognizes that in many places ground water and surface water are hydraulically interconnected, and proper administration of existing water rights and new appropriations requires conjunctive management of both sources.

In March 2009, the Department received a letter from the Oneida County Commissioners expressing their concern about the perceived decline in flows from springs and artesian wells in the area. Their letter questioned whether the Department should continue issuing new permits to appropriate ground water in the Malad River drainage. In response to the commissioners' request, the Department's Hydrology Section has been tasked to review available information and data on ground water and surface water supply in this drainage. The Hydrology Section's report will be helpful in developing water policy for the Malad River drainage.

Meanwhile, applicants who want IDWR to take final administrative action on their applications can provide IDWR with the information required under Water Appropriation Rule 40.05 regarding the availability of water for the proposed appropriation and the potential for the proposed appropriation to injure existing water rights. The additional information requirement is usually waived for applications proposing the appropriation of 5 cfs or less or the storage of 500 af or less. Because of the concerns regarding the impact to springs and artesian wells in the area, the department is requiring that applicants submit the additional information required by water appropriation rule 40.05, even when the application is for less than the 5 cfs / 500 af thresholds. Only certain

applications for small domestic and stock water uses and applications to divert ground water for domestic in multiple homes are exempt from the additional information requirement. A copy of the pertinent sections of Water Appropriation Rule 40.05 is included in this letter. If you believe that a particular section of Rule 40.05 is not relevant to your application, please explain why.

Ultimately, the applicant bears the burden for demonstrating that the water supply is sufficient for the proposed appropriation and that it will not cause injury to other water right holders.

Please submit the information within 30 days of this letter. If you have questions concerning this matter discussed above feel free to contact the Eastern Region Office.

Respectfully Submitted



James Cefalo
Water Resources Program Manager

Enclosure – Copy of Application
Copy of Water Appropriation Rule 40.05