

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	47-07451	Gary N. Nelson	0.08

SPLIT INTO PARTS A & B BY ASSIGNMENT

Partial Assignment	~~47-07451A~~	Gary N. Nelson	0.06
~~Partial Assignment~~	~~47-07451B~~	~~Delmer H. Parde~~ ~~Mary Jo Parde~~	~~0.02~~
Partial Assignment	47-07451B	Charles A. Hill Dorothy D. Hill	0.02

SCANNED
MAY 22 2002

RECEIVED

OCT 21 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07451B

Priority: January 5, 1978

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 11.3 AF

This is to certify, that CHARLES A HILL
DOROTHY D HILL

RT 3 BOX 400
BUHL ID 83316

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 5, 1978; and has submitted Proof of Beneficial Use on March 8, 1988. An examination indicates that the works have a diversion capacity of .070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
HEATING	01/01 to 12/31	0.02 CFS	10.7 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.02 CFS	11.3 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 30, Township 08S, Range 14E
TWIN FALLS County

PLACE OF USE:
HEATING, same as use

PLACE OF USE:
DOMESTIC, same as use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Return water shall be treated to insure that the effluent meets Idaho Water Quality Standards.
6. Right 47-07451A is also diverted through the point of diversion described above.
7. Heating use is for a home, a shop and a greenhouse.
8. Domestic use is for 1 home.

OCT 2 1 1994


State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 47-07451B

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13th
day of OCTOBER, 1994.

Acting for


R. Keith Higginson, Director



OCT 21 1994

State of Idaho
Department of Water Resources

RECEIVED

MAR 30 1993

Department of Water Resources

ASSIGNMENT OF PERMIT

Delmer H. and/or Charles A. and/or
WE, Mary Jo Parde, hereby assign to Dorothy D. Hill
of RR 3 Box 400 (4828 N 1000 E) BUHL, IDAHO 83316
Address

All my right, title, and interest in and to Permit No. 47-07451 B
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. ~~XXXXXXXXXX~~ to appropriate the public waters of
the State of Idaho. (Describe that portion of the permit being
assigned by listing the acreage within each 40 acre subdivision, the
point of diversion and the amount of water in cubic feet per second for
direct diversion, or acre feet for storage)

Made this 26 day of March, 1993.

Delmer H. Parde
Permit Holder DELMER H. PARDE

Mary Jo Parde
Spouse of Permit Holder MARY JO PARDE

State of Idaho)
County of Jerome) SS

On this 26th day of March, 1993, personally appeared before
me the signer(s) of the above instrument, who duly acknowledged to me that
he (she) (they) executed the same.

Kathy Parde
Notary Public residing at

s e a l

Jerome, Idaho

My commission expires:

2/6/99

OCT 21 1994

Form 217
03/86

RECEIVED

MAR 8 1988

Department of Water Resources
Southern Region Office

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received none
Date 3-8-88
Receipt # —
Receipt by —
Reviewed by —
Sent to region —

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 47-7451B

Name(s) of Permit Holder: Delmer H. &/or Mary Jo Parde

Post Office Address: Rt. 3 Box 400, Buhl, ID 83316

Telephone No. 543-4434

Source of Water: Groundwater

Extent of Use:

Domestic one (number of households) Stockwater 8 (number and type of stock)

Irrigation _____ (acres) Other/Remark recreation (hot tub), heating

of home, greenhouse, shop

Total rate and/or volume for which proof is submitted 0.03 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1978

Measuring Device: Required? — Yes X No
Installed? — Yes X No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? — Yes X No
Installed? — Yes X No

Person to contact to accompany the Department representative during the field examination:

Permittees

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3/8/88
Date

Delmer H. Parde
Signature of Permit Holder (and title, if appropriate)

OCT 21 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 14, 1994

CHARLES A HILL
DOROTHY D HILL
RT 3 BOX 400
BUHL ID 83316

RE: WATER RIGHT NO. 47-07451B

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED

OCT 21 1994

MEMORANDUM

TO: File 47-07451B / Charles and Dorothy Hill
FROM: Brenda Chapman
DATE: August 19, 1994
RE: Adjustments Made

=====

* The final recommendations for the following portion(s) of the field exam were based on the information below.

G. VOLUME CALCULATIONS

The volume for heating the home, shop and greenhouse was determined by using the attached values.

The volume for the hot tub is included in the domestic use.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Heating	1-01 to 12-31	.02	10.7
Domestic	1-01 to 12-31	.02	.6

Heating use includes heating for the home, shop and greenhouse.

[home @ 3.2 / shop @ 1.0 / greenhouse @ 6.5]

Recreation use is not necessary. The hot tub fits under the domestic criteria.

OCT 21 1994

MEMORANDUM

TO: FILE 47-07451B
FROM: BRENDA CHAPMAN
RE: GENERAL REVIEW OF HEATING USE REQUIREMENTS
DATE: 08/31/94

RATE OF FLOW AND ANNUAL VOLUME FOR HEATING USE

GIVEN:

Geothermal Source Temperature	=	135 degrees
Area / 1 two story dwelling	=	1850 sq. ft.
Temperature Outside	=	-3 degrees
Temperature Inside	=	65 degrees
Building Efficiency	=	0.67
Temperature Required	=	70 degrees
Days per year temp below 70	=	212 days
Hours per day temp below 70	=	12 hours

CALCULATIONS:

Single Floor System Heat Load	=	84,286 btu/hr
Two Floor System Heat Load	=	67,429 btu/hr
Temp. Drop Across System	=	19.5 degrees

FLOW RATE:

Single Floor Flow Rate	=	~~9 gpm~~ N/A
	=	0.02 cfs
Two Floor Flow Rate	=	7 gpm ✓
	=	0.02 cfs

VOLUME:

Single Floor Annual Volume	=	~~4.0 af~~ N/A
Two Floor Annual Volume	=	3.2 af

EFFICIENCY RATING INFORMATION **

0.28 Best energy efficiency rating
0.44 Good energy efficiency rating
0.67 Average energy efficiency rating
1.11 Poor energy efficiency rating

** Source - Administrator's Memorandum dated 9/28/92.

OCT 21 1994

MEMORANDUM

TO: FILE 47-07451B
FROM: BRENDA CHAPMAN
RE: GENERAL REVIEW OF HEATING USE REQUIREMENTS
DATE: 08/31/94

RATE OF FLOW AND ANNUAL VOLUME FOR HEATING USE

GIVEN:

Geothermal Source Temperature	=	135 degrees
Area / Greenhouse	=	2304 sq. ft.
Temperature Outside	=	-3 degrees
Temperature Inside	=	50 degrees
Building Efficiency	=	1.11
Temperature Required	=	70 degrees
Days per year temp below 70	=	212 days
Hours per day temp below 70	=	12 hours

CALCULATIONS:

Single Floor System Heat Load	=	135,544 btu/hr
Two Floor System Heat Load	=	108,435 btu/hr
Temp. Drop Across System	=	19.5 degrees

FLOW RATE:

Single Floor Flow Rate	=	14 gpm
	=	0.03 cfs

*adj
found to
0.02 cfs*

Two Floor Flow Rate	=	11 gpm
	=	0.02 cfs N/A

VOLUME:

Single Floor Annual Volume	=	~~6.5~~ af o/c
Two Floor Annual Volume	=	~~5.2~~ af N/A

EFFICIENCY RATING INFORMATION **

0.28 Best energy efficiency rating
0.44 Good energy efficiency rating
0.67 Average energy efficiency rating
1.11 Poor energy efficiency rating

** Source - Administrator's Memorandum dated 9/28/92.

RECEIVED

OCT 21 1994

MEMORANDUM

TO: FILE 47-07451B
FROM: BRENDA CHAPMAN
RE: GENERAL REVIEW OF HEATING USE REQUIREMENTS
DATE: 08/31/94

RATE OF FLOW AND ANNUAL VOLUME FOR HEATING USE

GIVEN:

Geothermal Source Temperature	=	135 degrees
Area / Shop	=	672 sq. ft.
Temperature Outside	=	-3 degrees
Temperature Inside	=	50 degrees
Building Efficiency	=	0.67
Temperature Required	=	60 degrees
Days per year temp below 70	=	212 days
Hours per day temp below 70	=	12 hours

CALCULATIONS:

Single Floor System Heat Load	=	23,863 btu/hr
Two Floor System Heat Load	=	19,090 btu/hr
Temp. Drop Across System	=	22.5 degrees

FLOW RATE:

Single Floor Flow Rate	=	2 gpm
	=	0.00 cfs
Two Floor Flow Rate	=	2 gpm
	=	0.00 cfs

VOLUME:


Single Floor Annual Volume	=	1.0 af
Two Floor Annual Volume	=	0.8 af

EFFICIENCY RATING INFORMATION **

0.28 Best energy efficiency rating
0.44 Good energy efficiency rating
0.67 Average energy efficiency rating
1.11 Poor energy efficiency rating

** Source - Administrator's Memorandum dated 9/28/92. OCT 21 1994

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Larry N. Nelson
(Applicant)

Proposed priority 01-05-78

Received by 48 Date 1/5/77 Time 4:00 PM.
Preliminary check by QA Fee \$ 10.00 # 7476
Received by Ry Date 1/5/78
Publication prepared by Ry Date 1/12/78
Published in Times News
Publication dates 1/19 + 1/26/78
Publication approved Ry Date 1/31/78
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by mls jo

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7451, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1983.
- Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 26TH day of April, 1978.

Norman C Young
Administrator

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket / stop watch					4.3 gal	

2. Measurements:

1) Flow into Hot Tub: $\frac{2.9 \text{ gal}}{2.33 \text{ min}} = .99 \text{ gpm} = .002 \text{ cfs}$

2) Heating in House (total): $\frac{4.3 \text{ gal}}{32 \text{ sec}} = 89 \text{ gpm} = 0.018 \text{ cfs}$

3) Flow to Green House: $\frac{2.9 \text{ gal}}{1.33 \text{ min}} = 1.58 \text{ gpm} = 0.003 \text{ cfs}$

4) Flow to Shop: $\frac{1.9 \text{ gal}}{1.5 \text{ min}} = 0.76 \text{ gpm} = 0.002 \text{ cfs}$

5) Well capacity thru 2" pipe: $\frac{4.3 \text{ gal}}{9 \text{ sec}} = 296 \text{ gpm total} = 0.025 \text{ cfs}$
 $= 0.065 \text{ cfs}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$Vol = \pi r^2 h = (\pi \cdot (\frac{100}{2})^2) \cdot 2 = 100 \text{ DR} \cdot 2189$

* Hot tub changing volume: $52 \text{ weeks} \times \frac{1 \text{ change}}{\text{yr}} \times \frac{100 \text{ ft}^3}{1 \text{ change}} \times \frac{1 \text{ Acre-Ft}}{43,560 \text{ ft}^3} = 0.06 \text{ AFA} \rightarrow 0.12 \text{ AFA}$

* Constant rate: $0.002 \frac{\text{cfs}}{\text{sec}} \times \frac{365 \text{ day}}{\text{yr}} \times \frac{24 \text{ hr}}{1 \text{ day}} \times \frac{3600 \text{ sec}}{1 \text{ hr}} \times \frac{1 \text{ Acre-Ft}}{43,560 \text{ ft}^3} = 1.45 \text{ AFA}$

* See Attachment Total - 9.7 AFA

* See memo attached re

1.51 AFA
1.57 DR

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Discharge From the shop is Applied to an Alfalfa Field. The Hot Tub 50 ft³ volume ~~is changed~~ is filled 1/week and discharges into Fish Pond. Water in House is also used for showers and culinary purposes. Water Temp. out of House Heat Exchanger = 110°F.

This Permit is for 33% of Capacity of System which was measured at 0.07 cfs. $.33 \times 0.07 = 0.023$ cfs. Stockwater (8 hds.) included in domestic. See attachment for Estimation of required Annual Volume. Volume based on Div. Rate = 9.7 AFA. Volume based on Requirement = 10.2 AFA. Recommend 10 AFA.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
* Recreation	Jan 1	Dec 31	.002	1.57 AFA
Heating	Jan 1	Dec 31	.021	8.18
Domestic	Jan 1	Dec 31	.02	0.6
Totals:			0.023 cfs	10.4 AFA DRJ 2/89

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Carl Reeb
Signature Carl E Reeb
Certification Date 4/10/88
Field Report Preparation Date 7/13/88





K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

* See attached memo. BC

OCT 21 1994

47-7451B



[illegible]

1. All data for lines 70-80 are 3 to 6 mi. wide. Width of stream is 100 m. or less. In some cases the width is 100 m. or less. In some cases the width is 100 m. or less.

[illegible]

Affidavit of Publication

RECEIVED

AUG 8 1988

Department of Water Resources
Salmon River Office

State of Idaho

County of Twin Falls

ss.

Seeks Change in Water Permit

NOTICE OF AMENDMENT TO A WATER PERMIT NO. 47-7451A

Notice is hereby given that Gary N. Nelson is the holder of Approved Permit No. 47-7451A authorizing the diversion of 0.054 cubic feet per second of water from ground-water in the NE1/4SE1/4, Sec. 30, T8S, R14E, County of Twin Falls, to be used for heating, domestic & recreation use within NE1/4SE1/4, Sec. 30, T8S, R14E.

The permit holder has, applied to the Department of Water Resources for an Amendment to the Permit, to change the Place of Use and change stock use to second domestic use as follows:

Amount: 0.054 cfs

Period of Use: 01/01 to 12/31

Point of Diversion: NE1/4SE1/4, Sec. 30, T8S, R14E, Twin Falls County; 1 mile West of Banbury Natatorium.

Place of Use: Salmon River Ranches, Lot 1 and Lot 1A (E1/2SE1/4), Sec. 30, T8S, R14E.

Any protest against approval of the amending of Permit No. 47-7451A as set forth above must be filed with the Idaho Department of Water Resources, 2148 4th Avenue East, Twin Falls, ID 83301 on or before July 25, 1988.

R. Keith Higginson, Director

Published in the Buhl Herald on 7/6 & 7/13/88 and in the Times News on 7/7 & 7/14/88.

(29t2)


OK
MB
8/8/88

I, **Robert M. Bailey**, do solemnly swear that I am the publisher of **The Buhl Herald**, a weekly newspaper of general circulation, published once each week at Buhl, Idaho; that the notice attached hereto was published in said newspaper _____

July 6 and 13, 1988

_____ ;
that said notice was published in the regular and entire issue of every number of the paper during the period and time of publication, and that the said notice was published in the newspaper proper, and not in the supplement thereof.


That said newspaper has been printed and published continuously in **Buhl, Twin Falls County, Idaho**, for a period of more than 78 weeks prior to the first publication of the attached notice.



Robert M. Bailey, Publisher

Subscribed and sworn to before me this

20th day of July, 1988



Tamra Burton, Notary Public.

Residing at Buhl, Idaho

My Commission Expires

October 1, 1992

NOTARY PUBLIC

OCT 21 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 31, 1993

Charles A and/or Dorothy D Hill
RR 3 Box 400
Buhl, ID 83316

Re: Permit No. 47-07451B

Dear Permit Holder:

We acknowledge receipt of the correspondence and assignment of permit form transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

The Department will continue to analyze the proof of beneficial use submitted in connection with this permit. We will notify you of our findings.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

CC: IDWR - Regional Office

RECEIVED

OCT 21 1994

MEMORANDUM

To: File 47-07451B
From: L. Glen Saxton *LS*
RE: EXAMINATION OF 47-07451B
Date: March 30, 1993

Charles A. and/or Dorothy Hill visited the state office of the department today concerning the proposed memorandum decision and order of the department issued on March 16, 1993.

I discussed the file and procedures with Mr. and Mrs. Hill who plan to file an exception to the decision with our Twin Falls office on March 31, 1993. I advised Mr. Hill that he also needs to send a copy of his exceptions to Gary Nelson.

RECEIVED

OCT 21 1994

MEMORANDUM

To: File 47-07451B
From: L. Glen Saxton 
RE: **EXAMINATION OF 47-07451B**
Date: March 30, 1993

Charles A. and/or Dorothy Hill visited the state office of the department today and visited with me concerning the findings of the field examiner. More specifically, Mr. Hill was concerned that the permit entitles him to 0.027 cfs and the examiner found 0.023 cfs. His concern is that he thinks the system will produce the difference (0.004 cfs) and he doesn't want to lose it since the water is hot and is used for heating. I told him I would check with our licensing group to determine how they treat these rates such as rounding, pre-license letters, etc.

After discussing the matter with Permits Section, I recommend we issue the license for the permitted amount of 0.027 cfs without conducting a re-examination of the system.



OCT 21 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

02-JUN.1988

Delmer H. &/or Mary Jo Parde
Rt. 3 Box 400
Buhl, ID. 83316

RE: 47-7451B

Dear Mr. & Mrs. Parde

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.


If you have any questions regarding the field examination, please contact our office.

Very truly yours,

Twylla Jasper
Clerk

RECEIVED
OCT 21 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Boise, Idaho 83720



BOISE
FEB-1'88
IDAHO
6018345
OCT 21 1984

☒ Moved, list no address
☐ No such number
☐ Moved, not former home
☒ Addressee unknown

CERTIFIED MAIL
NO. 138250



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 1301 North Orchard Street, Boise, Idaho, 83706-2237 • (208) 334-4440

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

RECEIVED
FEB - 4 1988

Department of Water Resources
CERTIFIED MAIL
January 31, 1988

PARDE, DELMER H. & MARY JO
RT. 1
HAGERMAN, ID 83332

PROOF DUE NOTICE

RE: Permit No. 47-7451B

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED

OCT 21 1994

138250
CERTIFIED MAIL
January 31, 1988

PARDE, DELMER H. & MARY JO
RT. 1
HAGERMAN, ID 83332

PROOF DUE NOTICE

RE: Permit No. 47-7451B

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED

OCT 21 1994

April 2, 1987

Delmar H. &/or Mary Jo Parde
Rt. 3 Box 400
Buhl, ID 83316

Dear Mr. and Mrs. Parde:

Re: Permit No. 47-7451 B

Enclosed is a copy of the Order Adopting Proposed Memorandum Decision and Order and a copy of the Proposed Memorandum Decision and Order. Note the conditions of approval as set forth in the Proposed Memorandum Decision and Order.

Any person who disagrees with the decision of the Director may appeal to the Director for a rehearing within 20 days or may appeal directly to the district court within 30 days of the mailing of this order.

Sincerely,



BOBBY D. FLEENOR
Chief, Regional Offices Bureau

Enclosures

MICROFILMED

APR 13 1987