

79362

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

RECEIVED

JUN 19 2014

IDWR/NORTHERN

1. Name: RON BOYLE
43422 YELLOW PINE AVE
WINCHESTER ID 83555
(208)816-1200

OR

SHELLE BOYLE
43422 YELLOW PINE AVE
WINCHESTER ID 83555
(208)816-1200

2. Source: GROUND WATER

3. Location of Point of Diversion:

#1 GROUND WATER SE1/4NE1/4
NEZ PERCE County

Sec. 32, Twp 33N, Rge 03W, B.M.

4. Water will be used for the following purposes:

<u>Purpose</u>	<u>From</u>	<u>To</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01	to 10/31	0.04 CFS	
DOMESTIC	01/01	to 12/31	0.04 CFS	
STOCKWATER	01/01	to 12/31	0.02 CFS	

5. Total quantity to be appropriated is: 0.04 CFS

6. Proposed diverting works:

POINT OF DIVERSION #1

- Type and size of devices used to divert water from the source:
- Height of storage dam _____ feet;
Active reservoir capacity _____ acre-feet;
Total reservoir capacity _____ acre-feet;.
- Proposed well diameter is _____ inches;
Proposed depth of well is _____ feet.
- Is ground water with a temperature of greater than 85F being sought?
- If well is already drilled, when? _____;
Drilling Firm _____;
Drilling Permit No. _____.

SCANNED

JUL 09 2014

Ident. No. 85-15760
RECEIVED
 JUN 19 2014
 IDWR/NORTHERN

STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).

8.

PLACE OF USE: IRRIGATION

Tw	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
33N	03W	32				2.0													2.0

PLACE OF USE: DOMESTIC

Tw	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
33N	03W	32				X													

PLACE OF USE: STOCKWATER

Tw	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
33N	03W	32				X													

9a. Who owns the property at the point of diversion? If other than applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT

9b. Who owns the land to be irrigated or place of use? If other than applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT

10. Remarks:

SCANNED

JUL 09 2014

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES


APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

RECEIVED
JUN 19 2014
IDWR/NORTHERN

11. Map of proposed point of diversion and place of use attached? [YES]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

 OR 
Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

Receipt No. N030502

Date: _____

Receipted by: _____

SCANNED

JUL 09 2014

State of Idaho
Department of Water Resources
Application For Permit
85-15760



IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

1. WELL TAG NO. D 00 470 28
DRILLING PERMIT NO. 843 830
Water Right or Injection Well No. _____

2. OWNER:
Name Ron Boyle
Address 336 West Reservoir Dr.
City Leaviston State ID Zip 83501

3. LOCATION OF WELL by legal description:

You must provide address or Lot, Blk, Sub. or Directions to well.

Twp. 33 North ☒ or South ☐
Rge. 3 East ☐ or West ☒
Sec. 32 1/4 SE 1/4 NE 1/4
Gov't Lot _____
County Nezperce
Lat: _____ Long: _____
Address of Well Site Jet at yellow pine Rd
4 Soldiers Meadow Ave City Winchester
(Give at least name of road - Distance to Road or Landmark)
Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
<u>Bentonite</u>	<u>0</u>	<u>20</u>	<u>400#</u>	<u>Top four</u>

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____
Was drive shoe seal tested? ☐ Y ☐ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
<u>6"</u>	<u>+2</u>	<u>-20'</u>	<u>25</u>	<u>Steel</u>	☒	☐	☒	☐
<u>4.5"</u>	<u>-20</u>	<u>-340</u>	<u>160</u>	<u>PVC</u>	☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____
Packer ☐ Y ☒ N Type _____

9. PERFORATIONS/SCREENS PACKER TYPE

Perforation Method SAW
Screen Type & Method of Installation _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
<u>-300</u>	<u>-340</u>	<u>1/4 x 1/4</u>	<u>4/2</u>	<u>4.5"</u>	<u>PVC</u>	☐	☒

10. FILTER PACK

Filter Material	From	To	Weight / Volume	Placement Method

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

254 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or control devices: _____

Top of casing

33N 3W 32

Office Use Only			
Well ID No. _____			
Inspected by _____			
Twp _____	Rge _____	Sec _____	
_____ 1/4	_____ 1/4	_____ 1/4	
Lat: _____	_____	Long: _____	_____

12. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
<u>15</u>			<u>1.5</u>

Water Temp. 55° Bottom hole temp. _____

Water Quality test or comments: Good

Depth first Water Encounter 314'

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water	Y	N
<u>10</u>	<u>0</u>	<u>3</u>	<u>Brown Clay</u>			
<u>10</u>	<u>3</u>	<u>16</u>	<u>Med Hcl Bslt</u>			
<u>10</u>	<u>16</u>	<u>26</u>	<u>Red Wthrd Bslt</u>			
<u>6</u>	<u>26</u>	<u>30</u>	<u>Med Hcl Bslt</u>			
<u>6</u>	<u>30</u>	<u>35</u>	<u>Red Wthrd Bslt</u>			
<u>6</u>	<u>35</u>	<u>223</u>	<u>Med Hcl Bslt</u>			
<u>6</u>	<u>223</u>	<u>237</u>	<u>Red Wthrd Bslt</u>			
<u>6</u>	<u>237</u>	<u>314</u>	<u>Hard Gray Bslt</u>			
<u>6</u>	<u>314</u>	<u>340</u>	<u>Brown Wthrd Bslt</u>	<u>15</u>		

RECEIVED
SEP 25 2006
IDWR/North

Completed Depth 340 (Measurable)

Date: Started 8 5-06 Completed Des 06

14. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name UHLEROTI DRILLING Firm No. 125

Principal Driller Tim J. Uhlert Date 9-9-06

and Driller or Operator II _____ Date _____

Operator I _____ Date _____

Principal Driller and Rig Operator Required.
Operator I must have signature of Driller/Operator II.

RECEIVED
JUN 10 2014
IDWR/NORTHERN

79362 VOID

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Ron Boyle Shelle Boyle Phone 208-816-1200
 Name connector (check one): ☐ and ☒ or ☐ and/or
 Mailing address 43422 Yellow Pine Ave City Winchester
 State ID Zip 83555 Email ron@inlandglass.com
 2. Source of water supply ground water which is a tributary of N-A
 3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
33N	3W	32		SE	NE		Nez Percé	ground water	RP03061000021A

4. Water will be used for the following purposes:
 Amount 0.04 for Irrigation purposes from 3-15 to 10-31 (both dates inclusive)
 (cfs or acre-feet per year)
 Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
 (cfs or acre-feet per year)
 Amount 0.02 for stock water purposes from 1-1 to 12-31 (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
 5. Total quantity to be appropriated is (a) 0.04 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).
 6. Proposed diverting works:
 a. Describe type and size of devices used to divert water from the source. 1 1/2 horse Goul pump
15 gallons per minute.
 b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No
 c. Proposed well diameter is 6 inches; proposed depth of well is 340 feet.
 d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
 e. If well is already drilled, when? 8/5/2001; drilling firm Uhlenkott Well Drilling
 well was drilled for (well owner) Ron Boyle; Drilling Permit No. D0047028
 7. Description of proposed uses (if irrigation only, go to item 8):
 a. Hydropower; show total feet of head and proposed capacity in kW. _____
 b. Stockwatering; list number and kind of livestock. 1-cow
 c. Municipal; complete and attach the Municipal Water Right Application Checklist.
 d. Domestic; show number of households 1 Home 1 shop with Bathroom
 e. Other; describe fully. _____

8. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.
See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
33N	3W	32				D												D	.04
						2												I	.04
						5												S	.02

Total number of acres to be irrigated: 2 Acres

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

10. a. Who owns the property at the point of diversion? Ron & Shelle Boyle
b. Who owns the land to be irrigated or place of use? Ron & Shelle Boyle
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: N/A

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Domestic - House

Irrigation

12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Ron & Boyle
Print Name (and title, if applicable)

Signature of Applicant

Shelle Boyle
Print Name (and title, if applicable)

For Department Use:

Received by cm Date 6-10-14 Time 10:45 am Preliminary check by _____

Fee \$ 100.00 Received by cm Receipt No. N030502 Date 6-10-14



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

1118 F Street • Lewiston, Idaho 83501 • (208) 799-4370

C.L. "Butch" Otter, Governor
Curt Fransen, Director

June 26, 2014

Keith Franklin
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815

RECEIVED

JUL 03 2014

IDWR / NORTH

Subject: Water Rights Application for Permit # 85-15760

Dear Keith:

DEQ has received a request for comment on the approval of a water right application to draw ground water from a well that was constructed in 2006 on property in Nez Perce County. The water will be used for domestic purposes (0.04 CFS), irrigation (0.04 CFS), and stock water use (0.02 CFS) from January 1 to December 31.

Based on the information that has been provided, DEQ cannot estimate nor predict impairments to surface or ground water beneficial uses resulting from the requested withdrawal. However, assuming all federal, state and local permits have been obtained, regulations met, and reviews completed, we can offer the following comment.

It is the policy of the State of Idaho Ground Water Management Plan that existing and projected beneficial uses of ground water and interconnected surface water be maintained and protected, and degradation that would impair beneficial uses of ground water and interconnected surface water not be allowed.

Thank you for the opportunity to comment on your application. If you have any questions regarding the Idaho Water Quality Standards, please call us at (208) 799-4370.

Sincerely,

A handwritten signature in black ink that reads "Cindy Barrett". The signature is fluid and cursive.

Cindy Barrett
Regional Water Quality Program Manager

cc: Ron Boyle, Winchester
John Cardwell, DEQ
Ray Hennekey, IDFG

Davis, Eric

From: Hennekey, Ray [ray.hennekey@idfg.idaho.gov]
Sent: Monday, June 23, 2014 11:24 AM
To: Davis, Eric
Cc: Cynthia.Barrett@deq.idaho.gov; Kiefer, Sharon
Subject: RE: Application for Permit No. 85-15760

Eric -- We have reviewed the above-named application from Boyle and Boyle to withdraw up to 0.04 from a well near Winchester for domestic, irrigation and stockwater. IDFG does not anticipate that the requested appropriation will have an adverse impact on fish or wildlife.

Ray Hennekey

Environmental Staff Biologist
Idaho Department of Fish and Game
Clearwater Region
3316 16th Street
Lewiston, Idaho 83501

(208) 799-5010

From: Davis, Eric [<mailto:Eric.Davis@idwr.idaho.gov>]
Sent: Monday, June 23, 2014 8:50 AM
To: Hennekey, Ray; Cynthia.Barrett@deq.idaho.gov
Subject: Application for Permit No. 85-15760

Dear Ray and Cindy:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right application. A copy of the application is enclosed for your reference.

We will be trying to prepare this for publication on July 8th, 2014.

This office can publish notice of the application as soon as the initial review is completed; therefore. Since you are a part of the initial review, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of this application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication.

Please contact this office if you have any questions regarding the application.

Sincerely,

Eric Davis
Senior Water Resource Agent
IDWR
Idaho Department of Water Resources
7600 North Mineral Drive,Suite 100
Coeur d'Alene, ID 83815

208-762-2800



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

Applying for a Permit to Appropriate Water in the Salmon and Clearwater River Basins

Idaho Code § 42-203A(5) requires IDWR to evaluate the following criteria for applications to appropriate water:

- The potential to reduce the quantity of water under existing water rights
- The sufficiency of the water supply for the proposed appropriation
- The good faith nature of the application
- The adequacy of the applicant's financial resources
- The local public interest in the public water resource
- The conservation of water resources in Idaho
- Impacts to the economy of the local area or watershed

To ensure that IDWR has sufficient information to evaluate the criteria, Rule 40.05 of the Water Appropriation Rules (IDAPA 37.03.08.040.05) requires water right applicants to submit additional information to IDWR in connection with their applications. Because the waters of the Salmon River and Clearwater River drainages are habitat for fish species listed as endangered or threatened under the Federal Endangered Species Act, caution is necessary to ensure that new appropriations of water do not undermine efforts to protect and restore the ESA listed fish species and other public values in the basins' rivers and streams. IDWR is, therefore, requiring that applicants submit the additional information required by Water Appropriation Rules 40.05.c through 40.05.g, even when the applications are for less than the usual 5.0 cfs/500 af threshold. To satisfy the additional information requirement, please contact the Department of Fish and Game and the Department of Environmental Quality, obtain their written comments on your proposed project, and submit the comments to IDWR.

Please submit the information required by Water Appropriation Rules 40.05.c-g to IDWR within 30 days from the date you are notified that it is required. IDWR will hold your application until you have submitted the additional information. If you do not respond within 30 days, IDWR may void your application. If you need additional time to submit the required information, please submit a written request. IDWR can grant additional time "upon a showing of good cause."

The following are agency representatives who will help you respond to the local public interest requirement of Rule 40.05.g. Please contact these agency representatives at least 15 days prior to the end of your 30-day response period.

Idaho Department of Fish and Game contact list for water right applications:

Panhandle Region: Mary Terra-Berns at 208-760-1414 Clearwater Region: Ray Hennekey at 208-799-5010
McCall Subregion: Dale Allen at 208-634-8137 Southwest Region: Rick Ward at 208-465-8465
Salmon region: Tom Curet at 208-756-2271

Idaho Department of Environmental Quality contact list for water right applications:

Lewiston John Cardwell at 208-799-4370 (Clearwater or lower Salmon River basins)
Cascade: Leslie Freeman at 208-634-4900 (South Fork Salmon River basin)
Idaho falls: Troy Saffle at 208-528-2650 (Upper salmon, Lemhi, Pahsimeroi basins)-

Davis, Eric

From: Davis, Eric
Sent: Monday, June 23, 2014 8:50 AM
To: rhennekey@idfg.idaho.gov; Cynthia.Barrett@deq.idaho.gov
Subject: Application for Permit No. 85-15760
Attachments: DOC022.pdf

Dear Ray and Cindy:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right application. A copy of the application is enclosed for your reference.

We will be trying to prepare this for publication on July 8th, 2014.

This office can publish notice of the application as soon as the initial review is completed; therefore. Since you are a part of the initial review, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of this application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication.

Please contact this office if you have any questions regarding the application.

Sincerely,

Eric Davis
Senior Water Resource Agent
IDWR
Idaho Department of Water Resources
7600 North Mineral Drive, Suite 100
Coeur d'Alene, ID 83815

208-762-2800



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Web Site: www.idwr.idaho.gov

GARY SPACKMAN
Director

C.L. "BUTCH" OTTER
Governor

June 30, 2014

RON BOYLE
SHELLE BOYLE
43422 YELLOW PINE AVE
WINCHESTER, ID 83555

Application For Permit No. 85-15760

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the LEWISTON TRIBUNE on 7/17/2014 and 7/24/2014. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact the Northern Region office at 208-762-2800 if you have any questions regarding the application.

Sincerely,

Jean Hersley
Technical Records Specialist II

June 30, 2014

LEGAL NOTICE DEPARTMENT

LEWISTON TRIBUNE
505 C ST
PO BOX 957
LEWISTON, ID 83501

RE: Application For Permit No.(s): 85-15760

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 7/28/2014. Your cooperation is appreciated.

Sincerely,

Jean Hersley
Technical Records Specialist II

Enclosure(s)

From: [Hersley, Jean](#)
To: [Hersley, Jean](#); [Karen Lewis](#)
Subject: RE: Nez Perce Legal Notice
Date: Monday, June 30, 2014 12:36:36 PM
Attachments: [Legal Notice.docx](#)

Here is an updated version of the legal notice I sent earlier today. I had to update the protest end date. Sorry for the confusion.

Jean

From: Hersley, Jean
Sent: Monday, June 30, 2014 12:06 PM
To: 'Karen Lewis'
Subject: Nez Perce Legal Notice

Good Morning Karen Lewis,

I am helping the Northern Region Office with advertising for a few weeks.
Please see the attached ad for publication on 7/17/2014 and 7/24/2014.
Please confirm these are okay to publish as shown.
Continue to send the invoice to the Northern Region Office.

*Jean Hersley
Idaho Dept Water Resources
Technical Records Specialist II
208-287-4942*

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

85-15760

RON BOYLE

SHELLE BOYLE

43422 YELLOW PINE AVE

WINCHESTER, ID 83555

Point of Diversion: SENE S32 T33N R03W NEZ PERCE County Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 04/01 to 10/31 0.04 CFS

Use: STOCKWATER 01/01 to 12/31 0.02 CFS

Total Diversion: 0.04 CFS

Date Filed: 6/10/2014

Place Of Use: IRRIGATION, DOMESTIC, STOCKWATER

T33N R03W S32 SENE

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800; or for a full description of the right(s), please see www.idwr.idaho.gov/apps/ExtSearch/WRFiling.asp. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D' Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 8/04/2014. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 7/17/2014 and 7/24/2014