

IDAHO DEPARTMENT OF WATER RESOURCES

7/22/2014

Water Permit 65-23585

Owner Type **Name and Address**
 Current Owner WILLIAM G PERKINS
 16584 SWEET-OLA RD
 OLA, ID 83657-5017
 (208)584-3562

Original Owner JOHN PERKINS
 8770 N HWY 52
 SWEET, ID 83670
 (208)365-0533

Priority Date: 2/16/2006**Status:** Active

Source
 GROUND WATER

Tributary

Beneficial Use	From	To	Diversion Rate	Volume
COMMERCIAL	01/01	12/31	0.060 CFS	
DOMESTIC	01/01	12/31	0.080 CFS	
	Total Diversion		0.080 CFS	

Source and Point(s) of Diversion

GROUND WATER	SENE	Sec. 16, Twp 07N, Rge 01E, GEM County
GROUND WATER	SENE	Sec. 16, Twp 07N, Rge 01E, GEM County

Place Of Use

DOMESTIC within GEM County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N	01E	16			X	X													

COMMERCIAL within GEM County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N	01E	16			X	X													

Conditions of Approval:

- 046 Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
- 070 The irrigation occurring under this domestic use shall not exceed 1/2 acre per home.
- 121 The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
- Commercial use is for a restaurant and RV park.

IDAHO DEPARTMENT OF WATER RESOURCES
Water Permit 65-23585

7/22/2014

5. 106 Prior to the diversion and use of water under this approval, the right holder shall comply with applicable water quality permitting requirements administered by the Department of Environmental Quality or the Department of Agriculture.
6. X01 Domestic use is for 2 homes.
7. 26A Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

Comments:

- | | | | |
|----|--|-----------|---------------|
| 1. | eretelle
Updated shape | 4/6/2006 | POD |
| 2. | eretelle
Updated Shape | 4/6/2006 | POU |
| 3. | rcollingwood
Updated Shape | 3/3/2014 | POD |
| 4. | rcollingwood
Updated PLS | 3/3/2014 | POD |
| 5. | rcollingwood
Updated Shape | 3/3/2014 | POU |
| 6. | rcollingwood
Updated PLS | 3/3/2014 | POU |
| 7. | kwalker
Examiner inadvertently changed permit record while writing up his exam. Have changed back to way permit was issued this day. | 3/20/2014 | Permit Record |
| 8. | Renumber
Permit 65-23013 was split into 65-23013 and 65-23585 (only 1 split was created - the parent right was kept active). This was split because the field examiner found two separate systems were developed under permit 65-23013 and we needed to split the permit into two different water rights - one for each system. | 4/29/2014 | Split Right |

Dates and Other Information

Mitigation Plan: False

Combined Use Limits N/A

SubCase: N/A

Water Supply Bank: N/A