

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 94-07570

Priority: May 25, 2010

Maximum Diversion Rate: 0.03 CFS

This is to certify, that HOLDEN Y MITCHELL And
LINDA SUE MITCHELL
7304 N VALLEY ST
DALTON GARDENS ID 83815

has applied for a permit to appropriate water from:

Source: NORTH FORK COEUR D' ALENE RIVER **Tributary:** COEUR D' ALENE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/31	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

NORTH FORK COEUR D' ALENE RIVER , L2 (SE1/4SE1/4), Sec. 27, Twp 50N, Rge 02E, B.M.
SHOSHONE County

PLACE OF USE: IRRIGATION


Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N 02E 27															.3	.4	.7
															L 2	L 2	

Total Acres: 0.7

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 1, 2014**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
5. A fish screen of 0.25 inch or smaller mesh shall be installed and maintained at the point of diversion.
6. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
7. Water shall not be diverted under this right when flows in the Coeur d'Alene River are below minimum flow amounts as defined by Right 94-7341. The right holder shall be responsible for monitoring the daily flow of the Coeur d'Alene River using real-time data and shall cease diverting water when flows in the Coeur d'Alene River are below established minimum flow amounts. Unless otherwise specified by the Director of the Department of Water Resources, data from the U.S. Geological Survey Cataldo gauging station, No. 12413500, may be used for purposes of determining the daily flow amounts.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 14 day of July, 2013.


For, GARY SPACKMAN, Director