

RECEIVED

MAY 20 2014

79335

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. 95-16785

IDWR / NORTH

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Bruce & Kristen Anderson Wing Phone 713 882 7772

Name connector (check one) ☐ and ☐ or ☒ and/or

Mailing address: 8598 W. Riverview Drive City Coeur d'Alene

State ID Zip 83814 Email: _____

2. Source of water supply Ground water which is a tributary of Sinks

3. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
50N	04W	07NE	9	SW			Latah	Ground water	

4. Water will be used for the following purposes:

Amount 0.09 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per year)

Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)

Amount 0.04 for Commercial purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) 0.09 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. Pump in well.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11.
For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No

e. If well is already drilled, when? _____; drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality or the applicant's qualifications as a municipal provider. _____

d. Domestic; show number of households ONE / COMMERCIAL

e. Other; describe fully. _____

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	4W	7									C 49								
"	"	"									3 49								3
"	"	"									D 49								

Total number of acres to be irrigated: 3

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? _____

10. a. Who owns the property at the point of diversion? BRUCE R. WING
- b. Who owns the land to be irrigated or place of use? BRUCE R. WING
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. WHOLESALE BAKERY (POD WASH, FLOOR & SAUCES) BOTH ROOM SINKS, COMMERCIAL, SINKS AND 3 JAMES FRUIT TREES.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

For Department Use:

Received by [Signature] Date 5/20/14 Time _____ Preliminary check by _____

Fee \$ 100.00 Received by [Signature] Receipt No. N030438 Date 5/20/14

SENW

SENW

SE

NWSW

NESW

NWS

7

SENW

Well

SWSW

SESW

SWSE

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

Office Use Only			
Inspected by _____			
Twp _____	Rge _____	Sec _____	
_____ 1/4	_____ 1/4	_____ 1/4	
Lat: : :	Long: : :		

1. WELL TAG NO. D0051678

DRILLING PERMIT N 846204

Other IDWR No _____

2. OWNER:

Name Danny Dougal

Address 638 S Waterfront Ridge

City Coeur d'Alene State ID _____ Zip 83814

3. LOCATION OF WELL by legal description:

N		Twp	50N	North	☒ or	South	☐
Rge		04W	East	☐ or	West	☒	
Sec		07	1/4 NE	1/4 SW	1/4		
Gov't Lot		3	County	Kootenai			
Lat			Long				

Address of Well Site: (see next line)

E RIVER VIEW

City CDA

Lot _____ Blk _____ Sub. Name (see next line)

4. USE:

- ☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

- ☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

- ☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			Amount	Method
Material	From	To	Sacks/Lbs	
BENTONITE	0	18	18 SACKS	DRY POOR

Drive Shoe Used? ☒ Y ☐ N Shoe Depth(s) 18

Drive Shoe Seal Tested? ☐ Y ☒ N How? _____

8. CASING/LINER

Diam	From	To	Gauge	Material	Casng	Liner	Weld	Thrded
6	+2	18	0.250	STEEL	☒	☐	☒	☐
4	-10	360	0.200	PVC	☐	☒	☐	☐
					☐	☐	☐	☐

Length Headpipe N/A Length Tailpipe N/A

9. PERFORATIONS/SCREENS

- ☒ Perforations? Method DRILL
☐ Screens? Screen Type _____

From	To	Slot	Nmbr	Diam	Material	Casng	Liner
-320	360	3/8	500	3/8	PVC	☐	☒
						☐	☐
						☐	☐

10. STATIC WATER LEVEL or ARTESIAN PRESSURE

-100 ft. below ground. Artesian pressure 0 lb.
Depth flow encountered 80/345 ft. Describe access port or control devices: N/A

11. WELL TESTS

- ☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pump Level	Time
10 GPM EST	100%	360	1HR

Water Temp. _____ CPLD Bottom hole temp. COLD

Water Quality test or comments: (below) Depth first Water Encountered 80

CLEAR

12. LITHOLOGIC LOG (Describe repairs or abandonment)

Bore Diam	From	To	Remarks: Lithology, Water Quality and Temperature	Water	
				Y	N
8	0	18	DECOMPOSED GRANIT	☐	☒
6	18	160	BROKEN GRANIT 5 GPM 80FT	☒	☐
6	160	360	SOFT GREEN GRANIT 5 TO 7 GPM 345	☐	☒

RECEIVED
APR 30 2007
IDWR/North

Completed Dept 360 (Measurable)

Date: Started 4/19/2007 Completed 4/19/2007

13. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name United Drilling Inc. Firm No 414

Firm Official Timothy R. Volking Date 4/20/2007

Supervisor or Operator Timothy R. Volking Date 4/20/2007

50N 4W 7



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

May 22, 2014

GARY SPACKMAN
Director

BRUCE R WING
KRISTEN ANDERSON WING
8598 W RIVERVIEW DR
COEUR D ALENE, ID 83814

Application For Permit No. 95-16785

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the COEUR D ALENE PRESS on 6/5/2014 and 6/12/2014. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in black ink, appearing to read 'Eric Davis'.

Eric Davis
Senior Water Resource Agent

Ball, Dianne

From: Ball, Dianne
Sent: Thursday, May 22, 2014 4:19 PM
To: Legal Notices-CdA Press - Paige Plew; Legal Notices-CdA Press
Subject: Application for Permit No. 95-16780, 95-16785
Attachments: LegalNotice 05-22-14 CDA e-mail 95-16780, 16785.doc

Good afternoon, Paige,

Please publish the attached legal notice on the dates indicated, June 5 and 12, 2014, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof/preview copy for my review before this goes to press.

This should be very close to press ready – for 2 column, 8pt and CenturyOldStyle font. Please again ask those doing set-up to note the **"Use"** areas with the dates and CFS lined up in both areas. Legal should appear as submitted. They might be able to simply copy and paste with little additional modifications.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 6/23/2014. Your cooperation is greatly appreciated.

Thanks for all your help in seeing that our legals look as submitted. It's a pleasure to work with you.

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-16780

MICHAEL THEW

2405 N CENTER RD

SPOKANE, WA 99212

Point of Diversion L2(NWNW) S14 T48N R04W KOOTENAI CO

Source COEUR D ALENE LAKE tributary SPOKANE RIVER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 5/12/2014

Place of Use: DOMESTIC T48N R04W S14 L2(NWNW)

Domestic use is for 1 RV home site & up to 1/2 AC irrigation.

95-16785

BRUCE R WING

KRISTEN ANDERSON WING

8598 W RIVERVIEW DR

COEUR D ALENE, ID 83814

Point of Diversion L9(NESW) S7 T50N R04W KOOTENAI CO

Source GROUND WATER

Use: COMMERCIAL 01/01 to 12/31 0.04 CFS

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/15 to 11/15 0.09 CFS

Total Diversion: 0.09 CFS

Date Filed: 5/20/2014

Place of Use: COMMERCIAL T50N R04W S7 L9(NESW)

Place of Use DOMESTIC & IRRIGATION same as COMMERCIAL

Total Acres: 3

Domestic use is for 1 home.

Commercial use is for wholesale bakery.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D' Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 6/23/2014. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 6/5/2014 and 6/12/2014