

6/2013

IN-OFFICE BENEFICIAL USE EXAM REPORT

Permit No. 79-7260

Prepared by RC

Date 3-7-14

Same as permit Different than permit

Owner Name	☒	☐ _____
Owner Address	☒	☐ _____
Source	☒	☐ _____
Tributary	☒	☐ _____
POD	☒	☐ _____
POU	☒	☐ _____
Beneficial Use(s)	☐	☒ <u>No domestic use; only stock water</u>

Exam Fee Required for Permitted Rate \$50

Exam Fee Paid \$50

Overlaps ☒ No ☐ Yes, summarize _____

Amendment ☒ No ☐ Yes, summarize _____

Technical Confirmation Tools

ArcMap (Bing)	☒	GPS	☒
Taxlot	☒	Photos	☒
Well Log	☐	Diagrams	☒
Other	☐ explain: _____		

Conditions/Comments Condition No.2 - Domestic Use for 1 home. The right holder's home has not yet been built. Therefore, domestic use shall be removed from the Water Right License.

Exam Date Entered ☒

Draft License Created ☒

Shapes Updated ☒

BENEFICIAL USE FIELD EXAM CHECKLIST

Permit # 79-7260

EXAM FILE PREP

- ☒ Copy of original application for permit
- ☒ Copy of permit approval & proof report
- ☒ Copy of Proof of Beneficial Use
- ☒ N/A Copies of any Amendments/Assignments/Ownership Docs
- ☒ Exam Fee Required \$ 50.00 Exam Fee Paid \$ 50.00
- ☒ P/D Overlap Summary NONE
- ☒ P/U Overlap Summary NONE
- ☒ N/A Other permits, same owner, need exam
- ☒ Aerial Photo
- ☒ Topo map
- ☒ N/A BLM Gov't Lot (Section)
- ☒ Blank field report
- ☒ N/A Well Inspection form
- ☒ N/A Well log

ADDITIONAL INFORMATION/REMARKS/NOTES _____


PRE-LICENSING


(initial & date)

Fully completed & signed field report form	<u>RC 3-7-14</u>
Draft license & shape done in Workflow	<u>RC 3-7-14</u>
Exam-date data entered	<u>RC 3-7-14</u>

79-7260

ESRI AERIAL PHOTO - 2012









Pond @ N. 45, 78120 W 116.46812.


100' x 130' and 8' deep when full.

Waters up to 45 head of cattle and 50 head of elk and 15 deer. Stays $\frac{3}{4}$ full or more in dry season.

Lee Ron

Nov. 2013





← Spring
@ intersect

↑
Spring (@ intersection)



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

August 1, 2013

Lee A. Ross
11605 Highlander
Boise, ID 83709

RE: Water Right Permit No. 79-7260

As per our telephone conversation, the remoteness of the site and the minimal diversion rate for only stock water use, no field exam will be conducted. Instead, Water Right Permit No. 79-7260 will be processed in our office.

In order to complete the field exam, I have enclosed an aerial photo for your use. On the aerial photo, please indicate the location of the point of diversion (spring), and the location of the place of use (stock water storage pond). We will also need photographs of the point of diversion (spring) and the place of use (pond). Also, please submit the dimensions of the storage pond, including the maximum depth, and the number of cattle and/or horses which use the storage pond as a drinking source.

If you have any questions, please give me a call at (208) 334-2190.

Sincerely,

A handwritten signature in cursive script that reads "Rick Collingwood". The signature is written in dark ink and is positioned below the word "Sincerely,".

Rick Collingwood, P.E.
Water Resource Agent, Sr.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

July 25, 2013

Lee A. Ross
11605 Highlander
Boise, ID 83709

RE: Scheduling Field Exam for Water Right Permit No. 79-7260

We are planning to **conduct water right field examinations** in the vicinity of the above-referenced permit **during the week of August 12, 2013**. An examination is needed to verify your water use in order to issue a water right license.

Please be advised that you will need to operate your system under normal operating conditions during the examination. The permit authorizes the diversion of 0.02 cfs from a spring for domestic use for 1 home and stock water for 6 head of cattle and 2 horses.

In order to conduct your exam as efficiently as possible, we ask that you call this office to schedule a day and time convenient for you. **Please call me at 208-334-2190 by August 2, 2013, to conduct the exam during the week of August 12, 2013.** If there is a problem with scheduling or conducting the examination at this time, please let me know so we can reschedule or make other arrangements.

I appreciate your attention to this matter and I look forward to hearing from you.

Sincerely,

Rick Collingwood, P.E.
Water Resource Agent, Sr.