

RECEIVED

79123

FORM 202 03-10-10 (Print) (Single-sided document)

FEB 03 2014

IDWR / NORTH

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 83-11980

1. Name of applicant(s) Idaho Department of Parks and Recreation Phone 208-334-4199
Name connector (check one): ☐ and ☐ or ☐ and/or

Mailing address: 5657 Warm Springs Avenue City BoiseState ID Zip 83716 Email: jim.thomas@idpr.idaho.gov

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
37n	1e	1			NE	SW			

4. Water will be used for the following purposes:

Amount 0.1 cfs for Domestic purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) 0.1 cubic feet per second (cfs) and/or (b) 4 acre-feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. Water will be diverted from a 6 inch well via a 50 gpm well pump and distributed to the water system.

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11.

For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is 6 inches; proposed depth of well is 158 feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? 6/20/2012; drilling firm United Crown;

Well was drilled for (well owner) Idaho Department of Parks and Recreation; Drilling Permit No. 863606.

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality or the applicant's qualifications as a municipal provider. _____

d. Domestic; show number of households Freeman Creek State Park: Water Service for 105 campsites.

e. Other; describe fully. _____

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
37N	1E	1			D				D	D	D	D		D					

Total number of acres to be irrigated: _____

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? _____

This water right will supplement existing surface water right 83-7029. The primary beneficial use is domestic water service for 105 campsites inside the Freeman State Park. The Park periodically irrigates an estimated 0.25 acre of landscaping.

10. a. Who owns the property at the point of diversion? Army Corps of Engineers
- b. Who owns the land to be irrigated or place of use? Army Corps of Engineers
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: COE has designated IDPR to be the designated permit holder. (Refer to attached email.)


11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. _____

The existing surface water right is insufficient to supply maximum day demands to the Freeman Creek State Park. A new well has been drilled. A new pump estimated at 50 gpm will be installed in this well to supplement the current surface water source.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.



Signature of Applicant

James A. Thomas, Bureau Chief

Print Name (and title, if applicable)

Signature of Applicant


Print Name (and title, if applicable)

For Department Use:

Received by  Date 2/3/14 Time _____ Preliminary check by _____

Fee \$ 100.00 Received by  Receipt No. N03 02 84 Date 2/3/14

83-11980




Legend

- Working_POD
- Working_POU
- QQ
- Taxlots

0 0.075 0.15 0.3 Miles



83-11980



PROJECT NO. 41065
DESIGNED BY N.M.M.
DRAWN BY J.A.L.
DWG NAME 241065.DWG
DATE 01-13-14
SHEET NO. 1
IDWR FEB 03 2014

T37N, R1E, SEC. 1, B.M.

IDAHO DEPT. OF PARKS AND REC.
DWORSHAK STATE PARK
FREEMAN CREEK
WATER SYSTEM IMPROVEMENTS

COPYRIGHT 2014
Welch-Corner & Associates, Inc.
This document, and ideas and designs
incorporated herein, as an instrument
of professional service, is the property
of Welch-Corner & Associates, Inc.,
and is not to be used in whole or in
part for any other project without the
written authorization of Welch-Corner
& Associates, Inc.

WELCH-CORNER
ENGINEERS & SURVEYORS
www.welchcorner.com
350 E. Kathleen Ave.
Coeur d'Alene, ID 83815
208-664-9382
(toll free) 877-815-5672
(fax) 208-664-5946

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

1. WELL TAG NO. D 0060991

Drilling Permit No. 8103000
Water right or injection well # _____

2. OWNER

Name Idaho Dept. of Parks and Recreation
Address 2885 Kathleen Avenue, Suite 1
City Coeur d' Alene State Id Zip 83815

3. WELL LOCATION:

Twp. 37 North ☒ or South ☐ Rge. 01 East ☒ or West ☐
Sec. 01 NE 1/4 SW 1/4 160 acres

Gov't Lot _____ County _____
Lat. N46° 34:646 (Deg. and Decimal minutes)
Long. W116° 16:827 (Deg. and Decimal minutes)
Address of Well Site Freeman Creek Campground #2
City Lenore

(Give at least name of road • Distance to Road or Landmark)
Lot _____ Blk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
Bentonite Grout	0	60	32 ft ³	Tremmie pipe

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
6	4	147	.280	Steel	☒	☐	☐	☒
5	141	147	.280	Steel	☒	☐	☐	☒

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____

9. PERFORATIONS/SCREENS:

Perforations ☐ Y ☒ N Method _____
Manufactured screen ☒ Y ☐ N Type Stainless steel-alloy
Method of installation set and pull casing back

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
147	157	.050	10	5.5	S.S	304

Length of Headpipe 2ft Length of Tailpipe 5ft

Packer ☒ Y ☐ N Type K-Packer

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method
-----------------	-----------	---------	------------------------------------	------------------

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____
Describe control device Steel Cap Welded

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 38 Static water level (ft) +3
Water temp. (°F) _____ Bottom hole temp. (°F) _____
Describe access port 3/4 plug

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
	40	6hrs.	☐	☐	☒	☐

Water Quality test or comments: Clear, Cold, no smell

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water Y N
12	0	1	Topsoil brown	x
12	1	5	Clay Brown firm	x
12	5	25	Clay Brown with basalt gravels	x
12	25	38	Clay Brown trace basalt	x
12	38	62	Silt and Clay with basalt gravels	x
8	62	89	Sand coarse with some clays	x
8	89	98	Clay Grey firm	x
8	98	107	Sand coarse	x
8	107	143	Clay Grey firm	x
8	143	158	Sand coarse with water	x
8	158	161	Clay Brown firm	x

RECEIVED

JUN 28 2012

IDWR / NORTH

UNITED CROWN
PUMP & DRILLING
3125 W Hayden Ave. Hayden ID 83835
Office (800) 692-9641 (208) 772-7867

Completed Depth (Measurable) 159
Date: Started 6/13/12 Completed 6/20/12

14. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name United Crown Pump & Drilling Co. No. 636

*Principal Driller Jason C Beckham Date _____

*Driller _____ Date 6-25-12

*Operator II _____ Date _____

Operator _____ Date _____

* Signature of Principal Driller and rig operator are required.

Ball, Dianne

From: Ball, Dianne
Sent: Friday, February 21, 2014 11:16 AM
To: Legal Notices-Clearwater Tribune
Subject: Application for Permit No. 83-11980
Attachments: LegalNotice 02-21-14 CT e-mail 83-11980.doc

Hi, Marcie and Andrea,

Please publish the enclosed legal notice on the dates indicated, March 6 and 13, 2014, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof/preview copy for my review before this actually goes to press. It should be pretty close to press ready – 2 column 9 pt. I don't have your exact "Times" font, so I'm using Times New Roman and hope with that it will be close enough for you to make any necessary adjustments.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 3/24/2014. Your cooperation is always appreciated.

Thanks for all your help in making our legals look great.

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

83-11980

IDAHO DEPARTMENT OF PARKS AND RECREATION
5657 WARM SPRINGS AVE

BOISE, ID 83716

Point of Diversion NESW S1 T37N R01E

CLEARWATER County

Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.1 CFS

Total Diversion: 0.1 CFS

Date Filed: 2/3/2014

Place of Use: DOMESTIC T37N R01E S1

SWNE SWNW SENW NESW NWSW SESW

Domestic use is for 105 campsites inside Freeman State Park, to supplement existing surface water source.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D' Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 3/24/2014. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 3/6/2014 and 3/13/2014



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

February 21, 2014

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

IDAHO DEPARTMENT OF PARKS AND RECREATION
JAMES A THOMAS, BUREAU CHIEF
5657 WARM SPRINGS AVE
BOISE, ID 83716

Application For Permit No. 83-11980

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the CLEARWATER TRIBUNE on 3/6/2014 and 3/13/2014. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in black ink that reads "Keith E. Franklin". The signature is written in a cursive, flowing style.

Keith Franklin
Program Manager

MEMORANDUM

To: Water Right Application # 83-11980

From: Keith E. Franklin

Date: February 20, 2014

Re: Application for a Permit to Appropriate Water within the Salmon and Clearwater River Basins.

Re: Regional Analysis and Recommendation in accordance with Water Appropriation Rules (IDAPA 37.03.08.040.05).

Water Supply Information.

The Idaho Department of Fish & Game as well as the Department of Environmental Quality have no adverse comments towards the applicant diverting water from a ground water source

Good Faith, Delay, or Speculative Information.

The applicant plans to divert water for his own use on property that he owns and there are no known issues with any other party.

Financial Resources Information.

The well is already constructed and the applicant plans to finance the rest of the project by out of pocket means.

Local Public Interest.

The Idaho Department of Fish & Game and the Department of Environmental Quality have been ask to comment, by the applicant. The agencies are not apposed to the applicant's proposal.

Injury to Other Water Rights.

There isn't any foreseen potential impact to area water right holders.

Recommendation.

Northern Region recommends proceeding with the processing of this water right application.

Franklin, Keith

From: Hennekey,Ray [ray.hennekey@idfg.idaho.gov]
Sent: Tuesday, February 18, 2014 2:21 PM
To: Franklin, Keith
Cc: Cadwallader,Dave; Kiefer,Sharon
Subject: RE: Application For A New Water Right, Idaho Department of Parks and Recreation

Keith –

I reviewed Idaho Dept of Parks and Recreation's application (#89-11980) to withdraw 0.1 cfs or 4 AF/A from a well for domestic use (i.e., service for campsites). The application indicates the well will be used to supplement a permitted withdrawal from Dworshak Reservoir that does not meet IDPR needs. The well has already been drilled. IDFG does not anticipate that the requested withdrawal will affect fish, wildlife or habitat.

ray

Ray Hennekey

Environmental Staff Biologist
Idaho Department of Fish and Game
Clearwater Region
3316 16th Street
Lewiston, Idaho 83501

(208) 799-5010

From: Franklin, Keith [<mailto:Keith.Franklin@idwr.idaho.gov>]
Sent: Wednesday, February 12, 2014 1:41 PM
To: Hennekey,Ray
Subject: Application For A New Water Right, Idaho Department of Parks and Recreation

Ray,
Attached for your review and comment is an application for a domestic water right, from a well for the Freeman Creek State Park, by the Idaho Department of Parks and Recreation. If you have any comments please respond at your earliest convenience.
Thanks.
Keith.



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

1118 F Street • Lewiston, Idaho 83501 • (208) 799-4370
www.deq.idaho.gov

C.L. "Butch" Otter, Governor
Curt Fransen, Director

February 18, 2014

Keith Franklin
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815

RECEIVED

FEB 19 2014

IDWR/NORTHERN

Subject: Water Rights Application for Permit # 83-11980

Dear Keith:

DEQ has received a request for comment on the approval of a water right application to draw ground water from an existing well located on Army Corps of Engineers property, and managed by the Idaho Department of Parks and Recreation. This application will draw 0.1 cfs from a well that was constructed in 2012 for domestic water service for 105 campsites at the Freeman Creek State Park, from January 1 to December 31.

Based on the information that has been provided, DEQ cannot estimate nor predict impairments to surface or ground water beneficial uses resulting from the requested withdrawal. However, assuming all federal, state, and local permits have been obtained, regulations met, and reviews completed, we can offer the following comment.

It is the policy of the State of Idaho Ground Water Management Plan that existing and projected beneficial uses of ground water and interconnected surface water be maintained and protected, and degradation that would impair beneficial uses of ground water and interconnected surface water not be allowed.

Thank you for requesting our review and comment of your activity.

Sincerely,

A handwritten signature in dark ink, appearing to read "Cindy Barrett".

Cindy Barrett
Water Quality Program Manager

cc: James A. Thomas, IDPR
Ray Hennekey, IDFG
John Cardwell, DEQ

Franklin, Keith

From: Franklin, Keith
Sent: Wednesday, February 12, 2014 1:41 PM
To: 'Hennekey, Ray'
Subject: Application For A New Water Right, Idaho Department of Parks and Recreation
Attachments: DOC010.pdf

Ray,

Attached for your review and comment is an application for a domestic water right, from a well for the Freeman Creek State Park, by the Idaho Department of Parks and Recreation. If you have any comments please respond at your earliest convenience.

Thanks.

Keith.

Franklin, Keith

From: Franklin, Keith
Sent: Wednesday, February 12, 2014 1:24 PM
To: 'john.cardwell@deq.idaho.gov'
Subject: Application for a New Water Right, Idaho Parks and Recreation Department
Attachments: DOC010.pdf

Mr. Cardwell,

Attached for your review and comment is an application for domestic purposes for the Freeman Creek State Park by the Idaho Department of Parks and Recreation. If you have any comments please respond at your earliest convenience.

Thank you.

Keith E Franklin

Program Manager Northern Region

Jacki Fullerton

83-11980

From: Necia Maiani
Sent: Friday, February 07, 2014 2:52 PM
To: Jacki Fullerton
Subject: FW: Dworshak Water Right Permit (UNCLASSIFIED)

-----Original Message-----

From: Storck, Allison D NWW [mailto:Allison.D.Storck@usace.army.mil]
Sent: Monday, December 16, 2013 7:49 AM
To: Tom Joyner
Cc: Pence, Paul J NWW; Norton, Deborah A NWW; David White
Subject: RE: Dworshak Water Right Permit (UNCLASSIFIED)

Classification: UNCLASSIFIED
Caveats: NONE

RECEIVED
FEB 11 2014
IDWR/NORTHERN

Good Morning Tom,

We confirmed last week that IDPR will to be the holder of the Water Right Permit, not the Corps. Please verify how long this process takes.

I will verify if there is any other outstanding issue that we need to address prior to the Corps issuing our approval.

I am in the office all this week if you have any further questions.

Thank you,

Allison (Storck) Needham
Realty Specialist
Real Estate Division
Walla Walla District
US Army Corps of Engineers
509-527-7325

-----Original Message-----

From: Tom Joyner [mailto:Tom.Joyner@idpr.idaho.gov]
Sent: Monday, December 09, 2013 3:29 PM
To: Storck, Allison D NWW
Cc: David White
Subject: [EXTERNAL] Dworshak Water Right Permit

Ashley,

In discussing who's name the Water Right Documentation Permit should be under with Paul Pence, COE at Dworshak, Paul recommended we contact you to clarify who the permit applicant should be from. Idaho Department of Parks and Recreation can complete the form for COE approval if you want us too. The real question is, because the property is COE then should the permit come from COE as the owner or IDPR as the operator? Other than this outstanding permit is there anything else needed before we can proceed with the water project at Freeman Creek?

Appreciate your comments,

Thanks

Tom Joyner

Sr. Eng. Tech.

North Region Office

2885 W. Kathleen Ave. Ste. 1

Coeur d'Alene, Id. 83815

208-769-1511

soft logo.tif

Classification: UNCLASSIFIED

Caveats: NONE

RECEIVED
FEB 11 2014
IDWR/NORTHERN

www.welchcomer.com
208-664-9382
877-815-5672 (toll free)
208-664-5946 (fax)
350 E. Kathleen Ave.
Coeur d'Alene, ID 83815

TRANSMITTAL

ATTN:	Keith Franklin	DATE:	February 7, 2014
TO:	IDWR	RE:	Application for Permit
	7600 N. Mineral Drive, Ste. 100		Freeman Creek, IDPR
	Coeur d'Alene, ID 83815	PRJ #:	41065

Items Transmitted: ☐ Mailed ☒ Delivered

Copies	Date	Description
1	2-2014	Email referenced in Permit Application

These Are Transmitted As Checked Below:

- | | | |
|--|--|---|
| ☐ For Approval | ☐ No Exceptions Taken | ☐ Rejected – See Remarks |
| ☐ For Your Use | ☐ Make Corrections Noted | ☐ Return __ Corrected Prints |
| ☐ As Requested | ☐ Revise & Resubmit | ☐ _____ |
| ☐ For Your Review & Comment | ☐ Return After Loan To Us | |

Remarks:

Mr. Franklin –

Attached please find the email that was accidentally left out of our original Application for Permit for the Idaho Department of Parks and Recreation's Freeman Creek project.

Should you have any additional questions or require any further information please feel free to contact me at 208/664-9382 or nmaiani@welchcomer.com.

Thank you,

Necia Maiani

Copy To:

From: Necia M. Maiani, P.E.

**State of Idaho****DEPARTMENT OF WATER RESOURCES**

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815
Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

February 4, 2014

Welch-Comer
350 E Kathleen Ave.
Coeur d'Alene, ID 83815

Re: Application For Permit to Appropriate the Public Waters of the State of Idaho
Idaho Department of Parks and Recreation

Gentlemen:

The Idaho Department of Water Resources (IDWR) received an application for a new water right in the name of Idaho Department of Parks and Recreation from your office on February 3, 2014. No letter of transmittal accompanied the application; therefore we do not know who sent it.

Since the Army Corp of Engineers owns the property, IDWR requires a copy of an agreement allowing the parks department to utilize the property as stated in the application for the water right. The application did refer to an email from the Corps of Engineers designating the parks department as the permit holder but it was not attached.

Please supply IDWR with the necessary confirmation, from the property owner, that the parks department can apply for this water right within the next 30 days, so as not to delay processing.

If you have any questions, feel free to contact me at this office.

Sincerely,

Keith E Franklin
Program Manager Northern Region

COPY